1899.

BULL'S Catalogue OF PLANTS.

SHOUT
SHARE
IT

MR. WILLIAM BULL'S ORCHID CATALOGUE

Post Free on Application.

MR. WILLIAM BULL'S SEED CATALOGUE,

Published in January, contains descriptions and prices of all the most desirable novelties in Flower Seeds, saved from extra fine carefully selected stocks. Also Ornamental-foliaged Plants, so much used for sub-tropical gardening.

Descriptions and prices of the best and most popular seeds that can be offered for the Kitchen Gardon, Flower Garden, Conservatory, &c., &c.

MR. WILLIAM BULL'S BULB CATALOGUE,

Published in September, contains Priced Lists of all the finest Dutch and other Flower Roots, selected from the Stocks of the best Continental Bulb Growers, including Hyacinths, Tulips, Crocus, Narcissi, Liliums, &c., with a choice selection of other Bulbous and Tuberous-rooted Plants.



FOREIGN ORDERS.

Plants, Seeds, &c., for transmission abroad, selected and packed with the greatest possiblo care in Bull's Patent Plant Cases or closed boxes, according to the nature of the goods, and despatched by the best Routes, Mail and other fast Steamers, to any part of the world.

Owing to the great difficulty of collecting accounts abroad, Mr. W. B. respectfully intimates that

A REMITTANCE MUST ACCOMPANY ALL FOREIGN ORDERS,

sufficient in amount to cover cost of order and of packing, or an order must be sent for payment in London.

EXPORTING.

Mr. W. B. is continually receiving tho most gratifying accounts of the excellent condition in which both the plant and seed orders entrusted to him reach their destinations, and the satisfaction given by the selections made.

Post-office Orders to be made payable at 510, KING'S ROAD, CHELSEA, S.W.

Cheques to be crossed "LONDON JOINT STOCK BANK."

By Special Appointment.

A CATALOGUE

OF

New, Rare, and . .

Beautiful Plants

OFFERED BY

WILLIAM BULL, F.L.S., V.M.H.,

F.R.G.S., F.Z.S., F.R.H.S., M.A.I., F.R.B.S. & M.S.A.
Socc. Hort. Berol, Bruxell, St. Petersburgh et Paris, et
Soc. Agric. et Bot. Gandav. Socius.

New Plant Merchant,

536, KING'S ROAD,

CHELSEA, LONDON, S.W.

(ALL RIGHTS RESERVED.)

1899.

WILLIAM BULL, F.L.S.,

BEGS TO ANNOUNCE THAT HE IS NOW OFFERING SEVERAL

BEAUTIFUL PLANTS,

WHICH ARE

PERFECTLY NEW TO THIS COUNTRY,

An Inspection of which is invited.

Mr. W. B. respectfully calls the attention of the Nobility and Gentry about to furnish Conservatories to the

MAGNIFICENT SPECIMEN

Ornamental Plants

IN HIS WINTER GARDEN,

Some of which are the most handsome in Europe,

COMPRISING

PALMS, CYCADS, ENCEPHALARTOS, AND DRACÆNAS,

And a Large Stock of

TREE FERNS.

ORCHIDS.

In Mr. WILLIAM BULL'S Establishment will be found a large and fine stock of good established plants to select from. From the large number of plants in flower his Orchid Houses are always well worth a visit, and he will be pleased to show them to anyone interested in this beautiful class.

Mr. W. B. recommends those desirous of having their houses gay with Orchid flowers, to purchase good established well-cultivated plants, which bloom well, are more satisfactory, and comparatively cheaper than newly imported plants. He will be pleased to make selections suitable for cultivation either in a Cool, Intermediate, or Stove temperature as may be desired, at 3, 4, 5 and 6 guineas per dozen.

A Catalogue, containing a list of Orchids and their prices, sent post free on application.

NOTICE.

The Copyright of all the Original Illustrations in Mr. W. B.'s Catalogue is reserved, and any infringement will be proceeded against.

JASMINUM NITIDUM.

For description and price, see page 4.

DRACÆNA VICTORIA.

For description and price, see page 3.

NEW PLANTS

ANNOUNCED FOR THE FIRST TIME

BY

WILLIAM BULL, F.L.S.

AGAPANTHUS GLOBOSUM.

A distinct dwarf growing species imported from the Orange River Territory. It produces on long scapes, dense globular heads of flowers individually about an inch in diameter and of good shape. The three outer petals are lilac-blue shaded white and bluntly pointed, the inner ones emarginate and much darker in colour, the central vein of each petal dark bluish lilac. The strap-shaped leaves are arching and about a foot long. 10*s.* 6*d.*

ANTHURIUM ANDREANUM ROSEUM.

A most charming hybrid raised from *A. Andreanum*, the spathe being of a shining rose pink colour ornamented by a tricoloured spadix, the basal portion being white, the centre golden, and the tip lemon green. The foliage is of the same handsome character as the type. 31*s.* 6*d.*

DRACÆNA VICTORIA.

This exceedingly attractive new Dracæna is certainly one of the most handsome species yet introduced. It has been imported from Brazil, and belongs to the same section as *D. Lindeni*, from which it is quite distinct not only in the style of its variegation, but in the brightness and constancy of the colouration, the golden yellow of the leaves deepening with age instead of losing colour, as does *D. Lindeni*. Of noble habit, the plant is furnished with broad and gracefully recurving leaves, wavy at the margins, the whole leaf being bright golden yellow, with a central band of bright green, ornamented with narrow streaks varying in colour from greyish to creamy yellow. It was exhibited before the Floral Committee of the Royal Horticultural Society on the 25th October, 1898, when it was unanimously awarded a First Class Certificate. *Vide Illustration.* 3 guineas.

DRYNARIA HILLII.

An extremely handsome and effective Fern with long pinnately divided glossy green leaves, arising from a stout creeping rhizomous rootstock densely covered with long reddish brown silky hair. The fronds are broadly lanceolate in outline, the pinnæ being alternate and narrowly lanceolate with undulate margins, the blade of each pinnæ being connate with the next close to the stipes. The sori are borne in two rows between each of the primary veins, reaching from the midrib to the margin. It has been imported from Queensland. 2 guineas.

JASMINUM NITIDUM.

A charming new species of sleuder growth, introduced from tho Admiralty Islands, producing a profnsion of deliciously sceuted snow-white flowers, borne iu three-flowered umbels. The blossoms, which are composed of teu to twelve ray-like petals, are large, and have an exceedingly elegant and graceful appearance. The leaves are obovate, of a bright shining green colour. This pretty new species will be found a charming addition to warm-house climbers. *Vide Illustration* facing page 2. 10*s*. 6*d*.

LICUALA MUELLERI.

A pretty ornamental unarmed Palm of good habit, a native of Rockingham Bay. In a young state the leaves are plicate, divided nearly to the base into truncate lobes or segments obtusely toothed and jagged. The foliago is bright green, closely veined with dark green, thus giving it a maculated or mottled appearance. When more mature the whole leaf is closed all round so as to appear peltate, forming a flat shield-like disc. 10*s*. 6*d*., 15*s*. and 21*s*.

NERINE CANDIDA.

A lovely and chaste pure white variety of this well-known and favourite genus of greenhouse bulbous plants, bearing on erect scapes large heads consisting of from fifteen to tweuty flowers, each about two inches in diameter. The blossoms are most elegant in form, the six segments extending in the shape of an open fan, undulated on the margins and of a glistening snowy whiteness, producing a most charming effect. The leaves are of a rich green colour. 10*s*. 6*d*.

POLYPODIUM IRIOIDES LOBATUM.

A handsome variety with bright green coriaceous leaves contracted at the base into very short stipes. It is remarkable, and varies from the type in the tips of the fronds breakiug up into lobes, some of the leaves bearing as many as ten to twelve segmeuts at the apex. This Fern is of robust growth and valuable for decorative purposes. It has been introduced from Queensland. 10*s*. 6*d*.

RHODODENDRON FORDII.

This new species is a uative of the Island of Lantao, China, where it was found by Mr. C. Ford's native collector. It is of shrubby habit, bearing thick coriaceous leaves, varying considerably in shape at different periods of growth and in different plauts, some being lanceolate, others nearly oval, and still others obovate; the underside in the younger stages of growth is generally covered with a thick ferrugineous pubescence, becoming glabrous with age. The flowers are white, of medium size, and borne as usual iu corymbs. 7*s*. 6*d*.

NEW GREENHOUSE RHODODENDRONS.

The following are all Greenhouse varieties, bearing their charming heads of bloom in the most profuse manner.

ANACREON.—Very rich bright cherry carmine flowers, well shaped and most pleasing and distinct in colour. 10*s*. 6*d*.

AURELIA.—Rich golden yellow flowers of good shape, borne in fine trusses. 10*s*. 6*d*.

CLAUDIA.—Grand trusses of large well-shaped, rich orange-buff flowers, anthers of a pretty magenta pink colour. 10*s*. 6*d*.

CEDRUS.—Well-shaped salmon-scarlet flowers, tubes being of a light straw colour; very bright and distinct. 10*s*. 6*d*.

DORIS.—An exceedingly pretty variety bearing fine trusses of pretty creamy yellow flowers. 10*s*. 6*d*.

For other New Sorts, vide page 26.

NEW DOUBLE-FLOWERED PETUNIA, VICTORIA.

A most charming and effective new Petunia, producing very full and double globular-shaped flowers composed of snow-white and bright rosy-pink petals, arranged in an irregular manner, the edges being most strikingly crimped and fringed. This pretty variety cannot fail to become a general favourite. 3*s*. 6*d*.

NEW FUCHSIAS.

GIDOUR.—Short tube and very broad recurved crimson sepals; very large rich plum purple double corolla. 5*s*.

ICARUS.—Carmine sepals completely recurved; blush white single corolla veined with rosy crimson, base of the petals suffused carmine. 5*s*.

JANUS.—Carmine tube and sepals; very large double white corolla veined with rose at the base of the petals. 5*s*.

LINDA.—Large single corolla of good shape, lavender blue veined at base with crimson, broad sepals and short coral red tube. 5*s*.

MENTO.—A gigantic double flower with broad shell-shaped sepals of a reddish crimson colour; immense bluish purple corolla. 5*s*.

VALIANT.—Coral red tube and sepals, the latter broad and well reflexed; single corolla with large bright crimson-red petals. Very striking. 5*s*.

For other New Sorts, vide page 46.

NEW ZONAL PELARGONIUMS.

SINGLE-FLOWERED VARIETIES.

DUCHESS.—Magenta rose shaded with violet, upper petals feathered with white. A very pretty colour. 5*s*.

FANE.—Fine truss of rich violet flowers, upper petals marked at base with orange-scarlet. 5*s*.

JUMNA.—Splendid trusses, flowers magenta cerise, upper petals marked with scarlet.

LAURENCE.—Magenta purple; each petal edged with vermilion, the base of the two upper petals bright vermilion. 5*s*.

LANCER.—Scarlet magenta, upper petals rich orange vermilion at base. 5*s*.

NESIDA.—Good trusses of bloom, white shaded in centre and on the margins with rose. 5*s*.

NIMROD.—Upper petals fiery orange scarlet, a faint tint of purple in centres, lower petals purplish magenta, shaded scarlet on margins. 5*s*.

PLATO.—Fine large flower shaded salmon-pink on a white ground. 5*s*.

RONURA.—Grand trusses of large well-formed cerise pink flowers. 5*s*.

SARNIA.—Bright purplish magenta, the two upper petals bright scarlet at the base and tips; lower petals tipped with scarlet. 5*s*.

THERA.—Soft magenta scarlet, shaded fiery scarlet in centre. 5*s*.

For other New Sorts, vide page 44.

AGLAONEMA VERSICOLOR.

An attractive ornamental foliage stove plant, belonging to the Aroid family, introduced from the East Indies. It is of neat growth and bears on an erect stem beautifully mottled shortly stalked spreading leaves, the petioles sheathing with membraneous edges. The leaf blades obliquely oblong, rounded at the base, acute at the apex, irregularly blotched with patches of dark velvety green interspersed among patches of lighter green, and some of milky white. 7*s.* 6*d.*

NEW, RARE AND SELECT STOVE PLANTS.

ABROMA SINUOSA.

An interesting plant from Madagascar. The leaves, which grow on slender petioles, are broadly ovate, with oblong obtuse lobes and broad open sinuses, and from their peculiar and remarkable character, the plant is very pleasing and attractive. *5s.*

ACALYPHA GODSEFFIANA.

A distinct and pretty ornamental foliage plant introduced from New Guinea. The leaves are exquisitely variegated with white, green and yellow, the white colour entirely encircling the leaf. This plant being of dwarf and compact habit, will be found very suitable for sub-tropical bedding in favourable positions. *2s. 6d.*

ACALYPHA ILLUSTRATA, *2s. 6d.* and *3s. 6d.*
MACROPHYLLA, *2s. 6d.* and *3s. 6d.*
ACALYPHA OBOVATA, *3s. 6d.*
TRIUMPHANS, *3s. 6d.*

ACALYPHA HISPIDA (SANDERIANA).

A very remarkable plant introduced from New Guinea. It is of branching habit and free growth, the long tail-like crimson-red spikes being produced in the freest manner, bearing some resemblance both in shape and colour to the long spikes of the well-known "Love-lies-bleeding." A most ornamental and distinct plant. *2s. 6d.*, *3s. 6d.* and *5s.*

ACANTHUS MONTANUS, *3s. 6d.*
ÆCHMEA AMAZONICA, *5s.* and *7s. 6d.*
FULGENS, *vide* Lamprococcus fulgens.
MINIATA, *vide* Lamprococcus miniatus.
ÆCHMEA VEITCHII, *vide* Chevalliera Veitchii.
WEILBACHII, *vide* Lamprococcus Weilbachii.
ÆSCHYNANTHUS LOBBIANUS, *2s. 6d.* and *3s. 6d.*

AGLAONEMA PICTUM COMPACTUM.

An ornamental and interesting stove plant, with very short erect green stems and stalked leaves the petioles of which are sheathing, green with a membraneous whitish margin. The leaf-blades are short, oblong-ovate, acuminate, unequal-sided, of a dark sap green, sparingly patched with grey, and of a pale green beneath. This plant is a native of Java. *5s.*

AGLAONEMA COSTATUM, *3s. 6d.*
MARANTÆFOLIUM (oblongifolium), *3s. 6d.*
PICTUM, *2s. 6d.* and *3s. 6d.*
—— GRACILE, *5s.*
VERSICOLOR, *vide* page 6.
ALLAMANDA CHELSONI, *3s. 6d.*
HENDERSONI, *3s. 6d.*
MAGNIFICA, *3s. 6d.*
NOBILIS, *3s. 6d.*
WILLIAMSII, *5s.* and *7s. 6d.*
ALOCASIA GIGANTEA (LONGILOBA), *3s. 6d.* and *5s.*
ALOCASIA HYBRIDA, *7s. 6d.*
INTERMEDIA, *7s. 6d.*
JENNINGSII, *2s. 6d.*
LOWII GRANDIS, *7s. 6d.* and *10s. 6d.*
MARGINATA, *7s. 6d.*
METALLICA (*cuprea*), *3s. 6d.* and *5s.*
SANDERIANA, *5s.* and *7s. 6d.*
THIBAUTIANA, *5s.* and *7s. 6d.*
ZEBRINA, *7s. 6d.* and *10s. 6d.*
ALPINIA MUTICA, *7s. 6d.*
VITTATA, *3s. 6d.* and *5s.*

AMARYLLIS (HIPPEASTRUMS).

This deservedly popular family cannot be too highly recommended. The ease with which they are cultivated and the gorgeously beautiful flowers they produce at almost any season, make them most desirable in any collection. By gradually drying the bulbs they can be put to rest at any time during the year, and then when required, if started in a gentle heat, they quickly develop their large Lily-like blossoms, which are of various colours, generally embracing crimson, white and red, scarlet, rose-flaked, striped white and crimson, with various shades of colours.

Choice selections of good sorts, 2, 3, 4, 5, and 6 guineas per dozen.

AMASONIA PUNICEA (*calycina*), 3*s*. 6*d*. and 5*s*.
AMONUM CARDAMONUM, 2*s*. 6*d*.
VITTATUM, 5*s*.
AMORPHOPHALLUS CAMPANULATUS, 5*s*. & 7*s*. 6*d*.
VIROSUS, a remarkable Aroid, a good Illustration of which is given in the *Botanical Magazine* for February, 1888. 3 guineas.
ANONA CHERIMOLIA (*Cherimoyer*), 5*s*.
MURICATA (*Sour Sop*), 15*s*.
ANONA RETICULATA (*Netted-leaf Custard Apple*), 15*s*.
SQUAMOSA (*Sweet Sop*), 10*s*. 6*d*.
ANCHOMANES DUBIUS, 10*s*. 6*d*.
ANCYLOGYNE LONGIFLORA, 3*s*. 6*d*.
ANDROPOGON CITRATUS (*Lemon Grass*), 3*s*. 6*d*. and 5*s*.
ANTHURIUM ANDREANUM, 5*s*. and 7*s*. 6*d*.
ANDREANUM ROSEUM, *vide* page 3.

ANTHURIUM ANDREANUM ALBUM.

This charming white-flowered variety of the well-known *Anthurium Andreanum* has been imported from Brazil. In growth and shape of flower it is a counterpart of the type, but the spathes are of a shining ivory white, lasting a long time in perfection. A very chaste and desirable addition to our flowering stove plants. 2 guineas.

ANTHURIUM ANDREANUM SALMONEUM.

Another very pleasing variation of *Anthurium Andreanum* will be found in this plant, which produces large cordate-shaped spathes of a clear salmon colour, the corrugations in the spathe being well marked. The basal half of the spadix is white, the apical portion yellow. This forms a charming companion to the brilliant crimson scarlet-flowered typical species. 21*s*.

ANTHURIUM ANDREANUM SANGUINEUM.

An exceedingly fine variety of the type, with very rich dark crimson spathes, ornamented with a golden yellow spadix and shining as if varnished. The spathe is of good shape and the corrugations well marked. 42*s*.

ANTHURIUM BAKERI, 10*s*. 6*d*.
CARNEUM, 5*s*. and 7*s*. 6*d*.
ANTHURIUM CANDIDUM, 3*s*. 6*d*.
CRUENTUM, 15*s*. and 21*s*.

ANTHURIUM CHELSEIENSE.

An extremely handsome hybrid between *A. Veitchii* and *A. Andreanum*, with leaves resembling those of the first named. The spathes are broadly cordate, cuspidate at the apex, about 5 inches long by 3½ inches broad, of an intense shining rich crimson colour. The spadix is about two-thirds the length of the spathe, and slightly tapering, the basal part white, the tip tinged with a yellowish shade. The beautiful spathes are freely produced, and last a long time in perfection. 15*s*. and 21*s*.

ANTHURIUM CRYSTALLINUM, 3*s*. 6*d*., 5*s*. & 7*s*. 6*d*.
DECHARDI, 3*s*. 6*d*. and 5*s*.
FERRIEBENSE, 3*s*. 6*d*. and 5*s*.
FLORIBUNDUM, 3*s*. 6*d*.
ANTHURIUM GALEOTTIANUM, 5*s*.
HARRISII PULCHRUM, 7*s*. 6*d*. and 10*s*. 6*d*.
HYBRIDUM, 7*s*. 6*d*. and 10*s*. 6*d*.
INTERMEDIUM, 7*s*. 6*d*. and 10*s*. 6*d*.

ANTHURIUM INSIGNE.

A noble and striking Aroid imported from the United States of Colombia. The leaf-blade is three-lobed, the middle lobe lanceolate, and the two lateral lobes semi-ovate. The young leaves have a bronzy tinge before taking on the full green of the mature foliage. This distinct plant has been frequently shown in Mr. W. B.'s winning collections of New Plants. 7*s*. 6*d*. and 10*s*. 6*d*.

ANTHURIUM LEUCONEURUM, 3*s*. 6*d*.
LUCIDUM, 5*s*.
MACROLOBUM, 5*s*. and 7*s*. 6*d*.
MAGNIFICUM—*syn*. A. grande and A. cordifolium, 3*s*. 6*d*.
MOOREANUM, 15*s*. and 21*s*.
NYMPHÆFOLIUM. 10*s*. 6*d*.
REGALE, 3*s*. 6*d*. and 5*s*.
REINE DES BELGES, 10*s*. 6*d*.
ROTHSCHILDIANUM.
ANTHURIUM SCHERZERIANUM, 3*s*. 6*d*. and 5*s*.
SCHERZERIANUM ALBUM GRANDIFLORUM, 15*s*. and 21*s*.
—— FORMOSUM, 2 and 3 guineas.
—— GIGANTEUM, 1, 1½ and 2 guineas.
—— MAXIMUM, *see* next page.
—— ROSEUM, *see* next page.
—— RUBRUM, 1 and 1½ guinea.
—— SANGUINEUM, *see* next page.
—— SPLENDENS, 1, 1½ and 2 guineas.
—— WARDII, 1, 1½ and 2 guineas.

ANTHURIUM SCHERZERIANUM MAXIMUM.

A magnificent variety of this attractive flowering plant, producing gigantic flower spathes which measure about nine inches in length by four inches in breadth, and are of a most brilliant scarlet colour. As a decorative and exhibition plant this splendid variety will always occupy a foremost place. 2 and 3 guineas.

ANTHURIUM SCHERZERIANUM ROSEUM.

An extremely pretty variety of the well-known Flamingo Plant, *Anthurium Scherzerianum*, producing charming rose-coloured spathes flushed with salmon, in striking contrast to the rich scarlet spathes of the type. Owing to the enduring character of the spathes, Anthuriums are most desirable plants for the decoration of Stove-houses and Conservatories. 10*s*. 6*d*. and 15*s*.

ANTHURIUM SCHERZERIANUM SANGUINEUM.

A very handsome and distinct variety of the well-known *A. Scherzerianum*, differing from the type in the colour of its spathes, which, instead of being bright scarlet, are of a deep blood-red or dark crimson colour. This is a most desirable acquisition for exhibition, or for any decorative purpose, its attractive spathes lasting a long time in perfection. 10*s*. 6*d*.

ANTHURIUM TRIUMPHANS, 10*s*. 6*d*. and 15*s*.
VEITCHII.
WAROCQUEANUM, 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*.
ANTIGONON INSIGNE, 7*s*. 6*d*.
SPECIOSUM, 7*s*. 6*d*.
APHELANDRA AURANTIACA ROEZLII, 2*s*. 6*d*. and 3*s*. 6*d*.
BLANCHETIANA (AMŒNA) 3*s*. 6*d*. and 5*s*.
CHAMISSONIANA, 3*s*. 6*d*. and 5*s*.
CRISTATA, 2*s*. 6*d*.
LEOPOLDII, 2*s*. 6*d*.
ARALIA CHABRIERI, *vide* ELÆODENDRON ORIENTALE.
ELEGANTISSIMA, 5*s*. and 7*s*. 6*d*.
GUILFOYLEI, 5*s*.
LEPTOPHYLLA, 3*s*. 6*d*.
LONGIPES, 10*s*. 6*d*.
RETICULATA, 2*s*. 6*d*. and 3*s*. 6*d*.
VEITCHII, 5*s*. and 7*s*. 6*d*.
——GRACILLIMA, 5*s*. and 7*s*. 6*d*.
See also page 18.
ARDISIA MAMILLATA, 2*s*. 6*d*. and 3*s*. 6*d*.
OLIVERI, 3*s*. 6*d*.
PRIMULÆFOLIA, 3*s*. 6*d*.
ARISTOLOCHIA CAUDATA, 10*s*. 6*d*.
ELEGANS, 3*s*. 6*d*.
GIGAS STURTEVANTI, 5*s*.
ORNITHOCEPHALA, 5*s*. and 7*s*. 6*d*.
SACCATA, 5*s*.
TRILOBATA, 3*s*. 6*d*. and 5*s*.
WESTLANDI.
ARTOCARPUS CANNONI, *see* Ficus.
EBURNEUS, 5*s*.
INTEGRIFOLIUS (The Jack Fruit), 10*s*. 6*d*.
LACINIATUS METALLICUS, *see* Ficus.
ASPARAGUS, of sorts, *vide* page 18.

ATACCIA (TACCA) CRISTATA, 7*s*. 6*d*. and 10*s*. 6*d*.
BEAUMONTIA GRANDIFLORA, 5*s*. and 7*s*. 6*d*.
BELOPERONE ATROPURPUREA, 5*s*.
BERTOLONIA ALBO-PUNCTATISSIMA, 3*s*. 6*d*.
GUTTATA SPLENDENS, 15*s*.
MARMOREA SUPERBA, 3*s*. 6*d*. and 5*s*.
VAN HOUTTEI, 3*s*. 6*d*.
VELUTINA, 5*s*.
BIGNONIA AURANTIACA, 7*s*. 6*d*. and 10*s*. 6*d*.
CHAMBERLAYNII, 3*s*. 6*d*. and 5*s*.
PICTA, 5*s*. 6*d*. and 5*s*.
RETICULATA, 5*s*.
ROEZLIANA, 5*s*.
——VILLOSA, 5*s*.
See also page 18.
BILLBERGIA AMŒNA, 10*s*. 6*d*.
CHLOROSTICTA, 10*s*. 6*d*. and 15*s*.
EXSOAPA, 21*s*.
FARINOSA, 10*s*. 6*d*.
IRIDIFOLIA, 7*s*. 6*d*.
PYRAMIDALIS, 10*s*. 6*d*.
SAUNDERSII, 10*s*. 6*d*.
BOUGAINVILLEA GLABRA, 2*s*. 6*d*. and 3*s*. 6*d*.
GLABRA CYPHERI, 5*s*.
—— SANDERIANA, 3*s*. 6*d*. and 5*s*.
LATERITIA, 2*s*. 6*d*. and 3*s*. 6*d*.
REFULGENS, 3*s*. 6*d*. and 5*s*.
SPECIOSA, 2*s*. 6*d*. and 3*s*. 6*d*.
SPECTABILIS, 2*s*. 6*d*. and 3*s*. 6*d*.
BROWNEA COCCINEA, 21*s*.
ERECTA, 1 and 1½ guinea.
GRANDICEPS, 10*s*. 6*d*.
HYBRIDA, 1½ guinea.
BURCHELLIA CAPENSIS, 2*s*. 6*d*. and 3*s*. 6*d*.
CALADIUM, *vide* page 29.
CALLIPHRURIA HARTWEGIANA, 2*s*. 6*d*.
SUBEDENTATA, 2*s*. 6*d*.

CAMOENSIA MAXIMA.

One of the most gorgeously beautiful of tropical climbers, a native of West Africa. The splendid bunches of pendulous milk-white flowers, tinged with gold on the edges of the petals, grow in erect racemes from the axils of the leaves; the petals are white, venose, frilled at the margin, where they are tinted with golden-yellow. This plant has been described and illustrated in Vol. XXV. of the Transactions of the Linnæan Society, p. 301, t. 36. 1½ guinea.

CAPPARIS FRONDOSA, 5*s*.
CAREX ELEGANS VARIEGATA, 2*s*. 6*d*. and 3*s*. 6*d*.
SCAPOSA, 3*s*. 6*d*. and 5*s*.
CENTRADENIA FLORIBUNDA ROSEA, 3*s*. 6*d*.
CEROPEGIA GARDNERI, 3*s*. 6*d*. and 5*s*.
WOODI, *see* next page.

CEROPEGIA WOODI.

A very ornamental and graceful trailing plant with slender greyish branches bearing small orbicular fleshy leaves, most prettily marbled with silvery white on the upper surface. Intermingled with the leaves are small globose tubers from which roots emerge. The flowers are pinkish in colour, tubular, distended at the base and expanding at the top into five dark purple segments united at the tips in the form of a crown. The variegated foliage and curious structure commend this plant alike to the connoisseur and to the botanist. It is a native of Natal, and will form a most interesting and excellent basket plant for a warm greenhouse, and is suitable for rockeries or other decorative purposes. 10*s.* 6*d.*

CHAMÆCLADON RUBENS, 5*s.*
CHAMERANTHEMUM BEYRICHII VARIEGATUM, 3*s.* 6*d.*
VERBENACEUM, 3*s.* 6*d.*
CHEVALLIERA (ÆCHMEA) VEITCHII, 7*s.* 6*d.* and 10*s.* 6*d.*
CHIRITA SINENSIS, 3*s.* 6*d.*
CIENKOWSKIA KIRKII, 3*s.* 6*d.*
CINNAMOMUM CASSIA (*Cassia*), 10*s.* 6*d.*
ZEYLANICUM (*Cinnamon*), 7*s.* 6*d.*
CISSUS ALBO-NITENS, 3*s.* 6*d.*
DISCOLOR, 2*s.* 6*d.* and 3*s.* 6*d.*
LINDENI, 3*s.* 6*d.* and 5*s.*
PORPHYROPHYLLUS, 3*s.* 6*d.* and 5*s.*
CLERODENDRON BALFOURIANUM, 2*s.* 6*d* & 3*s.* 6*d.*
DELECTUM, 3*s.* 6*d.* and 5*s.*
FALLAX, 3*s.* 6*d.*
FRAGRANS FLORE PLENO, 2*s.* 6*d.*
MACROSIPHON, 3*s.* 6*d.* and 5*s.*
NUTANS, 3*s.* 6*d.* and 5*s.*
SPECIOSUM, 3*s.* 6*d.*
SPLENDENS, 3*s.* 6*d.* and 5*s.*
COCHLIOSTEMA JACOBIANUM, 5*s.* and 7*s.* 6*d.*
COFFEA ARABICA, 3*s.* 6*d.* and 5*s.*
LIBERICA, 3*s.* 6*d.* and 5*s.*
COLA ACUMINATA (KOLA NUT), 10*s.* 6*d.*
COLOCASIA, *vide* Alocasia.
COMBRETUM GRANDIFLORUM, 5*s.*
PURPUREUM, 5*s.*
CORYNOSTYLIS HYBANTHUS ALBIFLORA, 3*s.* 6*d.*
CROTON (CODIÆUM) AIOBURTHENSIS, 3*s.* 6*d.* and 5*s.*
AIOBURTH GEM, 3*s.* 6*d.* and 5*s.*
ANDREANUS, 3*s.* 6*d.*
ANEITUMENSIS, 3*s.* 6*d.* and 5*s.*
ANOUSTIFOLIUS, 2*s.* 6*d.*
AUREO-PUNCTATUS, 3*s.* 6*d.*
BARON FRANK SEILLIÈRE, 3*s.* 6*d.*
BARONNE JAMES DE ROTHSCHILD, 3*s.* 6*d.*
BROOMFIELDII, 5*s.*
CERBERUS, 5*s.*
COUNTESS, 3*s.* 6*d.* and 5*s.*
CYRUS, 5*s.*
DAVISII, 3*s.* 6*d.*
DELIGHT, 3*s.* 6*d.* and 5*s.*
DISRAELI, 3*s.* 6*d.*
DROUETTII, 5*s.*
DUKE OF BUCCLEUCH, 3*s.* 6*d.*
EARL OF DERBY, 3*s.* 6*d.*
EBURNEUS, 3*s.* 6*d.* and 5*s.*
ELEOANTISSIMUS, 3*s.* 6*d.*
ETNA, 3*s.* 6*d.* and 5*s.*
EVANSIANUS, 3*s.* 6*d.*
EXCURRENS, 10*s.* 6*d.*
CROTON FASCIATUS, *vide* C. Hendersoni.
FLAMBEAU, 3*s.* 6*d.* and 5*s.*
FLAMINGO, 3*s.* 6*d.* and 5*s.*
FORMOSUS, 5*s.*
GLORIOSUS (Princess of Wales), 5*s.*
GOLDEN RING, 5*s.*
HASTIFERUS, 2*s.* 6*d.* and 3*s.* 6*d.*
HAWKERII, 3*s.* 6*d.*
HENDERSONI (FASCIATUS), 3*s.* 6*d.*
HEROICUS, 5*s.*
INIMITABILIS, 3*s.* 6*d.*
INSIONIS, 5*s.* and 7*s.* 6*d.*
LAINOII, 3*s.* 6*d.*
MADLLE. MARIE VAN HOUTTE, 3*s.* 6*d.* and 5*s.*
MAGNIFICENT, 3*s.* 6*d.* and 5*s.*
MAJESTICUS, 3*s.* 6*d.*
MASSANGEANUS, 3*s.* 6*d.* and 5*s.*
MEMPHIS, 10*s.* 6*d.*
MORTII, 3*s.* 6*d.*
MORTEFONTANENSIS, 3*s.* 6*d.*
NEPTUNE, 3*s.* 6*d.* and 5*s.*
NIMROD, 3*s.* 6*d.* and 5*s.*
NESTOR, 3*s.* 6*d.* and 5*s.*
NOBILIS, 3*s.* 6*d.*
OBERON, 3*s.* 6*d.*
ORNATUS, 7*s.* 6*d.* and 10*s.* 6*d.*
PRINCE OF ORANGE, 15*s.*
PICTURATUS, 2*s.* 6*d.* and 3*s.* 6*d.*
PRINCE OF WALES, 3*s.* 6*d.*
PRINCESS OF WALES, *vide* C. gloriosus.
QUEEN VICTORIA, 3*s.* 6*d.*
REIDII, 5*s.* and 7*s.* 6*d.*
REX, 3*s.* 6*d.*
RUBERRIMUS, 3*s.* 6*d.*
SCEPTRE, 10*s.* 6*d.*
SCHOMBURGKIANUS, 3*s.* 6*d.*
SPECIOSUS, 3*s.* 6*d.* and 5*s.*
SPLENDIDUS, 5*s.*
SUNBEAM, 3*s.* 6*d.* and 5*s.*
SUNRISE, 3*s.* 6*d.* and 5*s.*
SUNSET, 3*s.* 6*d.* and 5*s.*
SUNSHINE, 3*s.* 6*d.* and 5*s.*
THOMPSONI, 3*s.* 6*d.*
UNDULATUS, 3*s.* 6*d.*
VEITCHIANUS, 3*s.* 6*d.*
VICTORY, 10*s.* 6*d.*
WARRENII, 3*s.* 6*d.* and 5*s.*
WEISMANNI, 3*s.* 6*d.*
WILLIAMSII, 3*s.* 6*d.*
CRYPTANTHUS (TILLANDSIA) ACAULIS, 3*s.* 6*d.*
(TILLANDSIA) ACAULIS ZEBRINA, 5*s.*
(——) —— —— AUREA, 7*s.* 6*d.*
(——) BEUCKERII, 7*s.* 6*d.* and 10*s.* 6*d.*
(——) BIVITTATA, 5*s.* and 7*s.* 6*d.*

CRYPTANTHUS NITIDUM.

This exceedingly pretty ornamental-foliaged Bromeliad has been imported from Brazil, and is remarkable for its compact rosette-like growth. It is a stemless species with densely crowded, spreading foliage of a most attractive character and neat growth. The leaves are sessile, lanceolate acuminate, wavy and denticulate at the margins, dark olive green, with a broad band of cream colour on either side of the midrib, heavily suffused with reddish pink. The under surface is silvery white with raised reticulations. 10*s.* 6*d.*

CURCULIGO RECURVATA, 1*s.* 6*d.* and 2*s.* 6*d.*
RECURVATA STRIATA, 7*s.* 6*d.*
—— VARIEGATA, 5*s.* and 7*s.* 6*d.*
CYANOPHYLLUM BOWMANNI, 5*s.*
MAGNIFICUM, 3*s.* 6*d.* and 5*s.*
CYANOTIS (TRADESCANTIA) PILOSA AUREA, 2*s* 6*d.*
(TRADESCANTIA) ZANONIA, 3*s.* 6*d.*
(——) ZEBRINA, 2*s.* 6*d.*
(——) —— MULTICOLOR, 2*s.* 6*d.*
See also Tradescantia, page 17.
CYPERUS ALTERNIFOLIUS, 1*s.* 6*d.* and 2*s.* 6*d.*
ALTERNIFOLIUS VARIEGATUS, 2*s.* 6*d.* and 3*s.* 6*d.*
FERTILIS, 5*s.*
LAXUS, 1*s.* 6*d.*
—— VARIEGATUS, 3*s.* 6*d.* and 5*s.*
CYRTANTHERA CHRYSOSTEPHANA, 3*s.* 6*d.*
POHLIANA, 3*s.* 6*d.*
CYRTODEIRA CHONTALENSIS, 2*s.* 6*d.* and 3*s.* 6*d.*
FULGIDA, 2*s.* 6*d.* and 3*s.* 6*d.*
METALLICA, 2*s.* 6*d.* and 3*s.* 6*d.*
DALECHAMPIA ROEZLIANA ALBA, 2*s.* 6*d.* & 3*s.* 6*d.*
ROEZLIANA ROSEA, 2*s.* 6*d.* and 3*s.* 6*d.*
DAVIDSONIA PRURIENS (Queensland Plum), 21*s.*
DESMODIUM GYRANS (Telegraph Plant), 3*s.* 6*d.*
DICHORISANDRA MUSAICA, 5*s.* and 7*s.* 6*d.*
UNGATA, 3*s.* 6*d.* and 5*s.*
DIEFFENBACHIA AMAZONICA, 2*s.* 6*d.*, 3*s.* 6*d.* & 5*s.*
BARAQUINIANA, 2*s.* 6*d.* and 3*s.* 6*d.*
BAUSEI, 2*s.* 6*d.* and 3*s.* 6*d.*
BOWMANNII, 2*s* 6*d.* and 3*s.* 6*d.*
CARDERII, 3*s.* 6*d.* and 5*s.*
COSTATA, 5*s.*
EBURNEA, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
FLAVO-VIRENS, 2*s.* 6*d.* and 3*s.* 6*d.*
GRANDIS, 3*s.* 6*d.*
ILLUSTRIS, 5*s.*
INSIGNIS, 7*s.* 6*d.*
LEOPOLDII, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
LUCINDA, 3*s.* 6*d.*
MACULOSA, 3*s.* 6*d.*
MAGNIFICA, 3*s.* 6*d.*
MEMORIA CORSI, 3*s.* 6*d.*
NEBULOSA, 3*s.* 6*d.*
NOBILIS, 2*s.* 6*d.* and 3*s.* 6*d.*
PICTA, 2*s.* 6*d.* and 3*s.* 6*d.*
PRINCEPS, 7*s.* 6*d.*
REX, 3*s.* 6*d.* and 5*s.*
SHUTTLEWORTHII, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
SPLENDENS, 2*s.* 6*d.* and 3*s.* 6*d.*
TRIUMPHANS, 7*s.* 6*d.*
VELUTINA, 2*s.* 6*d.* and 3*s.* 6*d.*
WEIRII, 2*s.* 6*d.* and 3*s.* 6*d.*
DIOSCOREA ANŒCTOCHILUS, 5*s.* and 7*s.* 6*d.*
ARGYREIA, 5*s.* and 7*s.* 6*d.*
BULBIFERA, 5*s.*
CHRYSOPHYLLA, 5*s.*
DISCOLOR VARIEGATA, 3*s.* 6*d.*
ILLUSTRATA, 3*s.* 6*d.*
METALLICA, 5*s.*
SPECIOSA, 5*s.*
DIPLADENIA AMABILIS, 3*s.* 6*d.*
AMŒNA, 3*s.* 6*d.*
ATROPURPUREA, 7*s.* 6*d.*
BOLIVIENSIS, 3*s.* 6*d.*
BREARLEYANA, 5*s.* and 7*s.* 6*d.*
HARRISII, *vide* Odontodenia speciosa.
HYBRIDA, 3*s.* 6*d.*
INSIGNIS, 3*s.* 6*d.*
MAGNIFICA (ACUMINATA), 3*s.* 6*d.* and 5*s.*
UROPHYLLA, 3*s.* 6*d.* and 5*s.*
DIPTERIX ODORATA (**TONQUIN BEAN**), 21*s.*
DORSTENIA ARGENTEA, 5*s.*
BARTERI, 7*s.* 6*d.*
CAULESCENS, 7*s.* 6*d.*
THOMSONII, 7*s.* 6*d.*
DRACÆNA ALBERTII, 3*s.* 6*d.* and 5*s.*
ALBO-MARGINATA, 3*s.* 6*d.*
AMABILIS, 3*s.* 6*d.*
ANERLEYENSIS, 3*s.* 6*d.* and 5*s.*
ANGUSTATA, 3*s.* 6*d.* and 5*s.*
ANGUSTIFOLIA, 3*s.* 6*d.* and 5*s.*
ARGENTEO-STRIATA, 2 and 3 guineas.
AURANTIACA, 3*s.* 6*d.* and 5*s.*
BARTETII, 3*s.* 6*d.* and 5*s.*
BAUSEI, 3*s.* 6*d.* and 5*s.*
BERKELEYI, 3*s.* 6*d.* and 5*s.*
CANTRELLII, 7*s.* 6*d.*
CAUSTONI, 3*s.* 6*d.* and 5*s.*
CONGESTA, 2*s.* 6*d.* and 3*s.* 6*d.*
COULLINGII, 3*s.* 6*d.* and 5*s.*
COOPERI, 2*s.* 6*d.* and 3*s.* 6*d.*
CRISTULA, 3*s.* 6*d.*
DOUCETTI, 21*s.* and 31*s.* 6*d.*
ELIZABETHÆ, 3*s.* 6*d.*
ERNESTII, 3*s.* 6*d.* and 5*s.*
EXQUISITE, 5*s.*
FERREA VARIEGATA, 3*s.* 6*d.*
FRAGRANS, 3*s.* 6*d.* and 5*s.*
—— VARIEGATA, 7*s.* 6*d.*
FREDERICI, 3*s.* 6*d.* and 5*s.*
GLADSTONEI, 3*s.* 6*d.* and 5*s.*

DRACÆNA GODSEFFIANA.

A very distinct and useful new species combining a vigorous constitution and a peculiarly graceful habit. The foliage is of a deep shining green heavily spotted and splashed with creamy white, giving the plant a most effective appearance. It is of elegant habit and very free growing. 5*s.*

FICUS RADICANS VARIEGATA. For description and price, *vide* page 14.

DRACÆNA Goldieana, *5s.*, *7s. 6d.* and *10s. 6d.*
graoilis, *3s. 6d.*
Guilfoylei, *3s. 6d.*
G. Verbonen, *3s. 6d.*
ionea, *3s. 6d.*
Jamesii, *3s. 6d.* and *5s.*
Lady Mosley, *5s.*
Laingii, *3s. 6d.* and *5s.*
Leonardii, *3s. 6d.*
Lindeni, *3s. 6d.* and *5s.*
Lord Wolseley, *3s. 6d.* and *5s.*
Louisa, *3s. 6d.* and *5s.*
Madame Bergmann, *5s.*
—— Heine, *5s.*
majestica, *3s. 6d.* and *5s.*
Massangeana, *vide* fragrans variegata.
Mrs. Bause, *3s. 6d.* and *5s.*
Mrs. C. J. Freake, *3s. 6d.*
Mrs. Robert Turner, *3s. 6d.* and *5s.*
Mrs. Wills, *3s. 6d.*
Norwoodiensis, *3s. 6d.* and *5s.*
pendula, *3s. 6d.* and *5s.*
phrynioides, *7s. 6d.*
Prince Charles of Denmark, *3s. 6d.* and *5s.*
Prince Manouk Bey, *3s. 6d.* and *5s.*
Reoina, *3s. 6d.*

DRACÆNA Renardiæ, *5s.*
Rossii, *3s. 6d.* and *5s.*
rubra, *2s. 6d.* and *3s. 6d.*
salmonea, *3s. 6d.* and *5s.*
Sanderiana, *2s. 6d.*, *3s. 6d.* and *5s.*
Sans Pareil, *5s.*
Sidneyi, *3s. 6d.*
splendens, *3s. 6d.* and *5s.*
stricta, *3s. 6d.*
superba, *3s. 6d.* and *5s.*
surculosa maculata, *5s.*
terminalis, *2s. 6d.* and *3s. 6d.*
—— alba, *3s. 6d.* and *5s.*
Thomsonii, *3s. 6d.* and *5s.*
Victoria, *vide* page 3.
vivicans, *3s. 6d.* and *5s.*
Willsii, *5s.*
Wilsoni, *5s.*, *7s. 6d.* and *10s. 6d.*
See also page 21.

DRACONTIUM asperum, *5s.*
Carderi, *7s. 6d.*
scalpturatum, *7s. 6d.*

DYCKIA brevifolia, *7s. 6d.*

ECHITES, *vide* Dipladenia.
picta, *3s. 6d.* and *5s.*

ELÆOCARPUS GRANDIS.

A pretty evergreen plant from the district of the Pine River, in Queensland. It is furnished with lanceolate crenulate leaves, affixed by short red petioles. The flowers are charming and larger than in any of the allied species, the petals white, divided into about five deeply fringed lobes, silky pubescent at the margins. *5s.* and *7s. 6d.*

ELÆODENDRON orientale (Aralia Chabrierii), *3s. 6d.* and *5s.*

ELETTARIA Diepenhorstii, *5s.*

ENCEPHALARTOS, *vide* Index.

ENCHOLIRION corallinum, *7s. 6d.*

EPIPREMNUM mirabile ("Tonoa Plant"), *3s. 6d.* and *5s.*

ERANTHEMUM cinnabarinum, *5s.*
macrophyllum, *5s.*
pulchellum, *2s. 6d.* and *3s. 6d.*
velutinum, *5s.*
verbenaceum, *vide* Chamæranthemum.

ERYTHROXYLON COCA (*Coca*), *15s.*

EUADENIA EMINENS, *21s.*

EUCHARIS amazonica, *1s. 6d.* and *2s. 6d.*; *15s.* and *24s.* per dozen.
candida, *2s. 6d.* each; *24s.* per dozen.
Mastersii, *2s. 6d.* and *3s. 6d.*

EUGENIA Jambos (*Rose Apple*), *10s. 6d.*
lanceolata, *7s. 6d.*
Pimenta (*Allspice*), *5s.*
Vide also page 21.

EUPHORBIA jacquiniæflora, *2s. 6d.* and *3s. 6d.*
splendens, *2s. 6d.* and *3s. 6d.*

EURYCLES AUSTRALASICA.

A beautiful bulbous plant introduced from Australia. It is free-flowering, and produces large heads of elegant and charming white flowers, especially useful for all purposes for which cut flowers are required. *3s. 6d.* each; *36s.* per dozen.

EURYCLES CUNNINGHAMII.

This rare and handsome bulbous plant is a native of Queensland, where it has now become very scarce. It produces on short erect scapes, large heads of chaste white flowers, very useful for cutting and other decorative purposes. *3s. 6d.* each; *30s.* per dozen.

EXOSTEMMA chontalensis, *10s. 6d.*

FICUS barbata, *2s. 6d.* and *3s. 6d.*
(Artocarpus) Cannoni, *3s. 6d.*
eburnea, *5s.*
elastica variegata, *3s. 6d.* and *5s.*
exsculpta, *3s. 6d.* and *5s.*
indica, *3s. 6d.*

FICUS (Artocarpus) laciniata metallica, *3s. 6d.*
Moorei, *5s.*
radicans, *1s. 6d.* and *2s. 6d.*
——variegata. For description *vide* page 14.
religiosa (*Sacred Indian Fig*), *7s. 6d.*
Sycomorus (*Sycamore Tree of Scripture*), *7s. 6d.*
See also Greenhouse Plants.

FICUS RADICANS VARIEGATA.

This charming and effective variety of *Ficus radicans* is without doubt destined to become "a plant for everyone," its easy culture, effective variegation and regular growth making it one of the best ornamental variegated plants ever sent out. The elegant appearance of this pretty plant and its effective variegation is most striking, the leaves being freely and irregularly margined with white, the variegation sometimes extending to nearly the entire leaf, some of the young shoots and leaves being wholly white. As a variegated plant for a hanging pot or vase it cannot be excelled, while its bright and cheerful variegation will commend it to everyone as an ideal plant for the margins of stages and growing as single plants round sticks or on a trellis. It was unanimously awarded a First Class Certificate by the Floral Committee of the Royal Horticultural Society. *Vide* illustration, page 12. 10*s*. 6*d*.

FITTONIA ARGYRONEURA, 2*s*. 6*d*.
GIGANTEA, 2*s*. 6*d*.
PEARCEI, 2*s*. 6*d*.
FRANCISCEA OALYOINA, 3*s*. 6*d*. and 5*s*.
OONFERTIFLORA (LAURIFOLIA), 3*s*. 6*d*.
EXIMIA, 3*s*. 6*d*.
LINDENI, 3*s*. 6*d*.
MAGNIFIOA, 5*s*.
VIOLAOEA GRANDIFLORA, 3*s*. 6*d*. and 5*s*.
GARCINIA LIVINGSTONI, 10*s*. 6*d*.
GARDENIA CITRIODORA, 3*s*. 6*d*.
FLORIDA, 2*s*. 6*d*. and 3*s*. 6*d*.
GLOBOSA, 5*s*.
RADICANS, 2*s*. 6*d*. and 3*s*. 6*d*.
GEISSOMERIA MARMORATA, 3*s*. 6*d*.
GESNERA CALYPSO, 5*s*.
DUVALII, 3*s*. 6*d*.
LEOPOLDII, 3*s*. 6*d*.
—— ALBO-CARMINEA, 3*s*. 6*d*.
—— ROSEO-LILACINA, 3*s*. 6*d*.
MAORANTHA, 2*s*. 6*d*.
See also page 31.
GLOBBA ALBA, 5*s*. and 7*s*. 6*d*.
GLORIOSA PLANTII, 2*s*. 6*d*. and 3*s*. 6*d*.
SUPERNA, 3*s*. 6*d*.
GLOXINIA, *vide* page 31.
GOLDFUSSIA ANISOPHYLLA, 2*s*. 6*d*. and 3*s*. 6*d*.
GONOLOBUS CUNDURANGO, *vide* page 21.

GRAPTOPHYLLUM PICTURATUM.

A very striking and effective stove plant of free growth, furnished with opposite lanceolate leaves, having a central variegation of rich golden yellow, maturing with age into creamy yellow. 5*s*.

GRIFFINIA HYACINTHINA.

An extremely handsome and ornamental free-flowering bulbous plant from Brazil. The flower scape is about a foot high, and bears an umbel of from fifteen to twenty flowers of a beautiful bluish lilac colour, shading off to white at the base of the segments. 5*s*. and 7*s*. 6*d*.

GUZMANNIA PICTA (NIDULARIUM FULGENS), 7*s*. 6*d*. and 10*s*. 6*d*.
HÆMANTHUS, *vide* page 21.
HEVEA BRASILIENSIS (*Para Rubber*), 31*s*. 6*d*.
HELICONIA AUREO-STRIATA, 5*s*. and 7*s*. 6*d*.
BREVISPATHA, 10*s*. 6*d*.

HELICONIA ILLUSTRIS.

This handsome Heliconia is undoubtedly one of the most beautifully coloured foliage plants ever introduced. It comes from the South Sea Islands and is of Musa-like growth, the leaves being arranged in two ranks above and tufted at the base. The stalks are sheathing and of a bright rose-red colour, supporting ovato-lanceolate spreading leaves, the prominent midrib of a beautiful rose-pink colour, the secondary veins, of which many run to the margin and form loops, being of the same brilliant colour. It will form, without question, a most superb adornment to our Stoves. 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.

HEMIGRAPHIS COLORATA, 3*s*. 6*d*.
HIBISCUS ROSA SINENSIS ALBO-VARIEGATA, 2*s*. 6*d*. and 3*s*. 6*d*.
ROSA SINENSIS BRILLIANTISSIMA, 2*s*. 6*d*.
—— —— DENNISONI, 2*s*. 6*d*.
—— —— INTERMEDIA, 5*s*.
—— —— LAMBERTII, 2*s*. 6*d*.
—— —— MAGNIFICA, 5*s*.
—— —— MINIATA SEMI-PLENA, 2*s*. 6*d*.
—— —— PUNICEA, 2*s*. 6*d*.
—— —— VIVICANS, 3*s*. 6*d*.
—— —— ZEBRINA, 3*s*. 6*d*.
SCHIZOPETALUS, 3*s*. 6*d*.
See also pages 21 and 28.
HIPPEASTRUM, *vide* Amaryllis.
HOFFMANNIA (HIGGINSIA) GHIESBREGHTII, 2*s*. 6*d*. and 3*s*. 6*d*.
ORTGIESII, 3*s*. 6*d*.
REFULGENS ROBUSTA, 3*s*. 6*d*.
HOPLOPHYTUM LINEATUM, 2 and 3 guineas.
HOYA BELLA, 2*s*. 6*d*. and 3*s*. 6*d*.
CAMPANULATA, 3*s*. 6*d*. and 5*s*.
CARNOSA, 2*s*. 6*d*. and 3*s*. 6*d*.
IMPERIALIS, 3*s*. 6*d*. and 5*s*.
HYDROCOTYLE NITIDULA, 3*s*. 6*d*.
HYMENOCALLIS MACROSTEPHANA, various sizes, from 5*s*. to 21*s*.
Vide Pancratium.

HYPOLYTRUM SCHRADERIANUM.

An ornamental Cyperaceous plant from Brazil. The leaves are crowded in bold triangular tufts, green with purplish-red margins, traversed on the upper surface by two ribs running equidistant from base to apex. The bold triangular tuft of leaves, the colour, and the peculiar venation of the leaves, give to this plant a very distinct appearance. 2 and 3 guineas.

IMPATIENS FLAGCIDA (PLATYPETALA), 2*s.* 6*d.*
FLACOIDA (PLATYPETALA) ALBA, 2*s.* 6*d.*
HAWKERII, 2*s.* 6*d.* and 3*s.* 6*d.*
SULTANI, 1*s.* 6*d.*
—— OARMINATA, 3*s.* 6*d.*
—— SALMONEA, 2*s.* 6*d.*
IPOMŒA HORSFALLIÆ, 5*s.* and 7*s.* 6*d.*
LEARII, 2*s.* 6*d.* and 3*s.* 6*d.*
TERNATA (THOMSONIANA), 3*s.* 6*d.* and 5*s.*
IXORA ARDENS, 15*s.*
AURELIA, 3*s.* 6*d.*
OOCCINEA SUPERBA, 3*s.* 6*d.*
DUFFII, *vide* I. macrothyrsa.
EXIMIA, 7*s.* 6*d.*
ILLUSTRIS.
LOBBII, 7*s.* 6*d.*
MACROTHYRSA (DUFFII), 3*s.* 6*d.* and 5*s.*
MIRANDA, 7*s.* 6*d.*
ORNATA, 7*s.* 6*d.*
PILGRIMII, 3*s.* 6*d.*
PRINCEPS, 3*s.* 6*d.*
REGINA, 3*s.* 6*d.*
SALMONEA, 15*s.*
VENUSTA, 7*s.* 6*d.*
VERONA, 3*s.* 6*d.*
WESTII, 3*s.* 6*d.*
WILLIAMSII, 3*s.* 6*d.*
JACARANDA MIMOSÆFOLIA, 2*s.* 6*d.* and 3*s.* 6*d.*
JASMINUM GRACILLIMUM, 3*s.* 6*d.*
HIRSUTUM (MULTIFLORUM), 2*s.* 6*d.* and 3*s.* 6*d.*
NITIDUM, *vide* page 4.
SAMBAC, 2*s.* 6*d.* and 3*s.* 6*d.*
—— FLORE PLENO, 3*s.* 6*d.*
See also page 22.
JATROPHA MULTIFIDA, 5*s.*
JONESIA ASOCA, 10*s.* 6*d.* and 15*s.*
JUSTICIA CARNEA, 2*s.* 6*d.*
FLAVACOMA, 2*s.* 6*d.*
KÆMPFERIA BENSONIÆ, 7*s.* 6*d.*
GILBERTII, 3*s.* 6*d.*
MOULMEINENSIS, 7*s.* 6*d.*
ROSCOEANA, 5*s.*
ROTUNDA, 5*s.*
KICKXIA AFRICANA (*Lagos Rubber*), 21*s.*
KYLLINGIA MONOCEPHALA, 3*s.* 6*d.*
LABISIA ALATA, 7*s.* 6*d.*
LAMPROCOCCUS (ÆCHMEA) FULGENS, 3*s.* 6*d.* and 5*s.*
(ÆCHMEA) MINIATUS, 5*s.*
(——) WEILBACHI, 7*s.* 6*d.*
(——) SPECIOSUS, 3 guineas.
LANDOLPHIA KIRKII, 10*s.* 6*d.*
WATSONIANA (*African Rubber*), 7*s.* 6*d.*
LAPORTEA SCHOMBURGKII VERSICOLOR, 10*s.* 6*d.*
LAURUS CINNAMOMUM, 5*s.* and 7*s.* 6*d.*
LEDENBERGIA ROSEO-ÆNEA, 3*s.* 6*d.*
MACROZAMIA, *vide* page 36.
MAGNOLIA PUMILA, 3*s.* 6*d.* and 5*s.*
MANETTIA BICOLOR, 2*s.* 6*d.* and 3*s.* 6*d.*
MARANTA ARUNDINACEA *(The Arrowroot Plant)*, 7*s.* 6*d.*
ARUNDINACEA VARIEGATA (PHRYNIUM VARIEGATUM), 2*s.* 6*d.* and 3*s.* 6*d.*
BELLA, 7*s.* 6*d.*
BICOLOR, 5*s.*
GRATIOSA, 7*s.* 6*d.*
ICONIFERA, 3*s.* 6*d.*
KERCHOVEANA, 3*s.* 6*d.* and 5*s.*
LEOPOLDII, 3*s.* 6*d.*
LINDENI, 3*s.* 6*d.*
LUBBERSII, 3*s.* 6*d.*
MAKOYANA, 3*s.* 6*d.*
MASSANGEANA, 3*s.* 6*d.*
MUSAICA, 10*s.* 6*d.*
NITENS, 7*s.* 6*d.*
NITIDA, 10*s.* 6*d.*

MARANTA (CALATHEA) PICTA.

A most ornamental and distinct species introduced from Brazil. It is of compact growth, the blade of the leaf broadly lanceolate acuminate, wavy at the margin, of a rich velvety deep green colour, strikingly ornamented with a central variegation of yellowish green, the colour extending along the upper side of each principal vein nearly half way across the leaf blade, thence decreasing in a premorse manner to the base of the next vein, the variegation nearly resembling in outline the tail of some fishes. The under side of the leaf is of a deep claret color. This pretty and desirable plant has received an Award of Merit from the Floral Committee of the Royal Horticultural Society. 21*s.*

MARANTA PRASINA, 7*s.* 6*d.*
ROSEO-PICTA, 3*s.* 6*d.*
VEITCHII, 3*s.* 6*d.* and 5*s.*
WARSCEWICZII, 3*s.* 6*d.*
ZEBRINA, 3*s.* 6*d.*
MARCGRAVIA PARADOXA, 3*s.* 6*d.*
MEDINILLA MAGNIFICA, 3*s.* 6*d.*
MELASTOMA MALABATHRICA, 5*s.*
MESUA FERREA, 7*s.* 6*d.* and 10*s.* 6*d.*
METHONICA, *vide* Gloriosa.
MEYENIA ERECTA, 2*s.* 6*d.* and 3*s.* 6*d.*

MIMOSA ARGENTEA.

This pretty variegated species has been imported from Brazil, and is one of the same section as that to which the ordinary Sensitive Plant belongs. It is of climbing habit with very slender, hairy stems and branches, furnished with elegant bipinnate leaves. Each leaf bears two, rarely three, pairs of spreading pinnæ, each bearing about forty oblong leaflets, green at the tips and silvery grey on the basal half; the under side of the leaflet is of a pinkish colour, as also are the young growths. This will be found a very neat and pretty climbing plant for the stove. 10*s.* 6*d.*

MONSTERA DELICIOSA (Philodendron pertusum), 5*s.* and 7*s.* 6*d.*
MUSA CAVENDISHII, 10*s.* 6*d.* and 15*s.*
SUPERBA, 10*s.* 6*d.* and 15*s.*
ZEBRINA, 10*s.* 6*d.* and 15*s.*
MUSSÆNDA FRONDOSA, 2*s.* 6*d.* and 3*s.* 6*d.*
NAPOLEONA IMPERIALIS, 5*s.* and 7*s.* 6*d.*
NEPENTHES AMPULLARIA VITTATA, 10*s.* 6*d.*
CHELSONI, 15*s.*
COCCINEA, 15*s.*
COURTII, 15*s.*
DISTILLATORIA, 10*s.* 6*d.*
DOMINII, 7*s.* 6*d.*
DORMANIANA, 10*s.* 0*d.*
GRACILIS MAJOR, 3*s.* 6*d.*
NEPENTHES HENRYANA, 15*s.* and 21*s.*
HOOKERI, 15*s.*
INTERMEDIA, 10*s.* 6*d.*
KENNEDYANA, 10*s.* 6*d.*
LAWRENCEANA, 10*s.* 6*d.* and 15*s.*
MASTERSIANA, 10*s.* 6*d.*
MORGANÆ, 10*s.* 6*d.* and 15*s.*
OUTRAMIANA, 10*s.* 6*d.*
RAFFLESIANA, 10*s.* 6*d.*
SEDENI, 3*s.* 6*d.* and 5*s.*
STEWARTII, 7*s.* 6*d.*
SUPERBA, 10*s.* 6*d.*
NEPHTHYTIS LIBERICA, 5*s.*
NIDULARIUM FULGENS, *vide* Guzmannia picta.
INNOCENTII, 3*s.* 6*d.* and 5*s.*

NIDULARIUM INNOCENTII STRIATUM.

This striking and ornamental Bromeliaceous plant has been imported from Brazil. It has bright green leaves from 8 to 12 inches long, most effectively striped or striated with a central white variegation, deepening off to a creamy-yellow, rendering it a most charming and attractive decorative plant. The margins of the leaves are furnished with small spinose teeth. 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

NIDULARIUM METALLICUM, 10*s.* 6*d.* and 15*s.*
SPECTABILE, 3*s.* 6*d.* and 5*s.*
OCHROSIA ELLIPTICA, 5*s.*
ODONTODENIA SPECIOSA (DIPLADENIA HARRISII), 10*s.* 6*d.*
OPLISMENUS BURMANNI VARIEGATUS (PANICUM VARIEGATUM), 1*s.* 6*d.*
INTERMEDIUS (PANICUM INTERMEDIUM), 2*s.* 6*d.* and 3*s.* 6*d.*
ORCHIDS, *vide* Orchid Catalogue.
OXALIS BUPLEURIFOLIA, 5*s.*
SENSITIVA, 3*s.* 6*d.* and 5*s.*
PALISOTA BARTERI, 5*s.*
PALMS, of sorts, *vide* Index.
PANAX VICTORIÆ, 2*s.* 6*d.* and 3*s.* 6*d.*
PANCRATIUM EXPANSUM, 7*s.* 6*d.*
FRAGRANS, 3*s.* 6*d.*, 5*s.* to 21*s.*
MACROPHYLLUM, 10*s.* 6*d.*, 15*s.* and 21*s.*
SPECIOSUM, 5*s.* and 7*s.* 6*d.*
Vide Hymenocallis.
PANDANOPHYLLUM HUMILE, 1½ guinea.
PANDANUS JAVANICUS VARIEGATUS, 3*s.* 6*d.* & 5*s.*
VEITCHII, 3*s.* 6*d.* and 5*s.*
PANICUM VARIEGATUM, *vide* Oplismenus.
INTERMEDIUM, *vide* Oplismenus.
PARITIUM ELATUM (CUBA BAST), 7*s.* 6*d.*
PASSIFLORA ALATA, 2*s.* 6*d.* and 3*s.* 6*d.*
BUONAPARTEA, 2*s.* 6*d.* and 3*s.* 6*d.*
CARDINALIS, 2*s.* 6*d.* and 3*s.* 6*d.*
EDULIS, 2*s.* 6*d.* and 3*s.* 6*d.*
FULGENS, *vide* Tacsonia Buchanani.
KERMESINA, 3*s.* 6*d.*
LAURIFOLIA, 5*s.*
MACROCARPA, 3*s.* 6*d.* and 5*s.*
PRINCEPS (RACEMOSA), 3*s.* 6*d.*
QUADRANGULARIS, 2*s.* 6*d.* and 3*s.* 6*d.*
—— VARIEGATA, 3*s.* 6*d.* and 5*s.*
VIOLACEA, 3*s.* 6*d.*
VITIFOLIA, *vide* Tacsonia Buchanani.
See also page 23.
PAULLINIA HOOIBRENKII, 10*s.* 6*d.*
SORBILIS, Guarana Tea Plant, 10*s.* 6*d.*
PAVETTA BORBONICA, 7*s.* 6*d.*
PAVONIA MAKOYANA, 3*s.* 6*d.*
MULTIFLORA (WIOTII), 3*s.* 6*d.*
PELLIONIA DAVEAUANA, 2*s.* 6*d.*
PULCHRA, 2*s.* 6*d.*
PENTAS CARNEA, 2*s.* 6*d.*
KERMESINA, 3*s.* 6*d.*
PEPEROMIA METALLICA, 2*s.* 6*d.* and 3*s.* 6*d.*
PHALANGIUM, *vide* page 23.
PHILODENDRON CARDERI, 7*s.* 6*d.*
CRINIPES, 5*s.*
DISCOLOR, 5*s.*
GLORIOSUM, 5*s.* and 7*s.* 6*d.*
IMPERIALE (MAMEI), 5*s.* and 7*s.* 6*d.*
LINDENIANUM, 3*s.* 6*d.* and 5*s.*
MELANOCHRYSUM, 5*s.*
NOBILE, 7*s.* 6*d.* and 10*s.* 6*d.*
PERTUSUM, *vide* Monstera deliciosa.
QUERCIFOLIUM, 5*s.*
RADIATUM, 5*s.*
PHRYNIUM VARIEGATUM, *vide* Maranta arundinacea variegata.
PHYLLANTHUS ATROPURPUREUM, 3*s.* 6*d.*
ELEGANS, 5*s.*
ELONGATUM, *vide* Xylophylla.
MUCRONATUM, 3*s.* 6*d.*
NIVOSUM, 3*s.* 6*d.*
ROSEO-PICTUM, 3*s.* 6*d.*
PHYLLOTÆNIUM LINDENI, 3*s.* 6*d.* and 5*s.*
PIPER ARGENTEUM, 5*s.*
ORNATUM, 2*s.* 6*d.* and 3*s.* 6*d.*
RUBRO-VENOSUM, 3*s.* 6*d.*
PIPERS, of sorts, 2*s.* 6*d.* and 3*s* 6*d.*
PITCAIRNIA ALTA, 10*s.* 6*d.*
ALTENSTEINII, 7*s.* 6*d.*
CORALLINA, 5*s.* and 7*s.* 6*d.*
PLATYPHYLLA, 7*s.* 6*d.*
TABULÆFORMIS, 3*s.* 6*d.* and 5*s.*
PLUMBAGO COCCINEA SUPERBA, 2*s.* 6*d.* and 3*s.* 6*d.*
ROSEA, 2*s.* 6*d.* and 3*s.* 6*d.*
See also page 23.
POGOSTEMON PATCHOULI, 2*s.* 6*d.* and 3*s.* 6*d.*
POINSETTIA PULCHERRIMA, 1*s.* 6*d.* and 2*s.* 6*d.*
PULCHERRIMA ALBA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— PLENISSIMA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— ROSEO-CARMINATA, 2*s.* 6*d.*
POTHOS ARGENTEUS, 7*s.* 6*d.* and 10*s.* 6*d.*
ARGYREIOS, 2*s.* 6*d.* and 3*s.* 6*d.*
AUREUS, 3*s.* 6*d.* and 5*s.*
CELATOCAULIS, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
FLEXUOSUS, 7*s.* 6*d.* and 10*s.* 6*d.*
MACROPHYLLUS, 3*s.* 6*d.*
NITENS, 5*s.* and 7*s.* 6*d.*
PSIDIUM CATTLEYANUM (The Guava), 3*s.* 6*d.* & 5*s.*

PUYA MAIDIFOLIA, 5*s*.
SULPHUREA, 7*s*. 6*d*.
UNDULATA, *vide* Pitcairnia Altensteinii.
RAVENALA GUIANENSIS.
REIDIA GLAUCESCENS, 2*s*. 6*d*. and 3*s*. 6*d*.
ROGEIRA CORDATA (AMŒNA), 3*s*. 6*d*.
GRATISSIMA, *vide* page 25.
RONDELETIA SPECIOSA MAJOR, 3*s*. 6*d*.
RUELLIA AOUTANGULA, 5*s*.
MACRANTHA, 2*s*. 6*d*. and 3*s*. 6*d*.
ROSEA, 2*s*. 6*d*. and 3*s*. 6*d*.
SACCHARUM OFFICINARUM, "Sugar Cane," 5*s*.
SAINTPAULIA IONANTHA, 2*s*. 6*d*.
SANCHEZIA NOBILIS GLAUCOPHYLLA, 3*s*. 6*d*.
SANSEVIERA ZEYLANICA, 3*s*. 6*d*.
SCHISMATOGLOTTIS DECORA, 5*s*.
LATIFOLIA, 5*s*.
LONGISPATHA, 5*s*.
SIAMENSIS, 10*s*. 6*d*.
VARIEGATA, 3*s*. 6*d*.
SCHUBERTIA GRAVEOLENS, 3*s*. 6*d*. and 5*s*.
SCINDAPSUS ARGYRÆUS, 2*s*. 6*d*.
SMILAX ARGYREIA, 3*s*. 6*d*.
DISCOLOR, 7*s*. 6*d*.
ORNATA (MACROPHYLLA MACULATA), 3*s*. 6*d*.
SHUTTLEWORTHII, 7*s*. 6*d*.
SOLANDRA GRANDIFLORA, 3*s*. 6*d*.
SOLANUM WENDLANDI, bears magnificent terminal heads of large bluish violet flowers with yellow anthers; very handsome and striking, 3*s*. 6*d*. and 5*s*.
SPATHIPHYLLUM PICTUM, 5*s*.
SPATHODEA CAMPANULATA, 7*s*. 6*d*.
SPHÆROGYNE LATIFOLIA, 3*s*. 6*d*.
SPHÆROSTEMA MARMORATUM, 3*s*. 6*d*. and 5*s*.
STADMANNIA AMABILIS, 10*s*. 6*d*.
STAPELIA GIGANTEA.
STENANDRIUM LINDENI, 10*s*. 6*d*.
STENOSPERMATIUM WALLISI, 5*s*.
STEPHANOTIS FLORIBUNDA, "Elvaston" variety, 3*s*. 6*d*. and 5*s*.
STERCULIA DISCOLOR, 5*s*. and 7*s*. 6*d*.
STEUDNERA DISCOLOR, 10*s*. 6*d*.
STRELITZIA AUGUSTA, 15*s*.
REGINÆ, 5*s*. and 7*s*. 6*d*.
STREPTOCARPUS WENDLANDII, 1*s*. 6*d*., 2*s*. 6*d*. and 3*s*. 6*d*.
STROBILANTHUS DYERIANUS, 1*s*. 6*d*.
SYNGONIUM ALBO-LINEATUM, 3*s*. 6*d*.
TABERNÆMONTANA CAMASSA, 3*s*. 6*d*.
CORONARIA FLORE PLENO, 3*s*. 6*d*.
TACCA ARTOCARPIFOLIA, 10*s*. 6*d*.
TACSONIA BUCHANANI (VITIFOLIA), 3*s*. 6*d*. and 5*s*.
TAPEINOTIS CAROLINÆ MAJOR, 5*s*.
THUNBERGIA AFFINIS, 3*s*. 6*d*. and 5*s*.
GRANDIFLORA, 3*s*. 6*d*.
HARRISII (LAURIFOLIA), 2*s*. 6*d*. and 3*s*. 6*d*.
THYRSACANTHUS RUTILANS, 2*s*. 6*d*. and 3*s*. 6*d*.
TILLANDSIA ACAULIS ZEBRINA, *vide* Cryptanthus.
ACAULIS ZEBRINA AUREA, *vide* Cryptanthus.
BEUCKERII, *vide* Cryptanthus.
BIVITTATA, *vide* Cryptanthus.
LINDENIANA VERA, 10*s*. 6*d*.
TOXICOPHLÆA (ACOCANTHERA) SPECTABILIS, 3/6.
THUNBERGII, 5*s*.
TRADESCANTIA DECORA, 5*s*.
ELONGATA, 10*s*. 6*d*.
REGINÆ, 3*s*. 6*d*.
See also Cyanotis.
TRIPLARIS SURINAMENSIS, 7*s*. 6*d*.
TYDÆA, *vide* page 31.
URCEOCHARIS CLIBRANI, 5*s*. and 7*s*. 6*d*.
URCEOLINA AUREA, 2*s*. 6*d*. and 3*s*. 6*d*.
UROSKINNERA SPECTABILIS, 2*s*. 6*d*. and 3*s*. 6*d*.
UTRICULARIA MONTANA, 7*s*. 6*d*. and 10*s*. 6*d*.
VANILLA AROMATICA, 3*s*. 6*d*. and 5*s*.
PLANIFOLIA, 5*s*. and 7*s*. 6*d*.
VINCA ALBA, 2*s*. 6*d*. and 3*s*. 6*d*.
ALBA OCULATA, 2*s*. 6*d*. and 3*s*. 6*d*.
VRIESIA BRACHYSTACHYA, 3*s*. 6*d*. and 5*s*.
FALKENBERGII, 21*s*.
SPLENDENS (SPECIOSA), 3*s*. 6*d*. and 5*s*.

VRIESIA PURPURASCENS.

A richly coloured Bromeliaceous plant with deep purple sheathing leaves, each oblong lanceolate from a dilated base, the apex mucronate, the margins having numerous closely-set fine teeth. On the upper surface the leaves are a dark green, flushed with blackish purple, while the under sides expose a surface of a striking rich purple colour. Introduced from Brazil. 15*s*. and 21*s*.

XYLOPHYLLA ANGUSTIFOLIA, 5*s*.
ELONGATA, 5*s*.
INTERMEDIA, 5*s*.
ZINGIBER CYLINDRICUM, 3*s*. 6*d*.
ZINGIBER D'ARCEYI, 3*s*. 6*d*.
OFFICINALE (*Ginger*), 2*s*. 6*d*.
ZERUMBET, 3*s*. 6*d*.

STOVE CLIMBERS, WALL AND PILLAR PLANTS.

ALLAMANDAS, of sorts
ARISTOLOCHIA ELEGANS
—— of sorts
BIGNONIA CHAMBERLAYNII
—— of sorts
BOUGAINVILLEA GLABRA
—— of sorts
CISSUS DISCOLOR
CLERODENDRON BALFOURIANUM
—— of sorts
COMBRETUMS, of sorts
DIOSCOREA ILLUSTRATA
—— SPECIOSA
—— of sorts
DIPLADENIA, of sorts
ECHITES
FICUS BARBATA
—— RADICANS
—— of sorts
GLORIOSA SUPERBA
HIBISCUS, of sorts
HOYA CARNOSA
—— of sorts
IPOMÆA HORSFALLII
—— TERNATA
—— of sorts
JASMINUM GRACILLIMUM
—— NITIDUM
—— of sorts
MARCGRAVIA PARADOXA
ODONTODENIA SPECIOSA
PASSIFLORA KERMESINA
—— PRINCEPS
——QUADRANGULARIS VARIEGATA
—— of sorts
POTHOS FLEXUOSUS
—— of sorts
SMILAX DISCOLOR
—— of sorts
SPATHODEA CAMPANULATA
STEPHANOTIS FLORIBUNDA
THUNBERGIAS, of sorts
TACSONIA BUCHANANI
VANILLA AROMATICA

NEW, RARE AND DESIRABLE GREENHOUSE PLANTS.

ABUTILONS, of sorts, 1*s.* 6*d.*
ACACIA, of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*
ADENANDRA FRAGRANS, 2*s.* 6*d.* and 3*s.* 6*d.*

AGAPANTHUS UMBELLATUM, 1*s.* and 1*s.* 6*d.*
UMBELLATUM ALBUM, 1*s.* and 1*s.* 6*d.*
—— GLOBOSUM, *vide* page 3.

AGAPETES BUXIFOLIA.

A very useful plant for a cool greenhouse, doing well either in a shady or a light position. It forms a compact bush, which is completely covered during the early summer with bright tubular scarlet flowers, having spreading segments. It is a native of Bhotan, and succeeds with the same treatment as that given to greenhouse Rhododendrons. 10*s.* 6*d.*

ALBERTA MAGNA, 10*s.* 6*d.*
ALOE FEROX, 3*s.* 6*d.* and 5*s.*
AMARYLLIS, *vide* page 7.
AMORPHOPHALLUS (PROTEINOPHALLUS) RIVIERI, 1*s.* 6*d.* and 2*s.* 6*d.*
ANTHERICUM VARIEGATUM, *vide* Phalangium argenteo-lineare.
AOTUS GRACILLIMA, 2*s.* 6*d.* and 3*s.* 6*d.*

APHELEXIS HUMILIS, 2*s.* 6*d.* and 3*s.* 6*d.*
MACRANTHA PURPUREA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— ROSEA, 2*s.* 6*d.* and 3*s.* 6*d.*
RUPESTRIS GRANDIFLORA, 2*s.* 6*d.* and 3*s.* 6*d.*
ARALIA JAPONICA (SIEBOLDII), *vide* Fatsia japonica.
ARAUCARIA BIDWILLII, the "Bunya Bunya" Tree of Australia. 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.* Specimen plants, 21*s.* and 31*s.* 6*d.*
COOKII.

ARAUCARIA EXCELSA.

Mr. W. B. has a fine lot of this handsome conservatory plant. 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.* Specimen plants, 21*s.* and 31*s.* 6*d.*

ARAUJA CERICIFERA (PHYSIANTHUS ALBENS), 2*s.* 6*d.*
ARDUINA GRANDIFLORA, 7*s.* 6*d.*
ASPARAGUS DECUMBENS (DEFLEXUS), 3*s.* 6*d.* and 5*s.*
PLUMOSUS, 3*s.* 6*d.* and 5*s.*

ASPARAGUS PLUMOSUS NANUS, 2*s.* 6*d.*, 3*s.* 6*d.* & 5*s.*
SPRENGERI, 2*s.* 6*d.* and 3*s.* 6*d.*
TENUISSIMUS, 2*s.* 6*d.* and 3*s.* 6*d.*
ASPIDISTRA LURIDA, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
LURIDA VARIEGATA, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

AZALEA INDICA.

The great value of Indian Azaleas for decorative purposes can hardly be over-estimated. The varieties of this effective plant can be had in blossom for four months of the year; well-selected plants affording such a magnificent display of colour and wealth of bloom, that the low price at which beautiful kinds are now offered, should ensure a place for them in every greenhouse and conservatory.

Good selections can be made by Mr. W. B. at 18*s.*, 30*s.*, and 42*s.* per dozen.

New varieties, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* each.

BEGONIA, *vide* Index.
BERBERIDOPSIS CORALLINA, 3*s.* 6*d.*
BIGNONIA (TECOMA) CAPENSIS, 2*s.* 6*d.*
CAPREOLATA, 2*s.* 6*d.*
CHERERE, 2*s.* 6*d.* and 3*s.* 6*d.*
GRANDIFLORA, 2*s.* 6*d.* and 3*s.* 6*d.*
JASMINOIDES, 2*s.* 6*d.*
SPECIOSA, 3*s.* 6*d.*
TWEEDIANA, 3*s.* 6*d.*
VENUSTA, 3*s.* 6*d.* and 5*s.*
Vide also page 9.
BILLARDIERA LONGIFLORA, 2*s.* 6*d.*
BLANDFORDIA FLAMMEA, 7*s.* 6*d.*
NOBILIS, 5*s.* and 7*s.* 6*d.*
BORONIA DRUMMONDII, 2*s.* 6*d.* and 3*s.* 6*d.*
ELATIOR, 2*s.* 6*d.*

BORONIA HETEROPHYLLA, 3*s.* 6*d.*
MEGASTIGMA, 2*s.* 6*d.* and 3*s.* 6*d.*
BOUVARDIAS, of sorts, 18*s.*, 24*s.* and 30*s.* per dozen.
BOWIEA VOLUBILIS, 3*s.* 6*d.*
BOWKERIA TRIPHYLLA, 3*s.* 6*d.* and 5*s.*
BREDIA HIRSUTA, 7*s.* 6*d.*
BRUGMANSIA (DATURA) ARBOREA, 3*s.* 6*d.*
KNIGHTII (flore pleno), 3*s.* 6*d.*
SANGUINEA, 3*s.* 6*d.* and 5*s.*
SUAVEOLENS, 3*s.* 6*d.*
CALADIUM, *vide* Index.
CALLA ÆTHIOPICA, *vide* Richardia africana.
ÆTHIOPICA, LITTLE GEM, *vide* Richardia.
ELLIOTTIANA, *vide* Richardia.
CALODENDRON CAPENSE (Cape Chestnut), 5*s.*

CAMELLIAS.

Good selections can be made by Mr. WILLIAM BULL at 30*s.* and 42*s.* per dozen.
New varieties, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

CAMPHORA OFFICINALIS, 5*s.*
CARNATIONS, MALMAISON, of sorts, 1*s.* 6*d.* to 5*s.*
CARNATIONS, TREE, of sorts, 18*s.* and 30*s.* per dozen.

CANNAS.

These striking foliage plants are most effective for sub-tropical gardening and border grouping. They are extremely useful for summer decorative purposes. Selections from the best kinds raised by M. Crozy and others. 9*s.*, 12*s.*, 18*s.* and 30*s.* per dozen.

CAREX JAPONICA VARIEGATA, 1*s.*
CAVENDISHIA SPECTABILIS, 10*s.* 6*d.*
CEREUS SPECIOSISSIMUS, 2*s.* 6*d.* and 3*s.* 6*d.*
CESTRUM (HABROTHAMNUS) AURANTIACUM, 2*s.* 6*d.* and 3*s.* 6*d.*
See Habrothamnus, page 21.
CHOROZEMA CORDATUM SPLENDENS, 2*s.* 6*d.* and 3*s.* 6*d.*
LAWRENCEANUM, 2*s.* 6*d.* and 3*s.* 6*d.*
LOWII, 3*s.* 6*d.*
VARIUM CHANDLERI, 2*s.* 6*d.* and 3*s.* 6*d.*
CISSUS (VITIS) ANTARCTICA, 2*s.* 6*d.* and 3*s.* 6*d.*
RHOMBEA, 3*s.* 6*d.*
CITRUS JAPONICA (Otaheite Orange), 3*s.* 6*d.* and 5*s.*
CLEMATIS INDIVISA, 2*s.* 6*d.* and 3*s.* 6*d.*
INDIVISA LOBATA, 2*s.* 6*d.* and 3*s.* 6*d.*
CLIANTHUS PUNICEUS MAGNIFICUS, 2*s.* 6*d.* and and 3*s.* 6*d.*
CLIVIA NOBILIS, 5*s.*
See Imantophyllum, page 22.
COBÆA SCANDENS VARIEGATA, 2*s.* 6*d.* and 3*s.* 6*d.*

COLEUS.

Choice selections can be made from all the best and newest sorts of these useful and highly decorative plants; the various colours and shades being exceedingly bright and attractive. 9*s.*, 12*s.*, 18*s.* and 24*s.* per dozen, according to the varieties.

CORREAS, of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*
CRINUM MOOREI (MACOWANII), 2*s.* 6*d.*, 3*s.* 6*d.* to 7*s.* 6*d.*
MOOREI VARIEGATUM, *vide* page 20.
CRINUM POWELLII, 2*s.* 6*d.*, 3*s.* 6*d.* to 7*s.* 6*d.*
POWELLII ROSEUM, 7*s.* 6*d.* and 10*s.* 6*d.*
CROWEA STRICTA, 2*s.* 6*d.* and 3*s.* 6*d.*
CYCADS, *vide* pages 34 to 36.

CYCLAMEN PERSICUM.

Too much can scarcely be said in favour of the superb varieties of this plant, of which the old *C. persicum* is the type, whether they are regarded as objects for the ornamentation of the greenhouse or conservatory, or for table decoration, for which their compact floriferous character eminently fits them. The flowers are also extremely useful for bouquets, and when plucked, if kept in water, they will last in freshness and beauty for some weeks. Plants full of buds and flowers can be supplied during the winter season, and are then charmingly pretty. 18*s.*, 30*s.* and 42*s.* per dozen.

CYCLAMEN PERSICUM ALBUM, 2*s.* 6*d.* and 3*s.* 6*d.*
PERSICUM RUBRUM, 2*s.* 6*d.* and 3*s.* 6*d.*
—— GRANDIFLORUM, 3*s.* 6*d.* and 5*s.*
—— of various choice sorts, 3*s.* 6*d.* and 5*s.*
CYRTANTHUS ANGUSTIFOLIUM, red, 5*s.*
INTERMEDIUM, 3*s.* 6*d.*
MACKENII, white, 2*s.* 6*d.*
MACOWANII, 3*s.* 6*d.*

CYRTANTHUS FLAMBEAU.

A pretty hybrid variety of these charming free-flowering greenhouse bulbous plants. The flowers, which are borne in umbels on erect scapes, are of a bright carmine red, the segments being round and full and of good shape. 3*s.* 6*d.*

CYTISUS RACEMOSUS, 1*s.* 6*d.*
RACEMOSUS EVERESTIANUS, 2*s.* 6*d.* and 3*s.* 6*d.*
DAPHNE INDICA RUBRA, 2*s.* 6*d.* and 3*s.* 6*d.*
DASYLIRION LONGIFOLIUM, 5*s.*
DATURA, *vide* Brugmansia.

DEYEUXIA ELEGANS VARIEGATA.

A very elegant variegated greenhouse plant, introduced from New South Wales. It has a thick rootstock, from which spring numerous leaves, about a quarter of an inch in breadth, the colour a deep bright green, with a broad clear edge of creamy yellow. 3*s.* 6*d.* and 5*s.*

DIANELLA INTERMEDIA, 5*s.*
DIANELLA TASMANICA, 10*s.* 6*d.*

CRINUM MOOREI VARIEGATUM.

CRINUM MOOREI VARIEGATUM.

A beautifully variegated variety of this free-flowering hardy greenhouse bulbous plant, the leaves being ornamented with longitudinal stripes of creamy yellow of varying width, making it a most attractive and desirable addition to decorative plants for the greenhouse and conservatory. Similar to the typical species in habit, it freely produces on erect scapes, large and handsome white flowers, faintly tinged with blush. 10*s.* 6*d.*

DIANELLA TASMANICA VARIEGATA.

A very striking and desirable variegated greenhouse plant introduced from Tasmania. The leaves are handsomely striated with creamy yellow, forming a very effective variegation. The pale blue flowers are produced on a loose, many-branched panicle, and are followed in due course by large and handsome bright blue berries. These hang on hair-like pedicels, and for many weeks form a highly ornamental and conspicuous adornment to the conservatory. 21*s.*

DORYANTHES GUILFOYLEI.

DORYANTHES PALMERI, 3*s.* 6*d.* and 5*s.*

DIPLARRHENA MOREÆ.

An Iridaceous greenhouse plant allied to *Libertia*, a native of North Australia and Tasmania, producing its large and handsome flowers in a terminal spike or cluster. The outer segments are white, obovate, the upper one concave; the inner segments white tinged with violet. 10*s.* 6*d.*

DRACÆNA AUSTRALIS.

This handsome ornamental plant is exceedingly useful for the decoration of the greenhouse or conservatory, where its effective habit always imparts a tropical aspect to the house. It is also well adapted for the purposes of sub-tropical gardening, either in groups or as single specimens, its graceful mode of growth being very effective. 3*s.* 6*d.* to 10*s.* 6*d.*; fine plants, 15*s.*, 1, 1½ & 2 guineas.

DRACÆNA AUSTRALIS LINEATA.

An exceedingly handsome and ornamental plant, with fine broad foliage, gracefully recurving. It is strikingly effective for conservatory and greenhouse decoration. 10*s.* 6*d.*, 15*s.* and 21*s.*

DRACOPHYLLUM GRACILE, 2*s.* 6*d.* and 3*s.* 6*d.*
EPACRIS, of sorts, 18*s.*, 30*s.* and 42*s.* per dozen.
ERICAS, of sorts, 18*s.*, 30*s.* and 42*s.* per dozen.
ERIOSTEMON BUXIFOLIUS, 2*s.* 6*d.* and 3*s.* 6*d.*
INTERMEDIUS, 2*s.* 6*d.* and 3*s.* 6*d.*
PULCHELLUS, 2*s.* 6*d.* and 3*s.* 6*d.*
ERIOBOTRYA JAPONICA (LOQUAT), 7*s.* 6*d.*
ERYTHRINA COMPACTA, 3*s.* 6*d.*
CRISTA-GALLI, 1*s.* 6*d.*
EUCALYPTUS CITRIODORA, 3*s.* 6*d.*
GLOBULUS (Blue Gum), 3*s.* 6*d.*
EUGENIA UGNI, 1*s.* 6*d.* and 2*s.* 6*d.*
Vide also page 13.
EURYCLES, *vide* page 13.
EUTAXIA FLORIBUNDA, 2*s.* 6*d.* and 3*s.* 6*d.*
FATSIA (ARALIA) JAPONICA, 1*s.* and 1*s.* 6*d.*
(ARALIA) JAPONICA VARIEGATA, 3*s.* 6*d.* and 5*s.*
FERNS, *vide* page 37.
FICUS AUSTRALIS, 3*s.* 6*d.*
MACROPHYLLA, 5*s.*
MINIMA, 1*s.* 6*d.* and 2*s.* 6*d.*
STIPULATA (REPENS), 1*s.* 6*d.* and 2*s.* 6*d.*
FUCHSIAS, *vide* pages 4 and 46.
GENETYLLIS (HEDAROMA) FUCHSIOIDES, 3*s.* 6*d.* and 5*s.*
TULIPIFERA, 3*s.* 6*d.* and 5*s.*
GONOLOBUS CUNDURANGO, 10*s.* 6*d.*
GREVILLEA ROBUSTA, 1*s.* 6*d.* and 2*s.* 6*d.*
HABROTHAMNUS (CESTRUM) AURANTIACUS, 2*s.* 6*d.* and 3*s.* 6*d.*
ELEGANS, 2*s.* 6*d.* and 3*s.* 6*d.*
FASICULATUS, 2*s.* 6*d.* and 3*s.* 6*d.*
NEWELLI, 2*s.* 6*d.* and 3*s.* 6*d.*
of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*
HÆMANTHUS ALBIFLOS, 2*s.* 6*d.* and 3*s.* 6*d.*

HÆMANTHUS CANDIDUM.

A most beautiful white-flowered species introduced from the Transvaal. It belongs to the distichous-leaved group, and produces its handsome spikes of flowers from the side of the bulb. The scape, which is about 9 inches long, carries a large dense head of pure white flowers with golden yellow anthers borne on the tips of much exserted filaments. 21*s.*

HÆMANTHUS COARCTATUM, 2*s.* 6*d.* and 3*s.* 6*d.*
COCCINEUM, fine heads of scarlet flowers, 2*s.* 6*d.* and 3*s.* 6*d.*
TIGRINUM, 2*s.* 6*d.*
HARDENBERGIA MONOPHYLLA, 2*s.* 6*d.*
MONOPHYLLA VARIEGATA, 3*s.* 6*d.*
HEDYCHIUM GARDNERIANUM, 2*s.* 6*d.* and 3*s.* 6*d.*
HIBISCUS, *see* also pages 14 and 28.
CALYCINUS (CHRYSANTHUS), 5*s.*
PEDUNCULATUS, 5*s.*
HOYA, *vide* page 14.
HUMEA ELEGANS, 2*s.* 6*d.* and 3*s.* 6*d.*

IMANTOPHYLLUM BLANDFORDIÆFLORUM STRIATUM.

An ornamental greenhouse plant, producing dense heads of handsome Blandfordia-like flowers, the exterior being of a bright crimson-carmine colour, the expanding portion of the segments margined with salmon-buff. Added to the beauty of its flowers, the foliage of this plant is also attractively striated with creamy-yellow. 21*s.*

IMANTOPHYLLUM CYRTANTHIFLORUM, 5*s.*
CYRTANTHIFLORUM CHLORACEUM, 10*s.* 6*d.*
—— FLAMMEUM, 31*s.* 6*d.*
—— FULGENS, 15*s.*
IMANTOPHYLLUM CYRTANTHIFLORUM INSIGNE, CYRTANTHIFLORUM OBLIQUUM, 31*s.* 6*d.* [31/6
—— SUPERBUM, 21*s.*
GARDENI, 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*

IMANTOPHYLLUM MINIATUM.

A most effective and beautiful plant, producing broad corymbs of large deep salmon-coloured erect blossoms, relieved by a lighter centre; it blooms during the winter and spring months. 3*s.* 6*d.*, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*; fine plants, 15*s.* and 21*s.*

IMANTOPHYLLUM MINIATUM ALBO-LIMBATUM, 2 and 3 guineas.
MINIATUM AURANTIACUM, 31*s.* 6*d.*
—— AURORA, 1 and 1½ guinea.
—— BRILLIANT, 2 guineas.
—— COMET, 2 guineas.
—— DUKE OF YORK, 3 guineas.
—— EMPEROR, 3 guineas.
—— EMPRESS, 3 guineas.
—— FLAMBEAU, 2 guineas.
—— FLAMMEUM, 2 guineas.
—— FLAVESCENS, 2 guineas.
—— FORMOSUM, 15*s.* and 21*s.*
—— FULGENS, 15*s.* and 21*s.*
—— GRANDIFLORUM, 1½, 2 and 3 guineas.
—— ILLUSTRE, 3 guineas.
—— IMPERIALE, 3 guineas.
—— INSIGNE, 1½, 2 and 3 guineas.
—— LURIDUM, 15*s.*
—— MADAME VAN HOUTTE, 10*s.* 6*d.*
—— MAGNIFICUM, 3 guineas.
—— METEOR.
—— PREMIER.
IMANTOPHYLLUM MINIATUM, PRINCE OF ORANGE, 1½, 2 and 3 guineas.
MINIATUM PRINCEPS, 1½, 2 and 3 guineas.
—— PRINCESS.
—— REGALE, 3 guineas.
—— SPECIOSUM, 1½ guinea.
—— SPLENDENS, 7*s.* 6*d.* and 10*s.* 6*d.*
—— SUPERBUM, 5*s.* and 7*s.* 6*d.*
—— VERSICOLOR.
—— VIVID, 3 guineas.
INDIGOFERA DECORA, 5*s.*
IRIS FIMBRIATA, 1*s.* 6*d.*
ISMENE CALATHINA, 1*s.* 6*d.*
JASMINUM ANGULARE, 3*s.* 6*d.*
GRANDIFLORUM, 2*s.* 6*d.* and 3*s.* 6*d.*
ODORATISSIMUM, 2*s.* 6*d.* and 3*s.* 6*d.*
POITEAU, 2*s.* 6*d.* and 3*s.* 6*d.*
See also pages 4 and 15.
KENNEDYA MARRYATTÆ, 2*s.* 6*d.*
of sorts 3*s.* 6*d.* and 5*s.*
LACHENALIA, of sorts, 1*s.* to 3*s.* 6*d.*
LAGERSTRŒMIA INDICA, 2*s.* 6*d.* and 3*s.* 6*d.*
LANDOLPHIA, *vide* page 15.

LAPAGERIA ALBA.

This extremely beautiful climber produces numerous fine large bell-shaped pure white flowers. It is a neat growing plant of free habit, 5*s.*, 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*

LAPAGERIA ROSEA.

Various sizes of this well-known and extremely useful conservatory climber, 3*s.* 6*d.*, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

LAPAGERIA RUBRA SUPERBA.

A magnificent variety, producing fine large flowers of an exceedingly rich and brilliant crimson colour; it is one of the most highly attractive of ornamental climbers for the greenhouse and conservatory. 10*s.* 6*d.* and 15*s.*

LAPAGERIA RUBRA (Nash Court variety), 21*s.*
LASIANDRA MACRANTHA, 2*s.* 6*d.* and 3*s.* 6*d.*
MACRANTHA FLORIBUNDA, 3*s.* 6*d.* and 5*s.*
LAURUS CAMPHORA, 3*s.* 6*d.*
CINNAMOMUM, *vide* page 15.
LILIUMS, of sorts. *See* Bulb Catalogue. 12*s.*, 18*s.*, 30*s.* and 42*s.* per dozen.
LINUM TRIOYNUM, *vide* Reinwardtia.
LUCULIA GRATISSIMA, 5*s.* and 7*s.* 6*d.*
LYCORIS AUREA, 1*s.* 6*d.* and 2*s.* 6*d.*
MACADAMIA TERNIFOLIA, 10*s.* 6*d.*
MACKAYA BELLA, 3*s.* 6*d.* and 5*s.*
MACROZAMIA, *vide* Index.
MAGNOLIA FUSCATA, 3*s.* 6*d.* and 5*s.*
PUMILA, *vide* page 15.
MANDEVILLA SUAVEOLENS, 2*s.* 6*d.* and 3*s.* 6*d.*

MARICA NORTHIANA, 7*s*. 6*d*. and 10*s*. 6*d*.
MARSILEA MACROPUS, "NARDOO," 10*s*. 6*d*.
METROSIDEROS FLORIBUNDA, 2*s*. 6*d*.
MITRARIA COCCINEA, 2*s*. 6*d*. and 3*s*. 6*d*.
MUSA CAVENDISHII, *vide* page 16.
ZEBRINA, *vide* page 16.

MUSA ENSETE.

This is the grand Banana of Abyssinia. In growth it is one of the most striking and noble of ornamental plants, and it is without doubt one of the most effective for summer out-door gardening. Its immense erect leaves are from eight to ten feet long, of a beautiful dark green colour, the midrib being bright crimson, forming an admirable and striking contrast. It attains altogether an average growth of twelve to fifteen feet in height. *5s*., 7*s*. 6*d*. and 10*s*. 6*d*.

MUTISIA DECURRENS, 3*s*. 6*d*.
MYRSIPHYLLUM ASPARAGOIDES, 2*s*. 6*d*. and 3*s*. 6*d*.
NERINE CORUSCANS, 3*s*. 6*d*.
FOTHERGILLII, 2*s*. 6*d*. and 3*s*. 6*d*.
JAPONICA. This pretty species is known as the "Japanese Spider Lily," and produces handsome heads of bright reddish-crimson flowers, the protruding anthers being of unusual length. *Vide* illustration. 1*s*. each; 9*s*. per dozen.
ROSEA, 2*s*. 6*d*.
OPHIOPOGON JABURAN AUREO-VARIEGATUS, 2*s*. 6*d*. and 3*s*. 6*d*.
SPICATUS ARGENTEO-MARGINATUS, 2*s*. 6*d*. and 3*s*. 6*d*.
PALMS, of sorts, *vide* pages 34 to 36.
PASSIFLORA CÆRULEA, EYNSFORD GEM, 2*s*. 6*d*.
CÆRULEA RACEMOSA, 2*s*. 6*d*.
IMPERATRICE EUGÉNIE, 2*s*. 6*d*. and 3*s*. 6*d*.
LAWSONI, 3*s*. 6*d*.
of sorts, 2*s*. 6*d*., 3*s*. 6*d*. and 5*s*.
See also page 16.
PELARGONIUM, *vide* pages 5 and 43.
PHALANGIUM ARGENTEO-LINEARE (ANTHERICUM VARIEGATUM), 2*s*. 6*d*. and 3*s*. 6*d*.
LINEARE ELEOANS, 5*s*.
PHILESIA BUXIFOLIA, 7*s*. 6*d*. and 10*s*. 6*d*.
PHYLLOCACTUS AURANTIACUS, 5*s*.
CRENATUS ALBUS, 5*s*.
FLAMMEUS, 5*s*.
FULGENS, 3*s*. 6*d*.
MAGNIFICUS, 5*s*.
PEACOCKII, 3*s*. 6*d*. and 5*s*.
RUBER, 3*s*. 6*d*.
SANGUINEUS. 5*s*.
VIOLACEUS, 3*s*. 6*d*.
VIVICANS, 5*s*.
PHYSIANTHUS ALBENS, *vide* Arauja cericifera.
PIMELEA DECUSSATA, 2*s*. 6*d*. and 3*s*. 6*d*.
HENDERSONI, 3*s*. 6*d*. and 5*s*.
NIEPPERGIANA, 3*s*. 6*d*. and 5*s*.
SPECTABILIS, 3*s*. 6*d*. and 5*s*.
PINCINECTITIA TUBERCULATA, 21*s*.
PISTACIA TEREBINTHUS (Turpentine Tree), 7*s*. 6*d*.
PITTOSPORUM RALPHSII, 5*s*.
PLUMBAGO CAPENSIS, 2*s*. 6*d*. and 3*s*. 6*d*.

NERINE JAPONICA.

PLUMBAGO CAPENSIS ALBA, 2*s*. 6*d*. and 3*s*. 6*d*.
See also page 16.
POLYGALA CORDIFOLIA, 3*s*. 6*d*.
DALMAISIANA, 2*s*. 6*d*. and 3*s*. 6*d*.
PRIMULA FLORIBUNDA, 2*s*. 6*d*.
PROTEINOPHALLUS RIVIERI, *vide* Amorphophallus.
PUNICA GRANATUM (POMEGRANATE), ALBA PLENA, 3*s*. 6*d*. and 5*s*.
GRANATUM RUBRA PLENA, 3*s*. 6*d*. and 5*s*.
REINWARDTIA TRIGYNA (LINUM TRIGYNUM), 2*s*. 6*d*.
TETRAGYNE, 2*s*. 6*d*.
RHODODENDRONS, *vide* pages 4 and 26 to 28.
RHOPALA CORCOVADENSIS, 5*s*.
RHYNCHOSPERMUM JASMINOIDES, *vide* Trachelospermum.
RICHARDIA AFRICANA (*Calla æthiopica*), 1*s*. and 1*s*. 6*d*.
AFRICANA, LITTLE GEM, 6*d*. each, 5*s*. per doz.
—— CANDIDISSIMA, 3*s*. 6*d*.
—— COMPACTA, 3*s*. 6*d*.
—— GIGANTEA, 5*s*.
HASTATA, 5*s*.

VALLOTA HYBRIDA.

An extremely handsome and showy new hybrid bulbous plant, the result of a cross between the well-known *Vallota purpurea* and *Gastronema sanguinea*. In character it is intermediate between the two parents both in foliage and flowers, the last-named being borne in umbels, and of an uniform bright orange vermilion colour. 10*s*. 6*d*.

RICHARDIA (CALLA) ELLIOTTIANA.

This magnificent yellow-flowered species should be in every collection; the spathes are of rich golden yellow, the leaves being ornamented with whitish maculations. 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.*, 21*s.* and 31*s.* 6*d.*

RICHARDIA (CALLA) PENTLANDII.

Like the preceding, this beautiful species has rich golden-yellow flowers, similar in shape and size to *R. æthiopica*, with the addition of a black blotch quite at the base of the spadix. In this species the leaves are entirely green. 10*s.* 6*d.*, 15*s.*, 21*s.* and 31*s.* 6*d.*

RICHARDIA Rehmannii, 2*s.* 6*d.*
ROGEIRA gratissima, 3*s.* 6*d.* and 5*s.*
ROHDEA japonica argentea, 15*s.*
RUSCUS androgynus, 3*s.* 6*d.*
SALVIA splendens grandiflora, 1*s.* 6*d.* and 2*s.* 6*d.*
SANDERSONIA aurantiaca, a tuberous-rooted climbing plant, bearing pretty bell-shaped orange coloured flowers, 3*s.* 6*d.*
SOLANUM jasminoides, 2*s.* 6*d.*
Wendlandii, *vide* page 17.
STRELITZIA Reginæ, *vide* page 17.
STREPTOSOLEN (Browallia) Jamesoni, 1*s.* 6*d.*
TACSONIA Buchanani, *vide* page 17.
eriantha, 2*s.* 6*d.*
exoniensis, 2*s.* 6*d.*
mollissima, 2*s.* 6*d.*
pinnatistipula, 2*s.* 6*d.*
sanguinea, *vide* T. Buchanani, page 17.
tomentosa speciosa, 2*s* 6*d.* and 3*s.* 6*d.*
Van Volxemi, 2*s.* 6*d.*

TACSONIA SMYTHEANA.

This handsome hybrid has been raised from *T. mollissima* and an unknown species. Flowers very distinct in colour, which is a peculiar shade of orange-scarlet. 3*s.* 6*d.*

TECOMA ROSEA.

A remarkably handsome greenhouse climber of the Bignoniaceous order, imported from South Africa. It has opposite pinnate leaves, and bears magnificent racemes, three to four feet in length, of large showy trumpet-shaped flowers, which are of a rosy lilac colour. This beautiful plant can scarcely be too strongly recommended as a handsome showy climber. 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*

TECOMA SMITHII.

A very handsome free-flowering hybrid greenhouse climber. The flowers, which are produced in large panicles, are of a bright orange colour, with chestnut brown markings at the base of the lobes, forming a dark ring around the throat. It has been introduced from Australia, where it has been awarded Certificates by the Horticultural Societies of South Australia and Victoria. 3*s.* 6*d.*

TECOMA, *vide* Bignonia.
THEA assamica, 3*s.* 6*d.*
THEAS, of sorts, 3*s.* 6*d.* and 5*s.*
THUNBERGIA, *vide* page 17.
TRACHELOSPERMUM (Rhynchospermum) jasminoides, 2*s.* 6*d.* and 3*s.* 6*d.*
(Rhynchospermum) jasminoides albo-variegatum, 2*s.* 6*d.* and 3*s.* 6*d.*
TREMANDRA ericæfolia, 2*s.* 6*d.* and 3*s.* 6*d.*
verticillata, 2*s.* 6*d.* and 3*s.* 6*d.*
TROPÆOLUM azureum grandiflorum, 3*s.* 6*d.* and 5*s.*
tricolor grandiflorum (Jarrattii), 1*s.* and 1*s.* 6*d.*
of sorts, 1*s.* 6*d.*, 2*s.* 6*d.* and 3*s.* 6*d.*
TUBEROSES best double African, American, The Pearl — These can be supplied in dormant bulbs, by the dozen or hundred, at the proper season.

TURRÆA HETEROPHYLLA.

A small-growing slender-branched shrub, a native of Natal. It has glabrous branches, and ovate undivided or three-lobed leaves, which fall away before the flowering season. The flowers are white, five-petalled, clustered at the end of the branches. 5*s.* and 7*s.* 6*d.*

VALLOTA hybrida, *vide* page 24.
purpurea, 2*s.* 6*d.*
VITIS heterophylla humulifolia, 2*s.* 6*d.*
heterophylla variegata, 2*s.* 6*d.* and 3*s.* 6*d.*
WITSENIA corymbosa, 3*s.* 6*d.*
YUCCA aloifolia variegata, 3*s.* 6*d.* and 5*s.*
filamentosa variegata, 5*s.* and 7*s.* 6*d.*
XYLOPHYLLA, *vide* page 17.
ZAMIA, *vide* Index.
ZEPHYRANTHES carinata, 12*s.* per dozen.

GREENHOUSE RHODODENDRONS.

For New Varieties, *vide* page 4.

ALBESCENS, an extremely handsome sweet-scented greenhouse variety, producing very large and beautiful glistening white flowers, slightly undulated on the margins, the upper segments being marked at the base with sulphur yellow. 3*s*. 6*d*. and 5*s*.

EXONIENSE, trusses of ivory white flowers; buds flushed pink. 3*s*. 6*d*.

FRAGRANTISSIMUM PICTUM, handsome heads of deliciously scented white flowers, the side petals being coloured rose-pink on the lower halves, a tinge of the same colour being apparent at the apex of the upper petal. 10*s*. 6*d*.

LADY ALICE FITZWILLIAM, clusters of white blooms, each flower three and a half to four inches across. 3*s*. 6*d*. and 5*s*.

NIVALE, a beautiful hybrid in the *multiflorum* section, producing in the greatest profusion trusses of broadly expanded pure white flowers. 10*s*. 6*d*.

SMIRNOWII, introduced from Armenia; produces corymbs of pretty campanulate reddish-crimson flowers of medium size. 10*s*. 6*d*.

UNGERNII, introduced from Armenia; the flowers, which are borne in umbellate corymbs, are pure white and of medium size. 10*s*. 6*d*.

The following are hybrids in the free-flowering ***Javanico-jasminiflorum*** group:—

ARIADNE, freely produces trusses of long tubular wax-like white flowers, the expanded segments being faintly tinged with blush. 10*s*. 6*d*.

ASTRÆA, handsome heads of blossom, the flowers of a beautiful lemon-yellow colour. 10*s*. 6*d*.

ATLAS, a very beautiful greenhouse hybrid, producing trusses of long tubular flowers of a delicate blush colour. 10*s*. 6*d*.

BELLONA, a fine free-flowering hybrid bearing large trusses of long tubed pure white flowers, the individual blossoms of perfect shape. 10*s*. 6*d*.

BRENDA, pure white flowers, the petals beautifully crisped and undulated. 10*s*. 6*d*.

CIRCE, fine trusses of large white flowers very delicately shaded with soft pink, the petals prettily crimped. 10*s*. 6*d*.

CLIO, large trusses of salmon-pink flowers shaded with rose. 10*s*. 6*d*.

CLARINDA, flowers of a very delicate blush-pink, the petals being prettily crimped. 10*s*. 6*d*.

DAPHNE, heads of lovely bright rosy pink flowers, the base of tube white; a very pleasing variety. 10*s*. 6*d*.

DIADEM, fine trusses of irregularly shaped flowers of a pleasing soft rosy pink colour. 10*s*. 6*d*.

DIANA, an extremely free-flowering hybrid, producing fine heads of bloom even on small plants. The individual flowers have long tubes, and are of a delicate blush pink colour, the petals being somewhat crimped and wavy. 10*s*. 6*d*.

DUCHESS OF EDINBURGH, large scarlet flowers, very beautiful. 7*s*. 6*d*. and 10*s*. 6*d*.

EGERIA, flowers large and of good shape, salmon-buff suffused or tinged with crimson. 10*s*. 6*d*.

EMBLEM, this produces immense heads of long-tubed flowers; the tube blush and the segments of a beautiful rich bright pink colour; exceedingly handsome and attractive. 5*s*.

FAIR ROSAMOND, fine trusses of delicate blush tinted flowers of large size, the petals being of good shape and substance, prettily crimped and undulated on the margins. 7*s*. 6*d*. and 10*s*. 6*d*.

FORDII, *vide* page 4.

HERA, fine trusses of yellowish buff flowers shaded with salmon pink, the individual blooms being of large size and good shape. 15*s*.

IONE, a very charming variety with clear rose-coloured petals, the throat and tube being pure white. 10*s*. 6*d*.

IRENE, fine trusses of well-shaped flower of a rich coral-pink, a very pretty shade of colour. 10*s*. 6*d*.

ISIS, very free-flowering variety, producing good trusses of milk-white flowers suffused with rose. 10*s*. 6*d*.

JAVANICUM, a beautifully golden-yellow flowering species. 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*.

JUNO, a very pretty and distinct hybrid with orange-buff flowers, borne in large heads. 10*s*. 6*d*.

LEDA, trusses of well-made flowers, petals full and round, blush shaded with pink, the throat ecrise pink, in telling contrast to the petals. 10*s*. 6*d*.

MENTO, large trusses of very soft rosy salmon flowers suffused with pink. 10*s*. 6*d*.

METIS, large trusses of flowers of a soft shade of salmon pink suffused with rose, the margins of the petals prettily undulated. 10*s*. 6*d*.

RHODODENDRON, PINK BEAUTY.

RHODODENDRON, PINK BEAUTY.

A remarkably beautiful hybrid, producing immense trusses of fine large flowers, of a delicate soft pink colour, with long blush-white tube. This handsome hybrid belongs to the perpetual-blooming section of greenhouse Rhododendrons. 3*s*. 6*d*. and 5*s*.

MYRA, this chaste and pretty hybrid produces in the freest manner large trusses of well-shaped pure white flowers, the petals being crisped and undulated. 10*s.* 6*d.*

ORION, this handsome hybrid produces large trusses of rich magenta-pink flowers, very bright and attractive. 10*s.* 6*d.*

PERA, flowers of fine shape, sepals bright cerise pink, tube French white, a pretty and cheerful looking colour. 15*s.*

PINK BEAUTY, *see* page 27.

PLATO, large flowers of a light shade of salmon-pink, the throat gradually expanding from base of tube. 10*s.* 6*d.*

PRIAM, very large creamy buff flowers, suffused and shaded with carmine pink. 10*s.* 6*d.*

PSYCHE, a lovely hybrid bearing trusses of very long-tubed pure white flowers, the rosy pink anthers in the centre forming a pleasing contrast with the snow-white petals. 10*s.* 6*d.*

ROSALIND, a charming hybrid of neat compact habit, and very free blooming; it produces fine clusters of beautiful long-tubed flowers of a delicate soft pink shade; a most pleasing and effective variety. 3*s.* 6*d.* and 5*s.*

SYLVIA, soft pink-coloured flowers, well made and borne in large trusses; tube nearly white. 10*s.* 6*d.*

THALIA, large lemon-buff flowers of good shape, throat shaded with rose. 10*s.* 6*d.*

URANIA, fine trusses of salmon-buff flowers shaded with pink, the segments prettily crimped. 10*s.* 6*d.*

ZAMPA, magnificent trusses of rich buff-yellow flowers; very handsome. 15*s.*

Choice Selections from the above and other Greenhouse kinds at 42*s.* and 63*s.* per dozen.

SELECT HARDY PLANTS.

CLEMATIS.

As hardy climbers, the large-flowered hybrid varieties cannot be too strongly recommended, for they are of easy and free growth, profuse bloomers, and the colours of the different sorts are varied and distinct, such as light and dark blue, white, plum, silvery-grey, violet, lavender, rosy-purple, mauve, &c. 18*s.* and 30*s.* per dozen. New varieties, 42*s.* per dozen.

CORNUS SIBIRICA SPATHI, a very handsome ornamental shrub, with beautifully variegated foliage. 3*s.* 6*d.*

CRINUM CAPENSE ALBUM, 1*s.*

CAPENSE ROSEUM, 1*s.*

HIBISCUS SYRIACUS.

Many handsome varieties of this handsome flowering shrub (which is also known as *Althæa frutex*) can be supplied at 18*s.* per dozen.

IRIS KÆMPFERI.

Many magnificent varieties of this handsome and attractive plant have been imported from Japan; indeed, scarcely any plants in the flower garden can compare for gorgeous beauty with this section of Iris. Varying in colour from pure white to rich maroon-crimson, there are few flowers surpassing them in size and the brightness of their colouring. Some are pure white with delicate reticulations of lavender, others are beautifully maculated with rosy-purple on a light ground, while many beautiful shades of dark crimson, blue, purple, and violet will be found amongst them. They succeed admirably planted on the margin of a lake or pond, or in any situation where plenty of moisture can be given. *Vide* illustration. 2*s.* 6*d.* and 3*s.* 6*d.* each; choice varieties, 5*s.* and 7*s.* 6*d.* each. Mixed Seedlings, 7*s.* 6*d.* and 10*s.* 6*d.* per dozen.

LILIUMS.

From a large Collection, comprising all the best and most useful either for forcing, growing in pots or planting in beds and borders, Mr. W. B. can supply Selections at 12*s.*, 18*s.*, 30*s.* and 42*s.* per dozen. For detailed list of sorts, see Mr. W. B.'s Bulb or Seed Catalogues.

RHEUM OFFICINALE.

Very much interest attaches to this plant, as being the ascertained source whence is derived the true Turkey Rhubarb. *R. officinale*, which inhabits and is cultivated in Thibet and Western China, is a very distinct and well-marked plant, of ornamental character. It is a perennial, producing three to seven lobed leaves, and flowering stems four to ten feet high, branching in a paniculate manner, and closely packed with spike-like greenish flowers. 1*s.* 6*d.*, 2*s.* 6*d.* and 3*s.* 6*d.*

NEW AND CHOICE CALADIUMS.

Mr. WILLIAM BULL'S Selection of Twelve Varieties, 12s., 18s., 24s., 30s. and 42s.

ACQUISITION, 31*s.* 6*d.*
ADRIAN, 21*s.*
AGRIPPINE DIMITRY, 3*s.* 6*d.*
ALICE VAN GEERT, 3*s.* 6*d.*
ANDROMAQUE, 3/6 & 5/-
ANNIBAL, 3*s.* 6*d.*
ANTONIO, 21*s.*
ANTONIO JOAQUIN, 5*s.* and 7*s.* 6*d.*
ARAPONOA, 21*s.*
ARARICA, 10*s.* 6*d.*
ARASSUAHY, 5*s.*
AROYRITES, 1*s.*, 1*s.* 6*d.* and 2*s.* 6*d.*
ARIADNE, 21*s.*
ASSUNGUY, 2*s.* 6*d.* & 3*s.* 6*d.*
AURORE BOREALE, 5*s.*
AYMORE, 15*s.*
BACURY, 5*s.*
BARAO DE MAMORE, 3/6.
BARAQUINII SUPERBUM, 3*s.* 6*d.* and 5*s.*
BARBACENA, 10*s.* 6*d.*
BARON ADOLPHE DE ROTHSCHILD, 3/6 & 5/-
BARONEZA DE OLIVEIRA CASTRO, 10*s.* 6*d.* & 15*s.*
BARONNE CLARA DE HIRSCH, 3*s.* 6*d.*
BEIJA-FLOR, 3*s.* 6*d.* & 5*s.*
BENJAMIN CONSTANT, 10*s.* 6*d.*
BENTO LEITE, 10*s.* 6*d.*
BERNHARD WAGNER, 10*s.* 6*d.*
BILONTRA, 21*s.*
BOIELDIEU, 3*s.* 6*d.*
B. S. WILLIAMS, 3/6 & 5/-
CAOAPAVA, 5*s.*
CAJURI, 10*s.* 6*d.*
CANDIDUM, 2/6 & 3/6.
CANHANHEDE, 15*s.*
CAPIBARIBE, 5*s.*
CAVALIER, 21*s.*
C. E. DAHLE, 7*s.* 6*d.*
CHICORINHA, 7*s.* 6*d.*
COIMBRA, 7*s.* 6*d.*
COMTE DE GERMINY, 3/6.
CONCORD, 5*s.*
CONDOR, 21*s.*
CONQUEROR, 21*s.*
COYPEL, 3*s.* 6*d.*
CRYSTAL, 10*s.* 6*d.*
DAMON, 15*s.*
DELICATISSIMUM, 2/6 & 3/6
DONA CARMEN MACEDO, 7*s.* 6*d.*
DR. FELIPPE MEYER, 10/6
DR. L. WITTMACK, 10/6.
DUCHESSE DE MORTEMART, 2*s.* 6*d.* & 3*s.* 6*d.*
ERNST SCHMIDT, 5*s.*
EUCHARIS, 3*s.* 6*d.*
EURYDICE, 10*s.* 6*d.*
EUTERPE, 3*s.* 6*d.*
FELIX PETIT, 5*s.*
FERD. DE LESSEPS, 3*s.* 6*d.* and 5*s.*
FLORIAN, 21*s.*
FRUCTAL, 10*s.* 6*d.*
GARNET, 21*s.*
GARTEN-DIRECTOR GIREOUD, 7*s.* 6*d.*
GAZE DE PARIS, 3*s.* 6*d.*
GENERAL, 21*s.*
GERARD DOW, 5*s.* and 7*s.* 6*d.*
GLUCK, 3*s.* 6*d.*
GUANABARA, 10*s.* 6*d.*
GUARAREMA, 3*s.* 6*d.* & 5*s.*
GUARATINQUETA, 10*s.* 6*d.*

Ibicuhy, 10*s.* 6*d.*
Ibis rouge, 3*s.* 6*d.* & 5*s.*
Icarus, 21*s.*
Iguatu, 5*s.* and 7*s.* 6*d.*
Imperatrice Eugénie, 2*s.* 6*d.*
Independencia, 7*s.* 6*d.*
Isis, 3*s.* 6*d.*
Joaquim Nabuco, 15*s.*
John Laino, 3*s.* 6*d.*
Joinville, 7*s.* 6*d.*
Julius, 21*s.*
Jumna, 31*s.* 6*d.*
La Nacre, 3/6 and 5/-.
La Perle du Bresil, 2*s.* 6*d.* and 3*s.* 6*d.*
L'Automne, 3*s.* 6*d.* & 5*s.*
L'Insolite, 2/6 & 3/6.
Le Caravage, 7/6 & 10/6
Leopold Robert, 2*s.* 6*d.* and 3*s.* 6*d.*
Leresohkinei, 3*s.* 6*d.*
Linharis, 10*s.* 6*d.*
Lord Derby, 3*s.* 6*d.*
Louise Duplessis, 2*s.* 6*d.*
Luteum auratum, 7*s.* 6*d.*
Lyminoton, 2*s.* 6*d.* and 3*s.* 6*d.*
Madame Alfred Bleu, 1*s.* 6*d.* and 2*s.* 6*d.*
—— D'Halloy, 3*s.* 6*d.* and 5*s.*
Madame Fritz Kœchlin, 2*s.* 6*d.* and 3*s.* 6*d.*
—— Groult, 3*s.* 6*d.*
—— I. Kœchlin, 2*s.* 6*d.* and 3*s.* 6*d.*
—— J. R. Box, 3*s.* 6*d.*
—— Jules Menoreau, 3*s.* 6*d.*
—— Jules Picot, 3*s.* 6*d.*
—— Lemoinier, 5*s.*
—— Marchand, 3*s.* 6*d.* and 5*s.*
—— Mitjana, 3*s.* 6*d.* and 5*s.*
—— Schmitt, 3*s.* 6*d.* and 5*s.*
Manacapuru, 21*s.*
Marquess of Camden, 3*s.* 6*d.* and 5*s.*
Marquis F. D'Albertas, 3*s.* 6*d.* and 5*s.*
Martha Laforge, 3*s.* 6*d.* and 5*s.*
Masaccio, 7*s.* 6*d.*
Max Kolb, 1*s.* 6*d.* and 2*s.* 6*d.*
Mercédès Daroent, 7/6
Meyerbeer, 1/6 & 2/6.
Mithridate, 3*s.* 6*d.*
Monsieur J. Linden, 3*s.* 6*d.*
Mossora, 10*s.* 6*d.*
Mozart, 3*s.* 6*d.*
Mr. Pierpont Morgan, 3*s.* 6*d.* and 5*s.*
Mrs. F. Sander, 10*s.* 6*d.*
Mrs. Harry Veitch, 3*s.* 6*d.* and 5*s.*
Mrs. J. Laing, 5*s.* and 7*s.* 6*d.*
Mrs. Laing, 2*s.* 6*d.* and 3*s.* 6*d.*
Mucuripe, 5*s.*
Mundurucu, 15*s.*
Napoleon III., 2*s.* 6*d.* and 3*s.* 6*d.*
Oracle, 21*s.*
Orphée, 3*s.* 6*d.* and 5*s.*
Ouro Fino, 5*s.* & 7*s.* 6*d.*
Pasha, 15*s.*
Periperi, 5*s.* & 7*s.* 6*d.*
Periquito, 5*s.*
Philippe Schuldt, 3/6.
Pianco, 10*s.* 6*d.*
Pintado, 10*s.* 6*d.*
Prince of Wales, 3/6.
Princess of Wales, 3/6 and 5/-
Princess Royal, 5*s.*
Proserpine, 3*s.* 6*d.*
Puvis de Chavannes, 10/6
Putumayo, 21*s.*
Quadricolor, 2/6 & 3/6
Raoine, 10*s.* 6*d.*
Raoul Puono, 3/6 & 5/-.
Raymond Lemoinier, 2*s.* 6*d.* and 3*s.* 6*d.*
Reine de Danemark, 2*s.* 6*d.* and 3*s.* 6*d.*
Reine Victoria, 1/6 & 2/6
Rio Claro, 15*s.*
Rio de Janeiro, 10*s.* 6*d.*
Roncador, 5*s.* and 7*s.* 6*d.*
Ronura, 10*s.* 6*d.*
Rose Laino, 3*s.* 6*d.* & 5*s.*
Rouillard, 3*s.* 6*d.*
Sanchoniathon, 2*s.* 6*d.*
Senator, 21*s.*
Silver Cloud, 3*s.* 6*d.*
Sir E. Smith, 15/- & 21/-
Sir Henry Irvino, 3/6.
Sir Julian Goldsmid, 5*s.*
Sir W. Broadbent, 3/6.
Sofia, 3*s.* 6*d.*
Souvenir de Lille, 3/6.
—— de Para, 1*s.* 6*d.* & 2*s.* 6*d.*
Spontini, 3*s.* 6*d.*
Triomphe de Comte, 5/-
Triumpho, 5*s.*
Tymbira, 10*s.* 6*d.*
Van Dyck, 3*s.* 6*d.*
Verona, 15*s.*
Ville de Mulhouse, 3/6.
Viroinale, 3*s.* 6*d.*
Weber, 5*s.* and 7*s.* 6*d.*
Wiohtii, 2*s.* 6*d.*
William Marshall, 5*s.* and 7*s.* 6*d.*

ACHIMENES.

ACHIMENES.

These charming free-flowering plants are very suitable for growing in hanging baskets and pots for conservatory decoration, the plentiful manner in which their blossoms are produced and their charming colours making them most desirable. Selections made at 9*s.*, 12*s.* and 18*s.* per dozen. When dormant, rhizomes can be supplied as follows:—

12 named varieties, 3 bulbs each sort, 36 bulbs. Mr. W. B.'s selection. 6*s.*
6 named varieties, 3 bulbs each sort, 18 bulbs. Mr. W. B.'s selection. 3*s.* 6*d.*

Choice sorts, 6*s.*, 9*s.* and 12*s.* per dozen.

EUCODONIAS.

A free-flowering and dwarf-growing section of Gesneraeeous plants, with attractive flowers intermediate between Tydæas and Gloxinias. In variety, 1*s.* and 1*s.* 6*d.* each.

GESNERAS (NÆGELIAS).

The value of Gesneras as decorative plants can scarcely be over-estimated. Most of them have rich velvet-like foliage, which, in the respective kinds, varies from green to crimson. If only grown for the foliage they are very attractive, but they produce splendid pyramidal spikes of blossom, which are extremely handsome. Originally the principal colour was orange-scarlet; now, as the result of fertilisation, there are various colours and shades, added to which the spotting on the flowers of some of the varieties is extremely pretty.

Selections of good varieties at 24*s.* and 30*s.* per dozen, according to sorts.

TYDÆAS.

These can be cultivated so as to produce an abundance of bloom thoughout the winter, their flowering season principally depending on the time of year their tubers are started into growth. With a little management a succession of blooming plants can be had nearly throughout the year. 12*s.*, 18*s.* and 24*s.* per dozen, according to sorts.

CHOICE GLOXINIAS.

The handsome and showy flowers of these beautiful bulbous plants render them of the greatest value for the decoration of stoves and conservatories. Of easy culture, they can, with judicious treatment, be had in bloom at almost any season of the year; their attractive flowers, being of large and good shape, are admirably adapted for cutting. The colours are most varied, every hue being pure and distinct, while some of the kinds are spotted and maculated in a most pleasing manner.

Choice Selections made by Mr. W. B. from General Collection, at 18*s.*, 24*s.* and 30*s.* per dozen, according to sorts.

When dormant, good blooming tubers, unnamed, of various colours, raised from handsome varieties, can be supplied at 4*s.*, 6*s.* and 9*s.* per dozen; 30*s.*, 40*s.* and 50*s.* per 100.

BEGONIAS.

HANDSOME FLOWERED TUBEROUS-ROOTED SECTION.

The immense size to which the flowers of this popular race of plants have now attained considerably enhances their value for decorative and bedding purposes. Of nearly every shade of colour, from deepest crimson-scarlet to white, the blooms are produced in the utmost profusion, thus rendering them extremely showy and attractive.

SINGLE-FLOWERED.

Selections of good Single-flowering named varieties can be made by Mr. W. B. at 12*s.*, 18*s.* and 24*s.* per dozen.

When dormant, Single-flowered unnamed Seedlings of various colours can be supplied at 4*s.*, 6*s.* and 9*s.* per dozen; 25*s.*, 35*s.* and 50*s.* per 100.

DOUBLE FLOWERED.

Named varieties with double flowers, at 30*s.*, 42*s.* and 60*s.* per dozen.

When dormant, Double-flowered unnamed Seedings of various colours can be supplied at 6*s.*, 9*s.*, 12*s.* and 18*s.* per dozen; 45*s.*, 60*s.* and 75*s.* per 100.

BEGONIAS—Ornamental Foliage.

In handsome named varieties, 18*s.*, 30*s.*, and 42*s.* per dozen.

CHRYSANTHEMUMS.

All the best and newest varieties can be supplied at current prices.

Good Selections can be made by Mr. W. B. from all sections of this popular flower at 6*d.* each, 5*s.* per dozen, or 40*s.* per 100.

OFFICINAL AND MEDICINAL PLANTS, TROPICAL FRUITS, &c.

Mr. William Bull's collection of living economic plants contains specimens of nearly all the spices and condiments in domestic use, many of the most highly esteemed tropical esculent fruits, many of those from which furniture and other woods are obtained, the principal gums and medicinal products, the poison trees from Java, Brazil, and Madagascar, at one time only heard of in tales of fiction, and plants which supply our daily beverages and food, as well as many of historical interest.

The individual prices of the following depend upon the size of the plants and rarity of the species, particulars of which can be furnished on application.

Collections made at 5, 7 and 10 guineas.

African Mangosteen	Garcinia Livingstóni	*Africa*	10/6
African Rubber	Landolphia Watsoniana	*Africa*	7/6
African Wine Palm	Raphia vinifera	*W. Coast of Africa*	21/-
Allspice	Eugenia Pimenta	*W. Indies*	5/-
Angostura Bitters	Triphasia trifoliata	*China*	7/6
Annatto Dye Plant	Bixa Orellána	*Tropical America*	5/-
Arrowroot	Maránta arundinácea	*S. America*	7/6
Australian Banyan	Ficus macrophylla	*Australia*	5/-
Balsam of Peru	Myróxylon Pereira	*Peru*	7/6
Banyan Tree	Ficus indica	*E. Indies*	3/6
Bark of Commeree	Ciuchóna officinális	*Tropical America*	7/6
Bengal Quince	Ægle Marmelos	*E. Indies*	21/-
Black Pepper	Piper nigrum	*E. Indies*	3/6
Brazil Nut	Berthollétia excélsa	*Brazil*	21/-
Cabbage Palm	Eutèrpe edúlis	*Brazil*	5/-
Calabash Tree	Crescentia Cujete	*S. America*	10/6
Camphor	Cámphora officinális	*Japan*	5/-
Cape Chestnut	Calodendron capense	*Cape Colony*	5/-
Cardamon	Amómum Cardamómum	*E. Indies*	3/6
Carnauba Palm	Copernicia cerifera	*Brazil*	31/6
Cashew Nut	Anacardium occidentale	*W. Indies*	10/6
Cassia	Cinnamómum Cassia	*E. Indies*	10/6
Cherimoyer	Anona Cherimolia	*Peru*	5/-
Chinese Plantain Tree	Músa Cavendishii	*China*	10/6
Cinnamon	Cinnamómum Zeylanicum	*Ceylon*	7/6
Coca	Erythróxylon Cóca	*Peru*	15/-
Coffee, Arabian	Coffèa arábica	*Yemen*	3/6
Coffee, Liberian	Coffèa liberica	*Liberia*	3/6
Contrayerva Root	Dorsténia Contrayérva	*S. America*	7/6
Cuba Bast	Paritium elátum	*W. Indies*	7/6
Cubeb Pepper	Piper Cubéba	*Java*	5/-
Cundurango	Gonólobus Cundurángo	*S. America*	10/6
Date	Phœnix dactylifera	*Levant*	5/-
Edible Eugenia	Eugenia edúlis	*Brazil*	15/-
Edible-fruited Passion Flower	Passiflóra edúlis	*Brazil*	3/6
Edible Vanguéria	Vanguéria edúlis	*Madagascar*	15/-
Fiddle Wood	Citharéxylon quadrangulare	*Jamaica*	5/-
Flame Tree	Brachychiton acerifolium	*N. S. Wales*	5/-
Fustick Wood	Chlorophora (Maclúra) tinctória	*W. Indies*	15/-
Gambier Tannin Tree	Uncaria Gambier	*E. Indies*	21/-
Gamboge	Xanthóchymus pictórius	*E. Indies*	21/-
Gigantic Granadilla	Passiflóra macrocárpa	*Rio Negro*	3/6

OFFICINAL AND MEDICINAL PLANTS—continued.

Ginger	Zingiber officinále	*E. Indies*	2/6
Granadilla	Passiflóra quadranguláris	*W. Indies*	3/6
Guarana Tea Plant	Paullinia sórbilis	*Brazil*	10/6
Guava	Psídium Cattleyanum	*Brazil*	3/6
Indian Cedar	Cedrela odorata	*W. Indies*	7/6
Ipecacuanha	Cephaëlis Ipecacuànha	*Brazil*	21/-
Jack Fruit	Artocarpus integrifolius	*W. Indies*	10/6
Jamaica Quassia	Picræna excelsa	*Jamaica*	10/6
Japanese Pepper	Piper Futokadsura	*Japan*	3/6
Kola Nut	Cola acuminata	*Niger*	10/6
Lagos Rubber	Kickxia africana	*W. Africa*	21/-
Ledger's Bark	Cinchóna Ledgeriana	*S. America*	10/6
Lemon Grass	Andropogon citratus	*India*	3/6 & 5/-
Litchi	Nephélium Litchi	*China*	31/6
Logwood	Hæmatoxylon Campechianum	*Central America*	10/6
Loquat	Eriobótrya japónica	*Japan*	7/6
Malabar Silk Cotton Tree	Bombax malabaricum	*Malabar*	7/6
Malay Apple	Eugenia malaccensis	*Malacca*	21/-
Mangosteen	Garcinia Mangostána	*Java*	63/-
Matico	Artánthe elongáta	*Peru*	7/6
Mustard Tree of Scripture	Salvadôra pérsica	*Persia*	21/-
Nardoo	Marsilea macrópus	*Australia*	10/6
Natal Plum	Arduina grandiflora	*Natal*	7/6
Netted-leaved Custard Apple	Auóna reticulata	*S. America*	15/-
Palissander Wood	Machærium firmum	*S. America*	15/-
Para Rubber	Hévea brasiliénsis	*Brazil*	31/6
Patchouli Scent Plant	Pogostémon Pátchouli	*E. Indies*	3/6
Pissava Palm of Madagascar	Dictyosperma fibrosum	*Madagascar*	31/6
Queensland Nut	Macadámia ternifólia	*Queensland*	10/6
Queensland Plum	Davidsonia pruriens	*Queensland*	21/-
Rhubarb	Rhéum officinále	*China*	2/6
Rice Paper Plant	Aralia papyrifera	*China*	3/6
Rose Apple	Eugenia Jambos	*India*	10/6
Sacred Indian Fig	Ficus religiosa	*India*	7/6
Sarsaparilla	Smilax Sarsaparilla	*N. America*	10/6
Satin Wood	Chloróxylon Swietènia	*E. Indies*	21/-
Snake Wood	Cecrópia palmáta	*S. America*	7/6
Soap Berry	Sapindus Saponaria	*W. Indies*	21/-
Sour Sop	Anóna muricáta	*W. Indies*	15/-
Sugar Cane	Sáccharum officinárum	*India*	5/-
Sugar Cane, Elephant	Sáccharum officinárum gigauteum	*India*	31/6
Sweet Sop	Anóna squamosa	*S. America*	10/6
Sycamore Tree of Scripture	Ficus Sycomórus	*Egypt*	7/6
Tamarind Tree	Tamarindus indica	*E. Indies*	5/-
Tea, Assam	Théa assamica	*Assam*	3/6
Touga	Epipremuum mirábile	*South Sea Islands*	3/6
Tonquin Bean	Dipteryx odorata	*Guiana*	21/-
Trincomalee Wood	Berrya Ammonilla	*Ceylon*	5/-
Turpentine Tree	Pistácia Terebinthus	*S. Europe*	7/6
Upas Tree	Antiaris toxicaria	*Java*	21/-
Vanilla	Vanilla aromática	*S. America*	7/6
Violet Sugar Cane	Sáccharum violaceum	*India*	15/-
Zerumbet Ginger	Zingiber Zerumbet	*E. Indies*	3/6

Purchasers of Officinal and Medicinal Plants, Tropical Fruits, &c., can have collections made at 5, 7 and 10 guineas. The difference in price principally depends upon the size of the plants, and the rarity of the species.

PALMS, CYCLANTHS & CYCADS,

Including ENCEPHALARTOS, MACROZAMIA, &c.

The Palms constitute the most noble family in the vegetable kingdom, and afford sufficient diversity of aspect to allow of selections being made from them for the greenhouse, stove, or conservatory, to either of which Palms impart a richer tropical character than any other plants. Some of the miniature dwarf-growing kinds are, from their light and graceful forms, admirably adapted for table decoration, for vases, and for almost every purpose in which ornamentation is desired. The more hardy and larger kinds can be used for sub-tropical gardening, to which they impart a most luxuriant grandeur, evidence of which has been given in Battersea Park, and in other places where Palms have been thus used.

Selections of Stove Palms, 6, 9, and 12 guineas per dozen.

Selections for the Greenhouse, at 6, 9 and 12 guineas per dozen.

Larger specimens, from 2, 3, 4 and 5 to 10 guineas each.

Those marked with an asterisk (*) are kinds that will succeed in a Greenhouse.

ACANTHORHIZA aculeata (Chamærops stauracantha), 10*s.* 6*d.* and 15*s.*

***ARCHONTOPHŒNIX** Alexandræ (Ptychosperma Alexandræ), 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

* Cunninghamiana (Seaforthia elegans, Ptychosperma Cunninohamiana), a most useful conservatory or cool greenhouse plant, possessing a highly decorative character; scarcely anything can equal the effect of a large plant of this noble Palm. In all sizes, 2*s.* 6*d.*, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.* to 1, 1½ and 2 guineas.

***ARECA** Baueri, *vide* Rhopalostylis Baueri.

lutescens, *vide* Chrysalidocarpus lutescens.

madaoascariensis, *vide* Dypsis madagascariensis.

sapida, *vide* Rhopalostylis sapida.

ASTROCARYUM Malybo (A. argenteum), 1½ and 2 guineas.

BOWENIA spectabilis, 10*s.* 6*d.*

CALAMUS australis, 31*s.* 6*d.* and 42*s.*

(Dæmonorops) fissus, 5*s.* and 7*s.* 6*d.*

mioranthus, 7*s.* 6*d.* and 10*s.* 6*d.*

Roxburghii, 10*s.* 6*d.*

sikkimensis, 7*s.* 6*d.* and 10*s.* 6*d.*

CARLUDOVICA Drudei, 10*s.* 6*d.* and 15*s.*

Plumieri, 10*s.* 6*d.*

CARYOTA siamensis, 31*s.* 6*d.*

CATAKIDOZAMIA Hopei.

Denisoni, *vide* Lepidozamia.

CERATOZAMIA fusco-viridis, 3 and 4 guineas.

CEROXYLON niveum, *vide* Diplothemium caudescens.

***CHAMÆDOREA** polita, 10*s.* 6*d.*

***CHAMÆROPS** elegans, 3*s.* 6*d.* and 5*s.*

* excelsa, *vide* Trachycarpus excelsus.

* Fortunei, *vide* Trachycarpus Fortunei.

* humilis. This useful decorative Palm can be supplied in all sizes, from 5*s.*, 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.* and 21*s.* to 2, 3 and 4 guineas each.

* —— gracilis, 15*s.* and 21*s.*

* —— robusta, 15*s.* and 21*s.*

CHAMÆROPS stauracantha, *vide* Acanthorhiza aculeata.

CHRYSALIDOCARPUS lutescens (Areca lutescens, Hyophorbe indica, H. Commersoniana), in all sizes, 1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.* to 21*s.*

***COCOS** australis (Diplothemium campestre), 3*s.* 6*d.* and 5*s.*

flexuosa, 3*s.* 6*d.* and 5*s.*

insignis (Glaziova insignis), 7*s.* 6*d.* and 10*s.* 6*d.*

plumosa, 3*s.* 6*d.* and 5*s.*

Weddelliana (Glaziova elegantissima, Leopoldina pulchra), one of the most elegant Palms, of which so many charming species are now to be found in cultivation. In all sizes, 1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.*, 5*s.* to 21*s.*

COCOS WEDDELLIANA.

COPERNICIA CERIFERA, "Carnauba Palm," 31*s.* 6*d.*

***CORYPHA** AUSTRALIS, *vide* LIVISTONA AUSTRALIS.

CYCAS CIRCINALIS, 1½ and 2 guineas.

* REVOLUTA, in all sizes, 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.* and 21*s.*; fine specimens, 3, 4 and 5 guineas each.

CYCLANTHUS DISCOLOR, 21*s.*

CYRTOSTACHYS RENDA.

DÆMONOROPS, *vide* CALAMUS.

DICTYOSPERMA FIBROSUM (PISSAVA OF MADAGASCAR), 1½ guinea.

DIOON EDULE, 15*s.*, 21*s.*, 1½ and 2 guineas.

DIPLOTHEMIUM CAMPESTRE, *vide* COCOS AUSTRALIS.

CAUDESCENS (CEROXYLON NIVEUM), 5*s.* and 7*s.* 6*d.*

DYPSIS (ARECA) MADAGASCARIENSIS, 3*s.* 6*d.* & 5*s.*

***ENCEPHALARTOS** CAFFRA.

* HORRIDUS.

* (ZAMIA) REGALIS.

* (——) VILLOSUS.

* (——) —— VROOMII, 4 and 5 guineas.

EUTERPE EDULIS, "Assai Palm" (OREODOXA SANCONA), 1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

GEONOMA ACAULIS, 4 and 5 guineas.

GRACILIS, 1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.* to 10*s.* 6*d.*

INTERMEDIA, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

LATIFOLIA, 3*s.* 6*d.* and 5*s.*

PUMILA, 3*s.* 6*d.* and 5*s.*

SCHOTTIANA, 3*s.* 6*d.* and 5*s.*

GEONOMA GRACILIS.

GLAZIOVA ELEGANTISSIMA, *vide* COCOS WEDDELLIANA.

INSIGNIS, *vide* COCOS INSIGNIS.

GRISEBACHIA BELMOREANA, *vide* HOWEA BELMOREANA.

FORSTERIANA, *vide* HOWEA FORSTERIANA.

***HEDYSCEPE** CANTERBURYANA, "Umbrella Palm" (KENTIA CANTERBURYANA), 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*

HOWEA (KENTIA) BELMOREANA.

***HOWEA** BELMOREANA, "Curley Palm" (KENTIA BELMOREANA, GRISEBACHIA BELMOREANA), in all sizes, 1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.* to 21*s.*

* FORSTERIANA, "Flat or Thatch-Leaf Palm" (KENTIA FORSTERIANA, GRISEBACHIA FORSTERIANA), 1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.* to 21*s.*

HYDRIASTELE WENDLANDIANA (KENTIA WENDLANDIANA), 5*s.* and 7*s.* 6*d.*

HYOPHORBE COMMERSONIANA, *vide* CHRYSALIDOCARPUS LUTESCENS.

INDICA, *vide* CHRYSALIDOCARPUS LUTESCENS.

***KENTIA** BELMOREANA, *vide* HOWEA BELMOREANA.

* CANTERBURYANA, *vide* HEDYSCEPE CANTERBURYANA.

CONCINNA, a compact-growing Palm imported from Brazil. In the young state the pinnate leaves have four to five pairs of leaflets, the terminal pair being much the broadest, each leaflet terminating in a premorse manner. The petioles are covered with a fuliginous rufescence, the curving of the leaves giving the plant a most graceful appearance. 15*s.* and 21*s.*

* FORSTERIANA, *vide* HOWEA FORSTERIANA.

* —— RUPICOLA, 10*s.* 6*d.*

KENTIA MACARTHURII, *vide* PTYCHOSPERMA MACARTHURII.

ORNATA, 42*s.*

SAPIDA, *vide* RHOPALOSTYLIS SAPIDA.

WENDLANDIANA, *vide* HYDRIASTELE WENDLANDIANA.

***LATANIA** BORBONICA, *vide* LIVISTONA CHINENSIS.

COMMERSONI (L. RUBRA), 1 and 1½ guinea.

LEOPOLDINA PULCHRA, *vide* COCOS WEDDELLIANA.

LEPIDOZAMIA PEROFFSKYANA (MACROZAMIA DENISONI), 10*s.* 6*d.* and 15*s.*

LICUALA (PRITCHARDIA) GRANDIS. This was discovered in the South Sea Islands by one of Mr. W. B.'s Plant Collectors, and takes rank amongst the most distinct and attractive Palms ever introduced. It is of robust, compact habit, producing large, handsome leaves, nearly orbicular in general outline, with a wedge-shaped, somewhat truncate base; the margin for the greater part of the circumference is divided into narrow oblong lobes, each of which is slightly notched. 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

MUELLERI, *vide* page 4.

SPINOSA, 10*s.* 6*d.* and 15*s.*

LIVISTONA ALTISSIMA, 10*s.* 6*d.*, 15*s.* and 21*s.*

* AUSTRALIS (CORYPHA AUSTRALIS), 1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.* to 10*s.* 6*d.*

* CHINENSIS (LATANIA BORBONICA, L. SINENSIS, L. MAURITIANA), in all sizes, from 2*s.* 6*d.* 3*s.* 6*d.*, 5*s.*, 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.* and 2 to 3, 4 and 5 guineas each.

HOOGENDORPII, 7*s.* 6*d.* and 10*s.* 6*d.*

INERMIS, an elegant and ornamental species introduced from Queensland, 15*s.* and 1 guinea.

* MAURITIANA, *vide* L. CHINENSIS.

ROTUNDIFOLIA (SUBGLOBOSA), 7*s.* 6*d.* and 10. 6*d.*

* SINENSIS, *vide* L. CHINENSIS.

***MACROZAMIA** DENISONI, *vide* LEPIDOZAMIA PEROFFSKYANA.

OREODOXA SANCONA, *vide* EUTERPE EDULIS.

PHŒNICOPHORIUM SECHELLARUM, *vide* STEVENSONIA GRANDIFOLIA.

***PHŒNIX** CANARIENSIS.

* COMPACTA, 7*s.* 6*d.* and 10*s.* 6*d.*

* DACTYLIFERA (THE DATE PALM), 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*

* HYBRIDA, 21*s.* and 31*s.* 6*d.*

* INTERMEDIA, 7*s.* 6*d.* and 10*s.* 6*d.*

* RECLINATA, 3*s.* 6*d.*, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

* RUPICOLA, one of the most graceful of greenhouse Palms, very useful for every decorative purpose. *Vide* illustration. 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.* Fine plants, 21*s.*, 31*s.* 6*d.* and 42*s.*

* TENUIS, 3*s.* 6*d.* and 5*s.*

PINANGA MACULATA, 10*s.* 6*d.* to 21*s.*

PRITCHARDIA AUREA, 1½, 2 and 3 guineas.

GRANDIS, *vide* LICUALA GRANDIS.

PACIFICA, 7*s.* 6*d.* and 10*s.* 6*d.*

PHŒNIX RUPICOLA.

***PTYCHOSPERMA** ALEXANDRÆ, *vide* ARCHONTOPHŒNIX ALEXANDRÆ.

* CUNNINGHAMIANA, *vide* ARCHONTOPHŒNIX CUNNINGHAMIANA.

MACARTHURII (KENTIA MACARTHURII), 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*

RAPHIA VINIFERA, "AFRICAN WINE PALM," 21*s.*

***RHAPIS** FLABELLIFORMIS, 5*s.*, 7*s.* 6*d.* to 21*s.*

HUMILIS, 21*s.* and 31*s.* 6*d.*

***RHOPALOSTYLIS** BAUERI (ARECA BAUERI, SEAFORTHIA ROBUSTA), 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

SAPIDA, "NIKAU PALM" (ARECA SAPIDA, KENTIA SAPIDA), 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*

SABAL ADANSONI, "DWARF PALMETTO," 3*s.* 6*d.* and 5*s.*

GLAUCESCENS, 7*s.* 6*d.* and 10*s.* 6*d.*

UMBRACULIFERA (BLACKBURNIANA), noble and very distinct, 3*s.* 6*d.* and 5*s.*

***SEAFORTHIA** ELEGANS, *vide* ARCHONTOPHŒNIX CUNNINGHAMIANA.

* ROBUSTA, *vide* RHOPALOSTYLIS BAUERI.

STANGERIA PARADOXA, 21*s.*, 31*s.* 6*d.* and 42*s.*

STEVENSONIA GRANDIFOLIA (PHŒNICOPHORIUM SECHELLARUM). Small plants, 3*s.* 6*d.*, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

THRINAX CHUCO, 5*s.* and 7*s.* 6*d.*

* PARVIFLORA, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*

***TRACHYCARPUS** EXCELSUS (CHAMÆROPS EXCELSA), in all sizes, from 3*s.* 6*d.*, 5*s.*, 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* to 2, 3, 4 and 5 guineas each.

* FORTUNEI (CHAMÆROPS FORTUNEI), in all sizes, from 2*s.* 6*d.*, 3*s.* 6*d.*, 5*s.*, 7*s.* 6*d.*, and 10*s.* 6*d.* to 1, 2, 3, 4 and 5 guineas each.

WALLICHIA DENSIFLORA, 21*s.* and 31*s.* 6*d.*

OBTUSA.

***ZAMIA** BREVIFRONS, 1½ and 2 guineas.

PRASINA, 1½ guinea.

* VILLOSA, *vide* ENCEPHALARTOS VILLOSUS.

* VROOMII, *vide* ENCEPHALARTOS VROOMII.

TREE FERNS.

Of these majestic plants the stock is very large. They have stems varying in height from one foot to twelve feet, and having been imported from Australia and New Zealand, they are such as will succeed well in any ordinary greenhouse. Their fine graceful habit and singularly distinct appearance render them peculiarly adapted for the decoration of conservatories. They range in price according to sorts, sizes, and strength of the specimens. It may, however, be as well to remark that they are not merely newly imported trunks, but well-established plants, many of them having been grown in this country several years.

Prices on application, or an inspection invited.

CHOICE STOVE FERNS.

MR. WILLIAM BULL'S general collection of these elegant decorative plants is of considerable extent, and comprises kinds that are moderate in price, as well as many that are extremely rare and unique.

Selections for the Stove can be supplied at 24s., 30s. and 42s. per dozen.

ACROPHORUS AFFINIS, 2*s.* 6*d.* and 3*s.* 6*d.*
PULCHRA, 2*s.* 6*d.* and 3*s.* 6*d.*

ACROSTICHUM DRYNARIOIDES, 3*s.* 6*d.*
LATIFOLIUM CALLÆFOLIUM, 2*s.* 6*d.* and 3*s.* 6*d.*

ACTINOPTERIS RADIATA, 3*s.* 6*d.*

ADIANTOPSIS RADIATA, 3*s.* 6*d.*

ADIANTUM ÆMULUM, 1*s.* 6*d.*
ÆTHIOPICUM, 1*s.* 6*d.*
AMABILE, 1*s.* 6*d.*
ANEITENSE, 2*s.* 6*d.* and 3*s.* 6*d.*
ASSIMILE CRISTATUM, *vide* page 40.
BAUSEI, 2*s.* 6*d.*
BELLUM, 2*s.* 6*d.*
BESSONIANA, 3*s.* 6*d.*
BIRKENHEADII, 3*s.* 6*d.*
BRASILIENSE, 2*s.* 6*d.* and 3*s.* 6*d.*
CARDIOCHLÆNA, 3*s.* 6*d.*
CAUDATUM, 3*s.* 6*d.*
CILIATUM, 2*s.* 6*d.* and 3*s.* 6*d.*
CLAESIANUM, 5*s.*
COLLISII, 1*s.* 6*d.* and 2*s.* 6*d.*
CONCINNUM, 1*s.* 6*d.* and 2*s.* 6*d.*
—— LATUM, 2*s.* 6*d.* and 3*s.* 6*d.*
CRISTATUM, 5*s.*
CURVATUM, 3*s.* 6*d.*
DIGITATUM, 2*s.* 6*d.* and 3*s.* 6*d.*
DOLABRIFORME, 2*s.* 6*d.* and 3*s.* 6*d.*
ELEGANTISSIMUM, 3*s.* 6*d.* and 5*s.*
EXCISUM MULTIFIDUM, 3*s.* 6*d.*
FARLEYENSE, 3*s.* 6*d.* and 5*s.*
FASCICULATUM, 3*s.* 6*d.*
FERGUSONII, 2*s.* 6*d.*
FULVUM, 1*s.* 6*d.* and 2*s.* 6*d.*
FUNCKII, 1*s.* 6*d.* and 2*s.* 6*d.*
GHIESBRECHTII (SCUTUM), 1*s.* 6*d.* and 2*s.* 6*d.*
—— ROSEUM, 2*s.* 6*d.* and 3*s.* 6*d.*
KAULFUSSI, 3*s.* 6*d.*
LAMBERTIANUM, 2*s.* 6*d.* and 3*s.* 6*d.*
LATHOMII, 3*s.* 6*d.*
LEORANDII, 1*s.* 6*d.* and 2*s.* 6*d.*
LUDDEMANNIANUM, 3*s.* 6*d.*

ADIANTUM LUNULATUM, 2*s.* 6*d.* and 3*s.* 6*d.*
MACROPHYLLUM, 3*s.* 6*d.*
—— ALBO-STRIATUM, 3*s.* 6*d.* and 5*s.*
—— BIPINNATUM, 3*s.* 6*d.*
OBLIQUUM, 2*s.* 6*d.*
PENTADACTYLON, 3*s.* 6*d.*
PERUVIANUM, 3*s.* 6*d.*
REGINÆ, 1*s.* 6*d.* and 2*s.* 6*d.*
RHODOPHYLLUM, 1*s.* 6*d.* and 2*s.* 6*d.*
RHOMBOIDEUM, 3*s.* 6*d.*
RUBELLUM, 2*s.* 6*d.* and 3*s.* 6*d.*
SANCTÆ CATHERINÆ, 2*s.* 6*d.* and 3*s.* 6*d.*
SCHIZOPHYLLUM, 2*s.* 6*d.* and 3*s.* 6*d.*
SCUTUM, *vide* Ghiesbreghtii.
SEEMANNII, 3*s.* 6*d.* and 5*s.*
SPECIOSUM, 3*s.* 6*d.* and 5*s.*
TENERUM, 2*s.* 6*d.*
TETRAPHYLLUM ACUMINATUM, 3*s.* 6*d.*
—— GRACILE, 3*s.* 6*d.* and 5*s.*
TINCTUM, 2*s.* 6*d.* and 3*s.* 6*d.*
TRAPEZIFORME, 3*s.* 6*d.* and 5*s.*
VEITCHII, 3*s.* 6*d.*
VICTORIÆ, 2*s.* 6*d.* and 3*s.* 6*d.*
VILLOSUM, 2*s.* 6*d.*
WALTONII DIFFUSUM, 2*s.* 6*d.* and 3*s.* 6*d.*
WEIGANDII, 2*s.* 6*d.* and 3*s.* 6*d.*
WILSONII, 3*s.* 6*d.*

AGLAMORPHA MEYENIANA (The Bear's Foot Fern), 3*s.* 6*d.*

ALEURITOPTERIS MEXICANA, 5*s.*

ANEMEDICTYON PHYLLITIDIS, 1*s.* 6*d.* and 2*s.* 6*d.*

ANEMIA COLLINA, 2*s.* 6*d.*
ROTUNDIFOLIA, *vide* Illustration, page 38.

ANTIGRAMMA BRASILIENSIS, 7*s.* 6*d.* and 10*s.* 6*d.*

ASPIDIUM DILACERATUM, 3*s.* 6*d.*
LEPIDOCAULON, 3*s.* 6*d.*
MACROPHYLLUM, 3*s.* 6*d.*
POLYMORPHUM, 1*s.* 6*d.* and 2*s.* 6*d.*
PUNGENS, 3*s.* 6*d.*
RIGIDUM, 2*s.* 6*d.*
TRIFOLIATUM, 1*s.* 6*d.* and 2*s.* 6*d.*

ANEMIA ROTUNDIFOLIA.

This pretty ornamental species is one of those popularly known as Flowering Ferns. It is of tufted habit with spreading barren fronds and erect fertile ones. The stalks are at first coarsely hairy, subsequently becoming glabrescent ; sterile fronds oblong, ending in a long curled tendril. The pinnæ are numerous and alternate, each broadly oblong obtuse, oblique and coarsely toothed. When young the fronds are pinkish bronze, turning to green as they become mature. The fertile fronds are in pairs, arising from between the basal pair of pinnæ ; erect, linear oblong with numerous spore cases, borne in graceful spike-like panicles. Has been awarded a First Class Certificate by the Royal Horticultural Society. 10*s.* 6*d.*

ASPLENIUM ALATUM, 2*s.* 6*d.*
ANISOPHYLLUM, 3*s.* 6*d.*
ATTENUATUM, 3*s.* 6*d.*
BANTAMENSE, 3*s.* 6*d.*
BAPTISTII, 3*s.* 6*d.*
BELANGERI, 1*s.* 6*d.* and 2*s.* 6*d.*
BIFIDUM, 2*s.* 6*d.*
CICUTARIUM, 2*s.* 6*d.*
CULTRIFORME, 2*s.* 6*d.* and 3*s.* 6*d.*
ELATUM, 1*s.* 6*d.*
ERECTUM, 1*s.* 6*d.* and 2*s.* 6*d.*
FABIANUM (*fœniculaceum of gardens*), 2*s.* 6*d.*
FERNANDEZIANUM, 1*s.* 6*d.* and 2*s.* 6*d.*
FORMOSUM, 2*s.* 6*d.* and 3*s.* 6*d.*
FRAGRANS, 2*s.* 6*d.*
GEMMIFERUM, 2*s.* 6*d.* and 3*s.* 6*d.*
HOOKERIANUM, 3*s.* 6*d.*
INÆQUALIFOLIUM, 2*s.* 6*d.*
LONGISSIMUM, 3*s.* 6*d.*
MAYI, 10*s.* 6*d.*
NIDUS, 2*s.* 6*d.*
NOBILE, 3*s.* 6*d.*
ORNATUM, 7*s.* 6*d.*
PROLONGATUM, 3*s.* 6*d.* and 5*s.*
SHEPHERDII, 2*s.* 6*d.* and 3*s.* 6*d.*
VIVIPARUM, 2*s.* 6*d.* and 3*s.* 6*d.*
VIEILLARDI, 3*s.* 6*d.*
ZEYLANICUM, 2*s.* 6*d.*
See also page 41.

BLECHNUM BRASILIENSE, 2*s.* 6*d.* and 3*s.* 6*d.*
LATIFOLIUM, 2*s.* 6*d.* and 3*s.* 6*d.*
POLYPODIOIDES, 2*s.* 6*d.* and 3*s.* 6*d.*
OCCIDENTALE, 1*s.* 6*d.* and 2*s.* 6*d.*

BRAINEA INSIGNIS, 5*s.*

CHEILANTHES ALABAMENSIS, 5*s.*
ECKLINIANA, 3*s.* 6*d.* and 5*s.*
ELEGANS, 2*s.* 6*d.* and 3*s.* 6*d.*
HIRTA ELLISIANA, 2*s.* 6*d.*
TENUIS, 3*s.* 6*d.*
TOMENTOSA, 2*s.* 6*d.*
VISCOSA, 2*s.* 6*d.* and 3*s.* 6*d.*

CIBOTIUM BAROMETZ, 3*s.* 6*d.*
SCHIEDEI, 3*s.* 6*d.* and 5*s.*

CYATHEA (CIBOTIUM) PRINCEPS, *vide* page 41.

DAVALLIA CONCINNA, 10*s.* 6*d.*
BULLATA, 1*s.* 6*d.* and 2*s.* 6*d.*
CHÆROPHYLLA, 3*s.* 6*d.*
DECORA, 3*s.* 6*d.*
ELEGANS, 2*s.* 6*d.*
—— POLYDACTYLA, 3*s.* 6*d.* and 5*s.*
—— RUFA, 3*s.* 6*d.*
EPIPHYLLA, 5*s.* and 7*s.* 6*d.*
FÆNICULACEA, 3*s.* 6*d.* and 5*s.*
FIJIENSIS, 3*s.* 6*d.* and 5*s.*
—— MAJOR, 3*s.* 6*d.* and 5*s.*
—— PLUMOSA, 3*s.* 6*d.* and 5*s.*
HIRSUTA, 3*s.* 6*d.* and 5*s.*
HEMIPTERA, 3*s.* 6*d.*
KUNZII, 3*s.* 6*d.* and 5*s.*
LAWSONIANA, 2*s.* 6*d.* and 3*s.* 6*d.*
LUCIDA, 5*s.* and 7*s.* 6*d.*
MEMBRANULOSA, 2*s.* 6*d.* and 3*s.* 6*d.*
MOOREANA, 2*s.* 6*d.* and 3*s.* 6*d.*
NOVA ZEALANDIÆ, 2*s.* 6*d.*
ORNATA, 3*s.* 6*d.* and 5*s.*
PARVULA, 5*s.*
PENTAPHYLLA, 3*s.* 6*d.*
POLYANTHA, 3*s.* 6*d.*

DAVALLIA SOLIDA, 3*s.* 6*d.*
TYERMANNI (HUMATA), 2*s.* 6*d.*
See also page 41.

DENNSTÆDTIA DAVALLIOIDES, 3*s.* 6*d.*

DIPLAZIUM ARNOTTII, 7*s.* 6*d.*

DORYOPTERIS GERANIFOLIA, 2*s.* 6*d.* and 3*s.* 6*d.*
HASTATA, 2*s.* 6*d.* and 3*s.* 6*d.*
LUDENS, 5*s.*
PALMATA, 1*s.* 6*d.* and 2*s.* 6*d.*
PEDATA, 2*s.* 6*d.* and 3*s.* 6*d.*
SAGITTÆFOLIA, 3*s.* 6*d.* and 5*s.*

DRYNARIA BILLARDIERII, 2*s.* 6*d.* and 3*s.* 6*d.*
DIVERSIFOLIA, 3*s.* 6*d.* and 5*s.*
HILLII, *vide* page 3.
MUSÆFOLIA, 2*s.* 6*d.* and 3*s.* 6*d.*
PROPINQUA, 2*s.* 6*d.* and 3*s.* 6*d.*

ELAPHOGLOSSUM CONFORME, 3*s.* 6*d.* and 5*s.*
GLABRATUM, 7*s.* 6*d.*

FADYENIA PROLIFERA, 3*s.* 6*d.*

GLEICHENIA DICARPA, 3*s.* 6*d.* and 5*s.*
DICARPA LONGIPINNATA, 5*s.* and 7*s.* 6*d.*
DICHOTOMA, 7*s.* 6*d.*
FLABELLATA, 5*s.* and 7*s.* 6*d.*
MENDELII, 10*s.* 6*d.* and 15*s.*
MICROPHYLLA, 5*s.* and 7*s.* 6*d.*
RUPESTRIS OLAUCESCENS, 7*s.* 6*d.*
SEMIVESTITA, 5*s.* and 7*s.* 6*d.*
SPELUNCÆ, 7*s.* 6*d.*

GONIOPHLEBIUM APPENDICULATUM, 3*s.* 6*d.*
BISERIALE, 3*s.* 6*d.*
FRAXINIFOLIUM, 5*s.*
GLAUCOPHYLLUM, 3*s.* 6*d.* and 5*s.*
LACHNOPUS, 2*s.* 6*d.*
RUPESTRIS, 3*s.* 6*d.*
SUBAURICULATUM, 2*s.* 6*d.*
VERRUCOSUM, 3*s.* 6*d.*

GYMNOGRAMMA ALSTONII, one of the best golden Ferns, 2*s.* 6*d.* and 3*s.* 6*d.*
CHRYSOPHYLLUM, 1*s.* 6*d.* and 2*s.* 6*d.*
—— GRANDICEPS SUPERBA, 5*s.* and 7*s.* 6*d.*
DECOMPOSITUM, 2*s.* 6*d.* and 3*s.* 6*d.*
ELEGANTISSIMUM, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
LAUCHEANUM, 2*s.* 6*d.* and 3*s.* 6*d.*
MAYI, 2*s.* 6*d.*
MASSONI, 3*s.* 6*d.*
MERTENSII, 2*s.* 6*d.* and 3*s.* 6*d.*
MULTICEPS, 3*s.* 6*d.*
PARSONSII, 2*s.* 6*d.*
PEARCEI ROBUSTUM, 3*s.* 6*d.* and 5*s.*
PERUVIANUM ARGYROPHYLLUM, 2*s.* 6*d.* & 3*s.* 6*d.*
SCHIZOPHYLLUM, 1*s.* 6*d.* and 2*s.* 6*d.*
—— GLORIOSUM, 2*s.* 6*d.* and 3*s.* 6*d.*
TARTAREUM, 2*s.* 6*d.*
TOMENTOSUM, 2*s.* 6*d.*
TRIFOLIATUM, 3*s.* 6*d.*
WETENHALLIANUM, 2*s.* 6*d.* and 3*s.* 6*d.*

GYMNOPTERIS QUERCIFOLIA, 3*s.* 6*d.*

GYMNOTHECA RADDIANA, 2 and 3 guineas.

HEMIONITIS CORDATA, 2*s.* 6*d.*
PALMATA, 2*s.* 6*d.* and 3*s.* 6*d.*

HYMENODIUM CRINITUM, 3*s.* 6*d.* and 5*s.*

HYPOLEPIS BERGIANA, 2*s.* 6*d.* and 3*s.* 6*d.*
REPENS, 2*s.* 6*d.* and 3*s.* 6*d.*

LASTREA QUINQUANGULARIS, 3*s.* 6*d.*
RICHARDSII MULTIFIDA, 3*s.* 6*d.*
See also page 41.

LOMARIA CILIATA MAJOR, 2*s.* 6*d.* and 3*s.* 6*d.*
GIBBA, 1*s.* 6*d.* and 2*s.* 6*d.*

LYGODIUM DICHOTOMUM, 3*s*. 6*d*.
LANCEOLATUM, 5*s*.
MICROPHYLLUM, 2*s*. 6*d*.
POLYMORPHUM, 3*s*. 6*d*.
SCANDENS, 2*s*. 6*d*.

MENISCIUM RETICULATUM, 3*s*. 6*d*.
SIMPLEX, 3*s*. 6*d*.

MICROLEPIA HIRTA CRISTATA, 3*s*. 6*d*.
PLATYPHYLLA, 2*s*. 6*d*. and 3*s*. 6*d*.
STRIOSA, 2*s*. 6*d*. and 3*s*. 6*d*.

NEPHRODIUM TRUNCATUM, 7*s*. 6*d*.

NEPHROLEPIS ACUTA, 3*s*. 6*d*.
BARTERII, 2*s*. 6*d*., 3*s*. 6*d*. and 5*s*.
BAUSEI, 2*s*. 6*d*. and 3*s*. 6*d*.
CORDATA COMPACTA, 2*s*. 6*d*.
DAVALLIOIDES, 3*s*. 6*d*.
—— FURCANS, 3*s*. 6*d*.
—— MULTICEPS, 3*s*. 6*d*. and 5*s*.
—— PLUMOSA, 3*s*. 6*d*. and 5*s*.
DUFFII, 2*s*. 6*d*. and 3*s*. 6*d*.
ENSIFOLIA, 3*s*. 6*d*.
EXALTATA, 1*s*. 6*d*. and 2*s*. 6*d*.
PECTINATA, 2*s*. 6*d*. and 3*s*. 6*d*.
PHILIPPINENSIS, 2*s*. 6*d*.
RECURVATA, 2*s*. 6*d*. and 3*s*. 6*d*.
RUFESCENS TRIPINNATIFIDA, 3*s*. 6*d*.
TUBEROSA, 1*s*. 6*d*. and 2*s*. 6*d*.

NOTHOCHLÆNA CHRYSOPHYLLA, 2*s*. 6*d*. & 3*s*. 6*d*.
NIVEA, 2*s*. 6*d*. and 3*s*. 6*d*.
SINUATA, 2*s*. 6*d*. and 3*s*. 6*d*.

ONYCHIUM AURATUM, 3*s*. 6*d*.

PHLEBODIUM AUREUM, 1*s*. 6*d*. and 2*s*. 6*d*.
GLAUCUM, 1*s*. 6*d*. and 2*s*. 6*d*.
SPORODOCARPUM, 2*s*. 6*d*. and 3*s*. 6*d*.

PLATYCERIUM GRANDE, 5*s*. and 7*s*. 6*d*.
STEMARIA, 7*s*. 6*d*. and 10*s*. 6*d*.
See also page 41.

PLATYLOMA FLEXUOSUM, 2*s*. 6*d*. and 3*s*. 6*d*.
See also page 42.

PLEOPELTIS FOSSA, 3*s*. 6*d*. and 5*s*.
PELTIDEA, 2*s*. 6*d*. and 3*s*. 6*d*.
PHYMATODES CRISTATA, 5*s*.
PICTA, 5*s*.
PUSTULATA, 2*s*. 6*d*. and 3*s*. 6*d*.

POLYPODIUM AREOLATUM, 5*s*.
CRASSIFOLIUM, 3*s*. 6*d*.
ORANDIDENS, 3*s*. 6*d*.
IRIOIDES LOBATUM, *vide* page 4.
NIGRESCENS, 3*s*. 6*d*.
PECTINATUM, 3*s*. 6*d*.
VENOSUM, 3*s*. 6*d*.
See also page 42.

POLYSTICHUM LENTUM, 5*s*.
TRIANGULARE, 2*s*. 6*d*.
—— LAXUM, 2*s*. 6*d*. and 3*s*. 6*d*.
VIVIPARUM, 3*s*. 6*d*. and 5*s*.
See also page 42.

PTERIS ASPERICAULIS, 1*s*. 6*d*. and 2*s*. 6*d*.
BAUSEI, 2*s*. 6*d*., 3*s*. 6*d*. and 5*s*.
BIAURITA, 3*s*. 6*d*.
—— AROENTEA, 2*s*. 6*d*. and 3*s*. 6*d*.
LUDENS, 3*s*. 6*d*.
MOLUCCANA, 3*s*. 6*d*.
TRICOLOR, 2*s*. 6*d*. and 3*s*. 6*d*.
VICTORIÆ, 2*s*. 6*d*. and 3*s*. 6*d*.
WIMSETTII, 1*s*. 6*d*. and 2*s*. 6*d*.
of sorts, 2*s*. 6*d*. and 3*s*. 6*d*.
See also page 42.

RHIPIDOPTERIS PELTATA GRACILLIMA, 3*s*. 6*d*.

SELLIGUEA CAUDIFORME, 2*s*. 6*d*. and 3*s*. 6*d*.

STENOCHLÆNA SCANDENS, 3*s*. 6*d*.

STRUTHIOPTERIS GERMANICA, 1*s*. 6*d*. and 2*s*. 6*d*.

CHOICE GREENHOUSE FERNS.

Selections of good kinds can be supplied from Mr. W. B.'s general collection at 24s., 30s. and 42s. per dozen.

ADIANTUM ASSIMILE, 1*s*. 6*d*.
ASSIMILE CRISTATUM, 3*s*. 6*d*.
CAPILLUS-VENERIS, 1*s*. 6*d*.
—— —— CORNUBIENSE, 2*s*. 6*d*.
—— —— DAPHNITES, 2*s*. 6*d*.
—— —— FISSUM, 2*s*. 6*d*.
—— —— GRANDE, 2*s*. 6*d*.
—— —— IMBRICATUM, 3*s*. 6*d*. and 5*s*.
—— —— MAONIFICUM, 2*s*. 6*d*.
—— —— MARIESII, 1*s*. 6*d*. and 2*s*. 6*d*.
—— —— O'BRIENI, 2*s*. 6*d*.
—— —— PACOTTI, 1*s*. 6*d*. and 2*s*. 6*d*.
CUNEATUM, 1*s*. 6*d*. and 2*s*. 6*d*.
—— ELEGANS, 2*s*. 6*d*.
—— ORANDICEPS, 1*s*. 6*d*. and 2*s*. 6*d*.
—— GRANNIS, 3*s*. 6*d*.
—— VARIEGATUM, 5*s*.
DECORUM, 1*s*. 6*d*. and 2*s*. 6*d*.
FORMOSUM, 1*s*. 6*d*.

ADIANTUM FRAORANTISSIMUM, 1*s*. 6*d*. and 2*s*. 6*d*.
GLAUCOPHYLLUM, 2*s*. 6*d*.
GRACILLIMUM, 1*s*. 6*d*. and 2*s*. 6*d*.
HISPINULUM, 1*s*. 6*d*.
MUNDULUM, 2*s*. 6*d*. and 3*s*. 6*d*.
PENTAPHYLLUM, 1*s*. 6*d*. and 2*s*. 6*d*.
PUBESCENS, 1*s*. 6*d*. and 2*s*. 6*d*.
RENIFORME, 3*s*. 6*d*.
SETULOSUM, 1*s*. 6*d*. and 2*s*. 6*d*.
TENELLUM, 3*s*. 6*d*.
VENUSTUM, 2*s*. 6*d*.
VERSAILLENSE, 3*s*. 6*d*.
WILLIAMSII, 2*s*. 6*d*. and 3*s*. 6*d*.
See also page 37.

ALSOPHILA AUSTRALIS, 2*s*. 6*d*. and 3*s*. 6*d*. Large specimens, 31*s*. 6*d*. and 42*s*., and upwards.
EXCELSA, 3*s*. 6*d*.

ASPIDIUM MUCRONATUM, 2*s*. 6*d*.

ASPLENIUM BULBIFERUM, 1*s.* 6*d.* and 2*s.* 6*d.*
CAUDATUM, 3*s.* 6*d.*
COLENSOI, 1*s.* 6*d.* and 2*s.* 6*d.*
DIMORPHUM (*biforme*), 1*s.* 6*d.* and 2*s.* 6*d.*
DIVARICATUM, 2*s.* 6*d.* and 3*s.* 6*d.*
EBENEUM, 1*s.* 6*d.* and 2*s.* 6*d.*
ELEOANTULUM, 2*s.* 6*d.* and 3*s.* 6*d.*
ERECTUM, 1*s.* 6*d.* and 2*s.* 6*d.*
FALCATUM, 7*s.* 6*d.*
FLABELLIFOLIUM, 2*s.* 6*d.*
FLACOIDUM, 1*s.* 6*d.* and 2*s.* 6*d.*
HEMIONITIS, 3*s.* 6*d.*
LANCEOLATUM, 1*s.* 6*d.* and 2*s.* 6*d.*
LAXUM PUMILUM, 1*s.* 6*d.* and 2*s.* 6*d.*
LUCIDUM, 2*s.* 6*d.* and 3*s.* 6*d.*
MARGINATUM, 2*s.* 6*d.* and 3*s.* 6*d.*
NEO-CALEDONICUM, 3*s.* 6*d.*
PALMATUM, 3*s.* 6*d.*

BLECHNUM GRACILE, 2*s.* 6*d.*
INTERMEDIA, 2*s.* 6*d.*

CETERACH AUREUM, 5*s.* and 7*s.* 6*d.*

CHEILANTHES, *vide* page 39.

CIBOTIUM GLAUCUM, *vide* Dicksonia glauca.
REGALE, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
SCHIEDEI, *vide* page 39.

CYATHEA DEALBATA (The Silver Fern of New Zealand), 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.* Large specimens of this beautiful Tree Fern can be supplied, sizes and prices on application.
DREGEI, 3*s.* 6*d.* and 5*s.* Large specimens, sizes and prices on application.
SMITHII. Fine specimens of this handsome Tree Fern, sizes and prices on application.
MEDULLARIS, 2*s.* 6*d.* and 3*s.* 6*d.* to 21*s.* Large specimens from 2 guineas upwards.
(CIBOTIUM) PRINCEPS, 2*s.* 6*d.* and 3*s.* 6*d.*

CYRTOMIUM CARYOTIDEUM, 2*s.* 6*d.* and 3*s.* 6*d.*
FALCATUM, 1*s.* 6*d.* and 2*s.* 6*d.*
—— FENSOMII, 2*s.* 6*d.*
FORTUNEI, 1*s.* 6*d.* and 2*s.* 6*d.*

DAVALLIA CANARIENSIS, 2*s.* 6*d.*
DISSECTA, 2*s.* 6*d.* and 3*s.* 6*d.*
GRIFFITHIANA, 2*s.* 6*d.* and 3*s.* 6*d.*
MARIESII, 2*s.* 6*d.* and 3*s.* 6*d.*
—— CRISTATA, 3*s.* 6*d.* and 5*s.*
PYXIDATA, 3*s.* 6*d.*
TENUIFOLIA, 2*s.* 6*d.*
—— STRICTA, 2*s.* 6*d.*
—— VEITCHIANA, 3*s.* 6*d.*
of sorts, 3*s.* 6*d.* and 5*s.*

DICKSONIA ANTARCTICA, 1*s.* 6*d.*, 2*s.* 6*d.* and 3*s.* 6*d.* Magnificent specimens of this well-known Tree Fern, sizes and prices on application.
APIIFOLIA, 3*s.* 6*d.*
(CIBOTIUM) GLAUCA. This elegant Tree Fern has been introduced from the Sandwich Isles, and in the young state will be found a striking and ornamental Fern for the greenhouse. The fronds are spreading and bipinnate, oblong acute in outline and glaucous beneath; pinnæ very numerous, alternate and linear lanceolate; pinnules curved, oblong acute, with spore cases along the margins. The fronds are covered with rich golden brown hair. 10*s.* 6*d.*

DICKSONIA SQUARROSA, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*

DICTYOGRAMMA CAUDIFORME, 2*s.* 6*d.*
ELLIPTICA, 2*s.* 6*d.*
JAPONICUM, 1*s.* 6*d.* and 2*s.* 6*d.*
—— VARIEGATUM, 2*s.* 6*d.*

DIDYMOCHLÆNA TRUNCATULA, 3*s.* 6*d.*

DIPLAZIUM, *vide* page 39.

DORYOPTERIS PALMATA, *vide* page 39.

DOODIA ASPERA, 1*s.* 6*d.* and 2*s.* 6*d.*
ASPERA AMŒNA.
—— MULTIFIDA, 2*s.* 6*d.* and 3*s.* 6*d.*
CAUDATA, 1*s.* 6*d.*
KUNTHIANA, 3*s.* 6*d.*
MEDIA, 1*s.* 6*d.* and 2*s.* 6*d.*

ELAPHOGLOSSUM, *vide* page 39.

HYMENOPHYLLUM DEMISSUM, 5*s.* and 7*s.* 6*d.*
MULTIFIDUM, 21*s.*

LASTREA ARISTATA, 2*s.* 6*d.*
ARISTATA VARIEGATA, 1*s.* 6*d.* and 2*s.* 6*d.*
ATRATA, 1*s.* 6*d.* and 2*s.* 6*d.*
—— VARIEGATA, 1*s.* 6*d.* and 2*s.* 6*d.*
CORUSOA, 1*s.* 6*d.* and 2*s.* 6*d.*
CUSPIDATA, 2*s.* 6*d.*
DECOMPOSITA, 3*s.* 6*d.*
ERYTHROSORA, 1*s.* 6*d.*
GLABELLA, 1*s.* 6*d.* and 2*s.* 6*d.*
HISPIDA, 3*s.* 6*d.*
LEPIDA, 1*s.* 6*d.* and 2*s.* 6*d.*
MEMBRANIFOLIA, 2*s.* 6*d.* and 3*s.* 6*d.*
PATENS, 1*s.* 6*d.*
PROLIFICA, 1*s.* 6*d.* and 2*s.* 6*d.*
SIEBOLDII, 1*s.* 6*d.* and 2*s.* 6*d.*
STANDISHII, 2*s.* 6*d.*
TRIANGULARE, 2*s.* 6*d.*
VARIA, 2*s.* 6*d.*

LEUCOSTEGIA IMMERSA, 2*s.* 6*d.*

LITOBROCHIA (PTERIS) VESPERTILIONIS, 2*s.* 6*d.* and 3*s.* 6*d.*

LOMARIA ATTENUATA, 3*s.* 6*d.* and 5*s.*
CILIATA GRANDIS, 5*s.*
—— MAJOR, 2*s.* 6*d.*
CYCADÆFOLIA, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
DALGAIRNSIÆ, 1½ and 2 guineas.
DISCOLOR BIPINNATIFIDA.
GIBBA, *vide* page 39.
NUDA, 3*s.* 6*d.*
PATERSONII, 1*s.* 6*d.* and 2*s.* 6*d.*
—— ELONGATA, 3*s.* 6*d.* and 5*s.*
ZAMIÆFOLIA, 2*s.* 6*d.* and 3*s.* 6*d.*

NEPHRODIUM CICUTARIUM, 1*s.* 6*d.* and 2*s.* 6*d.*
DECURRENS, 2*s.* 6*d.*
MOLLE CORYMBIFERUM, 1*s.* 6*d.* and 2*s.* 6*d.*
—— CRISTATUM, 3*s.* 6*d.*
—— RAMOSUM, 3*s.* 6*d.*
RECEDENS, 2*s.* 6*d.*

NIPHOBOLUS HETERACHTIS, 2*s.* 6*d.* and 3*s.* 6*d.*
LINGUA CORYMBIFERA, 3*s.* 6*d.* and 5*s.*

ONYCHIUM JAPONICUM, 1*s.* 6*d.*

OSMUNDA JAPONICA CORYMBIFERA, 2*s.* 6*d.* & 3*s.* 6*d.*
PALUSTRIS, 1*s.* 6*d.* and 2*s.* 6*d.*

PELLÆA INVOLUTA, 2*s.* 6*d.* and 3*s.* 6*d.*
TERNIFOLIA, 3*s.* 6*d.* and 5*s.*

PLATYCERIUM ALICORNE, 3*s.* 6*d.*
ALCICORNE MAJUS, 7*s.* 6*d.*
WILLINCKII, 7*s.* 6*d.*

PLATYLOMA FALCATUM, 3*s.* 6*d.*
ROTUNDIFOLIUM, 2*s.* 6*d.* and 3*s.* 6*d.*
See also page 40.
PLEOCNEMIA LEUZEANA, 3*s.* 6*d.*
POLYPODIUM PECTINATUM, 3*s.* 6*d.*
REFRACTUM, 3*s.* 6*d.* and 5*s.*
SCHNEIDERI, 5*s.*
TRICHODES (LASTREA TENERICAULIS), 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
See also page 40.
POLYSTICHUM CAPENSE, 1*s.* 6*d.* and 2*s.* 6*d.*
CORIACEUM, 2*s.* 6*d.* ADD 3*s.* 6*d.*
MUCRONATUM, 2*s.* 6*d.* and 3*s.* 6*d.*
POLYBLEPHARUM, 2*s.* 6*d.*, 3*s.* 6*d.* ADD 5*s.*
SETOSUM, 1*s.* 6*d.* and 2*s.* 6*d.*
TSUS-SIMENSE, 1*s.* 6*d.* and 2*s.* 6*d.*
VENUSTUM, 5*s.*
See also page 40.
PTERIS ADIANTIFOLIA, 1*s.* 6*d.* and 2*s.* 6*d.*
ARGUTA, 2*s.* 6*d.*
AROYREIA, 1*s.* 6*d.* and 2*s.* 6*d.*
CRETICA, 1*s.* 6*d.*
—— ALBO-LINEATA, 1*s.* 6*d.*
—— —— CRISTATA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— MAYII, 2*s.* 6*d.* and 3*s.* 6*d.*
—— NOBILIS, 1*s.* 6*d.* and 2*s.* 6*d.*
—— —— VARIEGATA, 3*s.* 6*d.* and 5*s.*
—— TORRANCEI, 5*s.*
—— WIMSETTII, 1*s.* 6*d.* and 2*s.* 6*d.*
ENSIFORMIS, 1*s.* 6*d.* and 2*s.* 6*d.*
HASTATA, 1*s.* 6*d.* and 2*s.* 6*d.*
INTERNATA, 1*s.* 6*d.*
LEPTOPHYLLA, 2*s.* 6*d.*
LONGIFOLIA, 1*s.* 6*d.* and 2*s.* 6*d.*
—— MARIESII, 2*s.* 6*d.* and 3*s.* 6*d.*
MEMORALIS VARIEGATA, 1*s.* 6*d.* and 2*s.* 6*d.*
NIVALIS, 5*s.*

PTERIS OUVRARDII, 1*s.* 6*d.*
PEDATA, 3*s.* 6*d.*
REGINÆ, 3*s.* 6*d.*
—— CRISTATA, 5*s.*
REX, 3*s.* 6*d.* and 5*s.*
SCABERULA, 2*s.* 6*d.* and 3*s.* 6*d.*
SEMIPINNATA, 2*s.* 6*d.* and 3*s.* 6*d.*
SERRULATA, 1*s.*
—— CRISTATA, 1*s.* 6*d.*
—— —— COMPACTA, 2*s.* 6*d.* AND 3*s.* 6*d.*
—— —— DENSA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— —— GLORIOSA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— —— MAJOR, Chiswick variety, 5*s.*
—— —— UNDULATA, 2*s.* 6*d.*
—— —— VARIEGATA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— GRACILIS, 1*s.* 6*d.* and 2*s.* 6*d.*
—— MAYII, 1*s.* 6*d.*
—— UNDULATA, 2*s.* 6*d.* and 3*s.* 6*d.*
STRAMINEA, 3*s.* 6*d.*
TREMULA, 1*s.* 6*d.* and 2*s.* 6*d.*
—— BOULTONI, 3*s.* 6*d.* and 5*s.*
—— ELEGANS, 3*s.* 6*d.* and 5*s.*
—— FLACCIDA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— FOLIOSA, 2*s.* 6*d.*
—— GRANDICEPS, 3*s.* 6*d.*
—— SMITHIANA, 2*s.* 6*d.* ADD 3*s.* 6*d.*
—— VARIEGATA, 5*s.*
UMBROSA, 3*s.* 6*d.*
See also page 40.
TODEA AFRICANA, 2*s.* 6*d.* and 3*s.* 6*d.*
ARBOREA, 1*s.* 6*d.* ADD 2*s.* 6*d.*
(LEPTOPTERIS) HYMENOPHYLLOIDES (TODEA PELLUCIDA), 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
TRICHOMANES RADICANS (The Killarney or Irish Bristle Fern), 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
WOODWARDIA ORIENTALIS, 1*s.* 6*d.* and 2*s.* 6*d.*
RADICANS, 1*s.* 6*d.* and 2*s.* 6*d.*

CHOICE HARDY FERNS.

Selections of good kinds can be supplied at 18s., 30s. and 42s. per dozen.

SELAGINELLAS (LYCOPODIUMS).

G, greenhouse; *H*, hardy; *S*, stove.

	s.	*d.*
S **AFRICANA**	2	6
S **AMŒNA** ..... 1*s.* 6*d.* &	2	6
S **APUS (APODA)**	1	6
S **ATROVIRIDIS**	2	6
S **CANALICULATA**	5	0
S **CAULESCENS**	2	6
S **COGNATA**	3	6
S **EMILIANA**	1	6
S **FILICINA** (DICHROUS)	3	6
S **FLAGELLIFERA**	2	6
S **GRANDIS** ..... 3*s.* 6*d.* &	5	0
S **INÆQUALIFOLIA** ..... 1*s.* 6*d.* &	2	6
G **KRAUSSIANA** (DENTICULATA)	0	9
G **KRAUSSIANA AUREA** .... 1*s.* 6*d.* &	2	6
G —— **VARIEGATA**	1	6
S **LÆVIGATA** (CÆSIA ARBOREA)	3	6
S **LOBBII**	2	6
S **LYALLII**	2	6
S **MARTENSII**	1	6
S —— **ALBO-VARIEGATA**	1	6
S **RUBRICAULIS**	2	6
S **SERPENS** (MUTABILIS and VARIABILIS)	2	6
S **SETOSA**	2	6
S **UNCINATA** (CÆSIA)	1	6
S **USTA** ..... 3*s.* 6*d.* &	5	0
S **VICTORIÆ**	3	6
S **WALLICHII**	3	6

Selection of good kinds can be supplied at 18s. per dozen.

CHOICE PELARGONIUMS.

REGAL AND DECORATIVE.

CRIMSON EMPEROR, a splendid kind with rich dark crimson blotch. 2*s*. 6*d*.

INDIAN PRINCE, rich crimson, upper petals blotched dark maroon. 2*s*. 6*d*.

PERSIMON, fine trusses of rich carmine-crimson flowers, the petals being very full and elegantly crimped and undulated; upper petals feathered with maroon; a striking variety. 2*s*. 6*d*.

QUEEN OF WHITES, a beautiful double white variety; flowers very full and undulated. 2*s*.

SIR VISTO, fine trusses of rich crimson-scarlet flowers; light centre. 2*s*.

Selections of other good varieties can be made from Mr. W. B.'s General Collection at 18*s*., 24*s*. and 30*s*. per dozen, according to sorts.

SHOW.

CYRUS, magenta rose, upper petals suffused with bright crimson, blotched with blackish maroon; light centre. 3*s*. 6*d*.

DRYDEN, a charming variety, flowers pale pink shaded with rose; upper petals blotched maroon, surrounded with crimson scarlet; light centre. 10*s*. 6*d*.

ETHEL, upper petals blotched maroon surrounded purplish crimson, edged with soft lilac; lower petals soft lilac; light centre. 10*s*. 6*d*.

LAVERNA, clear rose pink veined with deep pink, upper petals distinctly blotched in centre with blackish maroon; white centre. 3*s*. 6*d*.

MAGIC, lower petals clear pink, upper petals blotched dark maroon, surrounded with fiery crimson and edged rose. 3*s*. 6*d*.

RATTLER, rose-coloured petals flushed with purple, upper petals blotched maroon on purplish crimson; light centre. 10*s*. 6*d*.

SENECA, pale blush-coloured flowers of good shape, upper petals blotched and feathered maroon on crimson ground. 10*s*. 6*d*.

Selections of other good varieties can be made from Mr. W. B.'s General Collection at 18*s*., 24*s*. and 30*s*. per dozen, according to sorts.

SPOTTED.

CASINO, pale lilac rose, faintly spotted magenta; upper petals blotched and feathered with maroon on magenta purple. 3*s*. 6*d*.

CELIA, large pure white flower, upper petals heavily spotted with crimson maroon, lower petals spotted same colour. 10*s*. 6*d*.

COMUS, lower petals rose pink, veined crimson and spotted maroon; upper petals blotched maroon, surrounded with crimson, edged with rose. 3*s*. 6*d*.

EMBLEM, lower petals rose pink spotted crimson; upper petals rich maroon surrounded with crimson, edged with rose; white centre. 3*s*. 6*d*.

FIRMAN, flowers French white, spotted with crimson and feathered with purple, upper petals blotched dark maroon and stained crimson. 10*s*. 6*d*.

LELA, blush-coloured flowers, all the petals equally and strikingly blotched with maroon, surrounded with crimson. 3*s*. 6*d*.

LOTHARIO, petals blush white, the upper very distinctly spotted with maroon purple; lower petals spotted violet purple. 3*s*. 6*d*.

MARIUS, lower petals pink spotted with dark crimson, upper petals bright crimson edged with rose and blotched with blackish maroon. 10*s*. 6*d*.

MURIEL, deep rose pink spotted with crimson, upper petals blotched blackish maroon surrounded with crimson. 3*s*. 6*d*.

TIMON, purplish rose, lower petals heavily spotted and veined with maroon on a magenta-crimson ground, upper petals heavily blotched blackish maroon surrounded with magenta-crimson, edged purplish rose. 10*s*. 6*d*.

Selections of other good varieties can be made from Mr. W. B.'s General Collection at 18*s*., 24*s*. and 30*s*. per dozen.

SINGLE-FLOWERED ZONAL PELARGONIUMS.

For New Varieties *vide* page 5.

ADOLPHE BRISSON, crimson-vermilion, upper petals maculated rose. 2*s*. 6*d*.

AJAX, large trusses of reddish purple flowers. 2*s*. 6*d*.

ALFRED CANIN, white, the petals bordered and marmorated with rose carmine; upper petals almost entirely white. 1*s*. 6*d*.

ALFRED DE MUSSET, clear rose, centre orange salmon. 2*s*. 6*d*.

AMIRAL GERVAIS, round reddish scarlet flowers, white centre surrounded by a violet zone. 3*s*. 6*d*.

ANTIGONE, large vermilion-rose flowers, with darker shade at base of upper petals. 2*s*. 6*d*.

BELLE ETOILE, violet amaranth shaded carmine; large white centre raying into the petals so as to form a star; very effective. 3*s*. 6*d*.

BERTHA, trusses of crimson-violet flowers, upper petals marked with vermilion at the base; good round flower. 3*s*. 6*d*.

BRUTUS, fine large globular trusses of brilliant orange-scarlet flowers; upper petals marked cerise. 3*s*. 6*d*.

CALPE, orange-vermilion flowers of good shape; fine truss. 2*s*. 6*d*.

CAMILLE SAINT-SAËNS, large round flowers, bright salmon with small white centre. 2*s*. 6*d*.

CHATEAUBRIAND, scarlet crimson, darkly veined in upper petals. 2*s*. 6*d*.

CRUSADER, rich fiery scarlet, upper petals shaded orange at base. 5*s*.

DALILA, large white flowers, each petal margined with bright red. 1*s*. 6*d*.

DAMUS, a very distinct soft shade of purplish magenta, each petal edged with vermilion, the basal half of the upper petals fiery scarlet; a striking variety. 3*s*. 6*d*.

DAUMIER, deep rosy lilac, centre punctulated bright red. 2*s*. 6*d*.

DELAVIGNE, velvety crimson scarlet, veined black. 2*s*. 6*d*.

DIAN, trusses of salmon-rose flowers, shaded deep pink. 2*s*. 6*d*.

DISTINCTION, carmine cerise, upper petals maculated with white; white centre surrounded with purple. 1*s*. 6*d*.

DUC LEOPOLD, violet magenta bordered purple, scarlet in upper petals; white centre. 3*s*. 6*d*.

ELBA, salmon-cerise shaded scarlet; a fine round flower. 5*s*.

ELDRED, rich vermilion scarlet; a fine round flower of good substance. 3*s*. 6*d*.

ELVANUS, rich magenta scarlet, shaded orange in upper petals. 2*s*. 6*d*.

FABIAN, bright reddish scarlet, upper petals shaded with fiery orange. 2*s*. 6*d*.

FATUOUS, rich magenta, carmine, upper petals shaded orange at base; fine truss. 3*s*. 6*d*.

FESTINA, reddish scarlet, slightly shaded with magenta. 3*s*. 6*d*.

FORAIN, clear rose, punctulated with violet carmine in centre. 2*s*. 6*d*.

FRANCOIS COPPÉE, pure white marmorated and edged with rosy lilac and embroidered with carmine cerise. 1*s*. 6*d*.

GANNET, violet-magenta, upper petals feathered white at base. 3*s*. 6*d*.

GARLAND, immense trusses of very large salmon-pink flowers; of good habit; grand for bedding. 3*s*. 6*d*.

GRATUS, bright salmon-carmine, shaded magenta. 3*s*. 6*d*.

HERA, soft shade of scarlet-magenta, large truss. 3*s*. 6*d*.

HERMIONE, soft cerise-scarlet, upper petals marked with vermilion; good shape. 3*s*. 6*d*.

HYDRA, pale salmon-rose; centre bright salmon. 3*s*. 6*d*.

ITHACA, rosy violet shaded with crimson, large orange-scarlet marking at base of the two upper petals, tipped with the same colour. 3*s*. 6*d*.

JACQUERIE, large trusses of enormous flowers of intense fiery purple. 2*s*. 6*d*.

JULES LEMAREAUX, snow-white margined with reddish violet; very distinct. 1*s*. 6*d*.

JUNON, good trusses of salmon flowers. 3*s*. 6*d*.

LAMUS, flowers bright salmon, fine large truss. 3*s*. 6*d*.

LE BRENNUS, bright crimson amaranth, the two upper petals maculated with white. 1*s*. 6*d*.

LOUISE BILDSTEIN, pure white, reticulated and margined with dark violet. 1*s*. 6*d*.

LYDIA, purplish mageuta, upper petals marked bright orange at base. 3*s*. 6*d*.

MAIDEN, fine trusses of snow-white flowers. 3*s*. 6*d*.

MARION, blush white, heavily shaded and veined with salmon pink. 2*s*. 6*d*.

MARKSMAN, rich magenta, two upper petals shaded at base with scarlet. 3*s*. 6*d*.

M. H. TILMANT, dazzling crimson; upper petals maculated with white; white centre surrounded with reddish violet. 1*s*.

MURIEL, white flowers borne in fine trusses. 3*s*. 6*d*.

NANCY, soft rose pink, fading to white. 3*s*. 6*d*.

NÈGUS MÉNÉLIK, fine trusses of rose flowers; large white centre. 2*s*. 6*d*.

NERO, orange-scarlet, shaded with yellow. 3*s*. 6*d*.

ORESTE, perfectly formed flowers, rose shaded lilac and speckled with purple. 2*s*. 6*d*.

ORMONDE, fine trusses of cerise-scarlet flowers. 2*s*. 6*d*.

OSSIAN, magenta scarlet, upper petals shaded with bright scarlet. 2*s*. 6*d*.

SINGLE-FLOWERED ZONAL PELARGONIUMS—*continued.*

PARA, carmine scarlet, upper petals shaded with vermilion. 2*s.* 6*d.*

PIERRE LEBRUN, enormous trusses of deep rose flowers, marbled and spotted with carmine. 2*s.* 6*d.*

PLUTON, enormous trusses of rich purplish red flowers, a most striking colour. 2*s.* 6*d.*

POUSCHKINE, purplish crimson, upper petals maculated white, centre of each petal rosy white. 2*s.* 6*d.*

PRIAM, salmon scarlet, fine truss and flowers of good shape. 2*s.* 6*d.*

RADIANCE, rich purplish magenta, upper petals marked at the base with vermilion. 2*s.* 6*d.*

RAMON, handsome trusses of rosy scarlet flowers. 2*s.* 6*d.*

RUSSIE, large trusses of rose-coloured flowers with large round white centre. 3*s.* 6*d.*

TOREADOR, large red flowers tinted with purple; purple nerves in centre. 3*s.* 6*d.*

Selections made from Mr. W. B.'s General Collection at 9*s.* and 12*s.* per dozen.

DOUBLE-FLOWERED ZONAL PELARGONIUMS.

ANNIBAL, flowers violet solferino, marked on the upper petals with fiery scarlet. 1*s.* 6*d.*

APOTHÉOSE, upper petal white, veined lilac; white centre; lower petals reddish carmine. 1*s.*

AQUARELLE, white flowers, each petal clearly bordered with bright carmine. 3*s.* 6*d.*

BERENICE, large trusses of semi-double carmine rose flowers, maculated with white. 2*s.* 6*d.*

CÉSAR, large trusses of purplish crimson flowers. 1*s.* 6*d.*

CHARLES GOUNOD, rich scarlet, white centre, bordered reddish violet on upper petals. 1*s.* 6*d.*

CHINOISERIE, trusses of semi-double vermilion flowers, shaded with violet amaranth, striped and rayed with white from the centre. 3*s.* 6*d.*

COLBERT, soft rose flowers, shaded with orange vermilion. 2*s.* 6*d.*

COMTE DE TURIN, large well-made double flowers, blush rose suffused with carmine. 3*s.* 6*d.*

DIVINITÉ, large semi-double flowers, dark orange shaded with carmine; a new colour. 3*s.* 6*d.*

DON QUICHOTTE, beautiful semi-double reddish scarlet flowers, each petal having the base and centre pure white, the centre surrounded with a marmorated zone of rose amaranth. 3*s.* 6*d.*

DUROC, large semi-double rosy lilac flowers, maculated with pure white on the upper petals, the centre freckled with carmine. 3*s.* 6*d.*

EMMANUEL ARÈNE, large purplish red flowers, large white centre surrounded with violet red. 1*s.* 6*d.*

ETOILE DE NANCY, fine trusses of fiery scarlet flowers, displaying a well-defined centre of pure white surrounded with violet; a well-shaped flower. 1*s.*

FEU D'ARTIFICE, white flowers outlined and intermixed with fiery scarlet; white centre. 3*s.* 6*d.*

GENERAL DAVOUT, scarlet-purple flowers; a free grower. 2*s.* 6*d.*

GRANDVILLE, immense semi-double bright reddish scarlet flowers, upper petals maculated with white, pure white centre surrounded with an aureole of carmine violet. 3*s.* 6*d.*

HENRI DE PARVILLE, large trusses of semi-double reddish purple flowers, white centre extending into the upper petals, surrounded with bright amaranth. 1*s.*

HUBER CHARRON, immense trusses of semi-double orange-carmine flowers, with very large white maculations on the upper petals. 1*s.*

JACQUES CALLOT, enormous semi-double salmon-red flowers, the circumference white, marbled and veined rosy violet, white centre; a beautiful variety. 3*s.* 6*d.*

JEAN RAMEAU, semi-double white flowers, nerved and striated with rosy violet, the point of each petal reddish carmine, the colour continuing round the edge of each petal. 1*s.*

JEUNESSE, clear rose, white centre spreading well into the upper petals. 3*s.* 6*d.*

J. T. VAN DEN BERG, bright rosy carmine, heavily speckled with bright red. 3*s.* 6*d.*

KING OF DENMARK, immense semi-double flowers of a rich rosy salmon colour; dwarf and compact habit; fine for bedding. Award of Merit. 1*s.*

KLÉBER, grand trusses of dark purplish violet flowers. 1*s.* 6*d.*

LAFAYETTE, fine globular trusses of perfect double flowers, dark minium red. 1*s.* 6*d.*

LA FRANCE, enormous trusses of large pure white flowers. 2*s.* 6*d.*

LA JUNGFRAU, globular trusses of sulphur-white flowers. 2*s.* 6*d.*

LOHENGRIN, large trusses of violet-crimson flowers, the upper petals marked with scarlet. 2*s.* 6*d.*

LOUIS FAGES, deep rosy lilac, punctulated with carmine; large truss of well-made flowers. 3*s.* 6*d.*

DOUBLE-FLOWERED ZONAL PELARGONIUMS—*continued.*

MADAME GOYEUX, white marbled rose, each petal margined rosy carmine. 1*s.*

MADAME HIPPOLYTE TILMANT, lower petals marmorated with rose-carmine on a white ground, the upper petals nearly pure white, the entire flower bordered with carmine; dwarf and floriferous. 1*s.* 6*d.*

MAZARIN, tender rosy lilac, white centre; very floriferous. 2*s.* 6*d.*

M. CANOVAS, very rich fiery scarlet, immense trusses. 2*s.* 6*d.*

MONT BLANC, enormous trusses of double white flowers. 2*s.* 6*d.*

NAPOLEON, globular trusses of orange red flowers; very floriferous. 1*s.* 6*d.*

PAOLO MARITTON, bright crimson, marked with white at base of petals. 3*s.* 6*d.*

PASTEUR, very large brilliant scarlet flowers; said to be the finest double scarlet yet sent out. 2*s.* 6*d.*

PAUL BARRÉ, large semi-double rose flowers, marmorated with white. 2*s.* 6*d.*

PETER BURNET, bright salmon-pink flowers of good form; a distinct colour. 3*s.* 6*d.*

PREDICTION, reddish violet semi-double flowers surrounded with carmine, the upper petals blotched with white, nerved with dark rose, whitish centre. 1*s.*

PRINCE HENRI D'ORLEANS, very large trusses of rose flowers, striped with salmon. 2*s.* 6*d.*

RAOUL, double reddish purple flowers, large white centre encircled with violet. 3*s.* 6*d.*

RICHELIEU, crimson scarlet, shaded fiery orange. 2*s.* 6*d.*

ROI DE SIAM, bright scarlet flowers mixed with purple, large round white eye. 3*s.* 6*d.*

V. MASSÉ, bright violet with white maculations; large trusses. 3*s.* 6*d.*

VOUTE CELESTE, pearly white speckled with carmine; large full flowers. 3*s.* 6*d.*

Selections can be made by Mr. W. B. from his General Collection at 9*s.* and 12*s.* per dozen.

CHOICE DOUBLE AND SINGLE FLOWERED IVY-LEAVED PELARGONIUMS.

Selections made by Mr. W. B. at 9s., 12s. and 18s. per dozen, according to sorts.

CHOICE VARIEGATED, GOLD AND SILVER TRICOLOR PELARGONIUMS.

Selections made by Mr. W. B. at 12s., 18s. and 24s. per dozen, according to sorts.

CHOICE BRONZE, GOLD, AND SHADED YELLOW PELARGONIUMS.

Selections made by Mr. W. B. at 12s. and 18s. per dozen, according to sorts.

CHOICE FUCHSIAS.

For New Sorts sent out this year, *vide* page 5.

*Those marked * are Double-flowered Varieties.*

***ACHILLES**, a grand variety with short tube and broad dark red shell-shaped sepals; corolla rich plum colour, very full and double, the petals much waved. 3*s.* 6*d.*

ADDINGTON, a very distinct hybrid variety, raised from the old *fulgens* crossed with one of the ordinary kinds. Awarded a Certificate of Merit by the Royal Horticultural Society. 1*s.* 6*d.*

***ALFRED RAMBAUD**, very large double flowers, reflexed scarlet sepals, rich violet corolla. 1*s.*

BALTIC, short bright crimson tube and sepals, the latter well reflexed; rich purple single corolla, veined at base with crimson. 2*s.*

***BELLONA**, short tube and completely reflexed sepals of a rosy carmine colour; large white double corolla, suffused and veined rose pink. 1*s.*

***CALLIOPE**, corolla rich violet purple, short tube and broad crimson sepals. 1*s.*

CASINO, very short tube and broad crimson sepals, single corolla, the petals spreading and of a rich purple colour. 1*s.*

CECIL, short tube and broad coral-red sepals, large spreading purplish-red single corolla of good shape. 3*s.* 6*d.*

CHOICE FUCHSIAS—*continued.*

CHAMPION, bright red tube and sepals, the latter completely reflexed; reddish violet corolla; flower of immense size. 1*s.* 6*d.*

CORNEILLE, very long recurved scarlet sepals; large violot-bluo corolla. 1*s.*

***DE CHERVILLE**, large double rose corolla, sepals dark red and well reflexed. 1*s.*

DE GONCOURT, pretty single white corolla; sepals carmine red; good habit. 1*s.*

***DORIS**, short tube and large broad coral-red sepals horizontally extended; immense double corolla, petals reddish purple, margins shaded with metallic bluo. 1*s.*

***DUC D'AUMALE**, large red sepals, immense globular double corolla, white shaded salmon. 1*s.*

ELEGANCE, white tube and sepals, the latter broad and elegantly recurved, single corolla blush pink, each petal margined bright pink. 3*s.* 6*d.*

***FANE**, short crimson tube and recurved sepals, full double blue corolla, splashed at the base with carmine. 1*s.* 6*d.*

FASCINATION, a most charming variety with long white tube and sepals, which are broad and prettily recurved; single corolla of a lovely shade of rose pink. 3*s.* 6*d.*

***FRÈRE-ORBAN**, large bright red reflexed sepals, large double bluish violet corolla. 1*s.*

FORTUNA, short tube and broad reflexed crimson-red sepals; large single or semi-double white corolla, heavily shaded rose and marked crimson at base. 1*s.*

***GIDOUR**, *see* page 5.

HECTOR, dark crimson-red tube and sepals, the latter broad and well reflexed; crimson-purple corolla, the base of petals lit up with bright crimson. 3*s.* 6*d.*

ICARUS, *see* page 5.

IRENE, short red tube and sepals, well reflexed; single reddish violet corolla marked with crimson at base and well extended. 1*s.*

***IRIS**, short tube and broad carmine-crimson sepals; large double white corolla, shaded with rose and flaked rose pink. 1*s.*

***JANUS**, *see* page 5.

LAMARTINE (1897), short clear red sepals, horizontally reflexed; double corolla of a lilac shade of sky-blue; plant of dwarf habit and very floriferous. 1*s.*

LEDA, short tube and very broad reddish crimson sepals, irregularly reflexed; corolla bluish violet veined with crimson and much expanded. 1*s.*

LINDA, *see* page 5.

LUCIUS, very large and broad bright crimson sepals, completely reflexed, tube short; large white corolla, veined with rose at the base. 2*s.*

***MENTO**, *see* page 5.

***METIS**, short dark rose tube and sepals, the latter well reflexed; double white corolla marked deep rose at base. 1*s.*

***MOLIÈRE**, large recurved wine-red sepals; enormous double corolla, with large plum-coloured petals. 1*s.*

OBERON, a charming light Fuchsia with white tube and sepals, the latter semi-refloxed; single corolla, bright rosy carmine, shaded magenta. 2*s.*

***OVID**, short coral-red tube and sepals, the latter broad and well reflexed; immense double white corolla, shaded magenta, crimson at base. 2*s.*

PENDANT, short tubes with long and broad extended carmine-pink sepals; corolla, single or semi-double, rich plum colour, shaded with rose at base; pendent habit. 2*s.*

***ROSALIE**, short bright crimson tube and sepals, horizontally extended; large double white corolla, veined at the base with cerise pink. 1*s.*

RUPERT, short tube completely hid by the broad recurved cerise-red sepals; single corolla, very large and spreading of a rich bright purple, veined and suffused with crimson at the base. 3/6.

***SERENA**, very short rosy pink tube, sepals completely reflexed; immense double spreading corolla, blush rose veined with deep pink. 1*s.*

***THALIA**, short tube and broad coral-crimson sepals, well reflexed; semi-double white corolla, the petals well expanded, suffused with rose and veined crimson at the base. 1*s.*

TRIBUTE, very short tube and completely reflexed bright reddish crimson sepals; violet-purple single corolla, veined and shaded at base with crimson-red. 2*s.*

VALIANT, *see* page 5.

***VICTOR HUGO**, large blood-red sepals; large double corolla, violot-purple marbled red. 1*s.*

***VOLTAIRE**, short and broad reflexed scarlet sepals, very large double corolla, plum coloured, all the petals veined with rose. 1*s.*

Many other varieties can be supplied from Mr. W. B.'s General Collection at 9*s.* and 12*s.* per dozen.

INDEX.

	PAGE
Abroma	7
Acalypha	7
Achimenes..	30
Adiantum .. .. 37 &	40
Æchmea	7
Agapanthus .. 3 &	18
Aglaonema .. 6 &	7
Allamanda	7
Alocasia	7
Alpinia	7
Alsophila	40
Althæa, *vide* Hibiscus ..	28
Amaryllis	7
Amasonia	8
Amorphophallus .. 8 &	18
Anemidictyon	37
Anthurium .. 3, 8 &	9
—— Andreanum .. 3 &	8
—— Scherzerianum 8 &	9
Aphelandra	9
Aralia .. .. 9 &	18
Araucaria	18
Ardisia	9
Areca	34
Aristolochia	9
Artocarpus .. 9 &	33
Asparagus	18
Asplenium.. .. 39 &	41
Ataccia	9
Azalea	18
Beaumontia	9
Begonia	31
Bignonia .. .. 9 &	18
Blandfordia	18
Bougainvillea	9
Bouvardia	18
Bredia	18
Brownea	9
Caladium	29
Calamus	34
Calliphruria	9
Calodendron .. 18 &	32
Camellia	19
Camoënsia maxima ..	9
Canna	19
Carludovica	34
Carnations	19
Ceropegia .. .. 9 &	10
Chamæcladon	10
Chamædorea	34
Chamærops	34
Chameranthemum ..	10
Chrysanthemum	31
Cibotium .. .. 39 &	41
Cienkowskia	10
Cinnamomum .. 10 &	32
Cissus .. .. 10 &	19
Clematis	19
Clerodendron	10
Climbing Plants for Stove	17
Cochliostema	10
Cocos Weddelliana ..	34
Coffea .. .. 10 &	32
Coleus	19
Corypha, *vide* Livistona..	36
Crinum .. .. 19 &	20
Croton	10
Cryptanthus .. 10 &	11
Curculigo	11
Cyanophyllum	11
Cyathea	41
Cycas	35
Cyperus	11
Cyrtanthus	19
Cyrtodeira	11
Dæmonorops, *vide* Calamus	34
Davallia .. .. 39 &	41
Deyeuxia	19
Dianella .. .. 19 &	21
Dicksonia	41
Dieffenbachia	11
Dioscorea	11
Dipladenia	11
Doodia	41
Dracæna .. 3, 11, 13 &	21
—— Victoria	3
Drynaria Hillii	3
Encephalartos	35
Encholirion	13
Eranthemum	13
Erythrina	21
Erythroxylon Coca 13 &	32
Eucalyptus	21
Eucharis	13
Eucodonia	30
Eurycles	13
Ferns .. .. 37 to	42
Ficus 13, 14, 21, 32 &	33
Franciscea	14
Fuchsia .. 5, 46 &	47
—— New Sorts	5
Gardenia	14
Geonoma	35
Gesnera .. .. 14 &	31
Gleichenia	39
Gloriosa	14
Gloxinia	31
Greenhouse Plants, 18 to	28
Grippinia	14
Gymnogramma	39
Habrothamnus	21
Hardy Plants	28
Hedychium	21
Heliconia	14
Hibiscus .. 14, 21 &	28
Hippeastrum, *vide* Amaryllis	7
Hoya	14
Hymenocallis	14
Imantophyllum	22
Impatiens	15
Ipomœa	15
Iris .. .. .. 22 &	28
Ixora	15
Jasminum .. 4, 15 &	22
—— nitidum	4
Kæmpferia	15
Kentia	35
Lamprococcus	15
Landolphia .. 15 &	32
Lapageria	22
Lasiandra	22
Lastrea .. .. 39 &	41
Latania	36
Licuala .. .. 4 &	36
—— Muelleri	4
Lilium	28
Livistona	36
Lomaria .. .. 39 &	41
Mackaya bella	22
Macrozamia	36
Maranta	15
Medicinal and Officinal Plants .. 32 &	33
Medinilla	15
Mimosa	15
Musa .. 16, 23 &	32
Nægelia, *vide* Gesnera ..	31
Nepenthes	16
Nephrodium .. 40 &	41
Nephrolepis	40
Nerine .. .. 4 &	23
—— candida	4
New Plants announced for the first time 3 to	5
Nidularium	16
Officinal and Medicinal Plants .. 32 &	33
Oplismenus	16
Palms, Cycads, &c. 34 to	36
Panax	16
Pancratium	16
Pandanus	16
Panicum, *vide* Oplismenus	16
Passiflora .. .. 16 &	23
Paullinia .. .. 16 &	33
Pavetta	16
Pavonia	16
Pelargoniums 5 & 43 to	46
Pellionia	16
Pentas	16
Peperomia	16
Petunia Victoria.. ..	5
Philodendron	16
Phœnix	36
Phyllanthus	16
Phyllocactus	23
Phyllotænium	16
Piper .. 16, 32 &	33
Pitcairnia..	16
Plumbago .. .. 16 &	23
Polypodium .. 4 &	42
Polystichum .. 40 &	42
Primula	23
Pteris .. .. 40 &	42
Ptychosperma	36
Reinwardtia	23
Rhapis	36
Rheum	28
Rhododendron, 4 & 26 to	28
—— Fordii	4
—— New Sorts	4
Richardia .. .. 23 &	25
Ruellia	17
Saintpaulia	17
Sanseveira	17
Schismatoglottis	17
Schubertia	17
Seaforthia	36
Selaginella	42
Smilax .. .. 17 &	33
Solanum .. .. 17 &	25
Stephanotis	17
Stevensonia	36
Stove Plants .. 6 to	17
Tacsonia .. .. 17 &	25
Tecoma	25
Thrinax	36
Tillandsia..	17
Tradescantia	17
Tree Ferns	37
Tropical Fruits .. 32 &	33
Tydæa	31
Vallota .. .. 24 &	25
Vriesia	17
Zamia	36
Zingiber .. .. 17 &	33

Printers: Sir Joseph Causton & Sons, Limited, London.

BULL'S
FOOD FOR PLANTS.

Contains in a concentrated form all the essential elements of plant life. It is of immense benefit applied as a top-dressing to plants and bulbs of all sorts grown in pots, especially when pot-bound, completely restoring exhausted energy, a few applications ensuring vigorous healthy growth, the flowers being produced in a most luxurious manner, combined with great richness of colouring. It can also be mixed with ordinary soil in potting, or may be used with most beneficial effect for Chrysanthemums, Shrubs, Vines, and all kinds of Fruits, whether in pots or planted in the open air.

ANALYSTS' REPORT.

The analysis shows this to be a complete Plant Food, and of the highest quality. The material not only contains an abundance of all the constituents necessary for plant growth, but the analysis shows also that the four chief constituents are each in that combination which renders them in the most beneficial and available form for the healthy development of plants.

For these reasons, users of this Plant Food in the proper quantities cannot fail to produce the very best results within the capability of their plants.

CANNON & NEWTON,
Analytical and Consulting Chemists, 39, Mincing Lane, London, E.C.

DIRECTIONS FOR USE.

For POT PLANTS AND BULBS.—Sprinkle on the surface of the soil, about every three weeks, at the rate of a small teaspoonful to a 5-inch pot, so that when the plants are watered, the Plant Food will be gradually absorbed into the soil.

For CHRYSANTHEMUMS.—At the time of potting, some of the Plant Food should be thoroughly mixed with the compost, and afterwards, when the buds begin to swell, frequent top-dressings should be given, the quantity used being estimated according to the size of the pots and vigour of the plants.

For ROSES, SHRUBS, VINES, &c., in Pots.—Use about a tablespoonful to a 12-inch pot several times during the season.

For PLANTS, FRUITS, ROSES, and all Plants in Borders and the Open Ground.—Apply about 2 ozs. to the square yard as often as occasion may require, raking and watering it in.

For LAWNS.—Scatter broadcast at the rate of 2 ozs. to the square yard, and well water.

Sold in Tins, containing about 1½ lbs., price 1s. each. Larger Size, containing about 5 lbs., 2s. 6d. each.

Also in Bags, 14 lbs., 4s. 6d.; 28 lbs., 7s. 6d.; 56 lbs., 12s. 6d.; 112 lbs., 20s.

MANUFACTURED SOLELY BY

WILLIAM BULL, F.L.S.,
ESTABLISHMENT FOR NEW & RARE PLANTS,
536, KING'S ROAD, CHELSEA, LONDON, S.W.

1869.

BULL'S

Catalogue

OF

PLANTS.